#### DOCUMENT RESUME

ED 131 285

, 08

CB 008 873

TITLE

Curriculum Development Basic to the Training of Individuals for Employment in Agribusiness, Natural Resources, and Environmental Protection. Final Report. Volume Four of Five Volumes. Appendix C. Ohio State Univ., Columbus. Ohio Career Education and Curriculum Management Lab. in Agricultural Education.

SPONS AGENCY REPORT NO

INSTITUTION

Office of Education (DHEW), Washington, D.C. VT-103-205 V257018
14 Jun 76
OEG-0-72-4677

BUREAU NO
PUB DATE
GRANT
NOTE

346p.; For related documents, see CE 008 927-929 and CE 008 873-874

EDRS PRICE DESCRIPTORS

MF-\$0.83 HC-\$18.07 Plus Postage.

\*Agribusiness: Behavioral Objectives: Career
Awareness: \*Career Education; Career Exploration;

\*Cognitive Tests: \*Criterion Referenced Tests:
Educational Research: Elementary Secondary Education;

\*Environmental Education: Item Analysis: Unit: Plan;

\*Vocational Education

ABSTRACT

This volume of the report presents Criterion-referenced tests developed to assess student achievement in classes whose teachers did or did not use curriculum guides .. (developed in phase 1 of this project) for instructional decisionmaking. A total of 38 cognitive tests are included: 8 for career awareness units, 4 for career exploration units, and 26 for, career preparation units in the areas of agricultural production and agricultural supplies and services. In addition, two affective tests, one for grades 4 through 6 and one for grades 7 through 9, assess the students attitudes and appreciations concerning the world of work. A table follows each test which presents the correct test answers, results of the final item analysis, and test reliability. Information provided for each item includes relative difficulty, PHI coefficient, point biserial coefficient, and discrimination index. Tests in the career preparation units are preceded by a statement of student performance objectives for the unit. (RG)

## APPENDIX C

Final Report

Project No. V257018 Contract No. OEG-0-72-4677

CURRICULUM DEVELOPMENT BASIC TO THE TRAINING OF INDIVIDUALS FOR EMPLOYMENT IN AGRIBUSINESS, NATURAL RESOURCES, AND ENVIRONMENTAL PROTECTION

Curriculum Development Project in Vocational Education Conducted Under Part I of Public Law 90-576

Dr. Roger Roediger, Project Director (June, 1972 - June, 1974) Dr. Max B. McGhee, Project Director (June, 1974 - September, 1975) Larry Householder, Project Director (September, 1975 - June, 1976)

Ohio Career Education and Curriculum Management
Laboratory in Agricultural Education
The Ohio State University
2120 Fyffe Road
Columbus, Ohio 43210

June 14, 1976

VOLUME FOUR OF FIVE VOLUMES

VT 103 205

S-DEPARTMENT OF MERE

S-DEPARTMENT WELFARE

EDUCATION STITUTE OF

WATIONAL INSTITUTE

BEEN PERON

MATION BEEN PERON

MATION BEEN PERON

MAS RECEIVON ORIONS

THAS RECEIVON ORIONS

MAS RECEIVON ORIONS

AS RECEIVON ORIONS

MAS RECEIVON OR PRE
MAS RECEIVON OR PRE
MAS RECEIVON OR PRE
MAS RECEIVON OR PRE
MAS RECEIVON OR POLICY

MAS RECEIVON OR POLICY

MATING TO NOT NATION OR POLICY

STATEO DO INAL NATION OR POLICY

STATEO FICIAL MATION OR STATEO OF THE MERO IT OR POSITION OR POSI

# LIST OF UNITS APPENDIX C

## Career Awareness Units

Peanut Butter Maker
Park Ranger Naturalist
Florist
Farm Equipment Mechanics
Forest Technician
Affective Test for Grades 4-6
Environmental Technician
Livestock Producer
Feed Sales Personnel

## Career Exploration, Units

Affective Test for Grades 7-9
Agricultural Products (Food Processing)
Environmental Protection
Forestry
Ornamental Horticulture

# Career Preparation Units

Agricultural Production Livestock Selection. Breeding Systems Balancing Rations for Livestock Detecting and Controlling for Common Livestock Diseases Castrating, Dehorning, Identifying, Injecting Livestock Market Classes and Grades of Livestock Controlling Weeds in Farm Crops -Electric Welding in Agricultural Mechanics Using Concrete on the Farm Maintenance of Small Gasoline Engines Electric Motors - Selection and Maintenance Controlling Insects in Farm Crops Determining Fertility Needs Drying Farm Crops Planning and Establishing Farm Reservoirs Keeping Farm Accounts Operation and Care of Small Gasoline Engines Oxy-Acetylene Welding and Cutting Selection of Common Hand and Power Tools



Agricultural Supplies and Services Salesmanship and Selling Agricultural Supplies and Services Business Procedures and Records Determining Fertilizer and Lime Needs Utilizing Chemicals for Agricultural Problems Human Relations in the Agricultural Supplies and Services Business Formulating Feed Mixtures

Making Seed Recommendations

#### PEANUT BUTTER MAKER

Teacher Instructions: Each item should be read aloud twice to the students. Allow appropriate time for marking. Periodically check to see that students have understood the questions. (Use a black or dark mark for making the X's. Pictures may be colored.)

# First Page Instructions: Read Aloud

"There are 4 questions on this page. They are marked A,B,C and D. There are four pictures across the page. Mark only one answer from the four pictures. Make your answer cover the picture. Make it a dark color."

- A. Put an X on the picture of a food that does not grow in a pod.
- B. Put an X on the picture of a food that does grow in a pod.
- C. Put an X on the picture of something used to make peanut butter taste better.
- D. Put an X on the picture of something that we do not add to reanut butter to make it taste better

## Second Page Instructions: Read Aloud.

"Do questions E and F like you did before."


- E. Put an X on your answer to..."I would like to be a peanut butter maker."
- F. Put an X on the picture of anyone who can be a peanut butter maker.


#### STOP

"The directions are different for G and H."

- G. Put a dark line between the part of the plant that grows above the ground and the part that grows in the ground.
- H. Put the peanut pictures in the correct processing order...
  from field to jar. First cut out the pictures. Then
  paste the picture of the first step in box 1, second step
  in box 2, third step in box 3, and fourth step in box 4.

	NAME	
	GRADE K 1 2 3	BOY . GIRL.
	WHERE YOU LIVE	
•	CITY TOWN COUNTRY TEACHER'S NAME	
	MES)	10)
	PEANUT BUTTER MAKER	





ERIC Full fext Provided by ERIC

TABLE: 011S

AREA: Peanut Butter Maker

TEST NO.: 011

KUDER-RICHARDSON 20: .727

KUDER-RICHARDSON 21: .702

Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
					7
1. 2. 3.	C .	.307 .271	.930 .869	.587 .513	63.0 51.6
2. 3.	C	.574	.996	.594	83.2
4.	C	.470	.790	.330 / . .011 / .	46.3. -3.0
5.	Α :	.366	047		•
6.	- В	.086	.411	.314 ./	.16.7
7.	A D	.280 .33	<ul><li>827</li><li>988</li></ul>		46.7 79.2
8. 9.	· C	• 345	.992	.706	81.1
LO.	C A	.414 -	.000	.753	93.4
• 11.	В	.417	• 996	.693	83.7
2.					*
13. 14.					
		,			
		•			
16. 17.					
L8.					
L9.	<i>i</i> .			,	
20.					
<b>1.</b>			•	•	
22. 23. ·			•	0	المن المن المن المن المن المن المن المن
24.					s s
25.					
26.					
27.					
28. 29.			•		
30 <b>.</b>					

ERIC

TEST NO.: Oll
KUDER-RICHARDSON 20: .667
KUDER-RICHARDSON 21: .624

Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrimination Index
L	Ĉ A	. 288	. 930	<b>, :</b> 536 -	72,9
3	C C	.356	972	, 643	81.ď°
•	C	• 625 • 596	790	.433	59,0
5.	. A	.365	.729 .156	364	52.4
		. 303	•тэр	.118	9,5
<b>3.</b>	· B <sup>®</sup>	<b>%.</b> 077	.309	.123	11.0
•	Α .	308	.368	241	20,0
. The same	D The state of the	ું ∙ેં 365 જું જ	.951	653	77,6
<b>).</b>	. <b>C</b> .,	. 365	969	.637	82.4
).	Α.,	.519	.998	737	95.2
	<b>B</b> .	.462 <i>e</i>	.972	. 668	81.0
					0.0
					•
) <b>.</b>		•			· ·
	4,				100
	ø. *O		•		
•			•		
					•
•					<b>N</b>
			<b>.</b>	* * *	

#### PARK RANGER NATURALIST

Teacher Instructions: Each item should be read aloud twice to the students. Allow appropriate time for marking.

Periodically check to see that students under stood the directions

## First Page Instructions: Read Aloud

All of the questions on this page have to do with a Park. Ranger Naturalist and his work.

- A. A park ranger works near a fire tower.
- B. A park ranger needs to know how to build campfires so that he can show others.
- C. A park ranger works at night.
- D. A park ranger works in all kinds of weather.

## Second Page Instructions: Read Aloud:

- E. Which picture tells the most about a park ranger and his work? Make an X on the picture.
- F. Which picture does not tell about a park ranger and his work? Make an X on the picture.
- G. Which picture makes you think of a park ranger the most? Make an X on the picture.
- H. Which picture shows when a park ranger works. Make an X on the picture.

#### Third Page Instructions: Read Aloud

I and J Identify the leaf in the left column with the picture that describes it most in the right column. Draw a dark line between the leaf picture and the answer.

K and L Cut the four boxes out at the bottom of the page. Paste the "Indoors" pictures in the K box and paste the "Outdoors" pictures in the L box.

Г		
	NAME	
	GRADE (K) (1) (2) (3) BOY GIRL	
	WHERE YOU LIVE	
	CITY TOWN COUNTRY	
•	TEACHER S NAME	
	(YES) (NO)	. ,
0		
		• •
	PARK RANGER NATURALIST	٠,
		•
·		










































Park Ranger Naturalis
021 P

TEST NO.: 021

KUDER-RICHARDSON 20: .615

KUDER-RICHARDSON 21: .537

Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
,		70			
•	Α	.379	.956	.483	68.2
	A	184	.836	•440	41.5
	Α	<b>,</b> 421	869	.412	54.0
	. <b>A</b>	. 368	.884	.466	56.9
	D	.221	.750	.314	36.4
A STATE OF					00.4
•	В	.216	.6 <b>96</b>	.332	29.0
• * * * *	В	.416	.740	.358	. 41.6
• .	C	.589	\ .827	459	51.3
	В <b>А</b>	.237	\ .935	.509	60.2
•	Α	.526	\.911	.426	62.1
		•			
	Α ,	.074	•\H13	.360	18.8
	В	. 074	.673	.377	20.5
•	В	. 074	.413	.420	18.8
	Α	.068	.718	. 495	25.0
	÷.				77.7
			\· • •	and the second	
•	•	1		44	•
•		•	· \		
•			•	and the second	
,		•	. \		• /
		· · · · · · · · · · · · · · · · · · ·	· /*		
•	4. T.		\	•	j .
•		6			
•		•	1.		•
•					professional and the
		•			
			•		*
		•			

TABLE: 02LA

AREA: Park Ranger Naturalist

TEST NO.: 021

KUDER-RICHARDSON 20: .593 KUDER-RICHARDSON 21: .500

Item	Office Office	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
1. 2. 3. 4. 5.	A A A A D	.378 .146 .390 .317 .134	.969 .707 .965 .946 .411	.631 .217 .554 .553 .279	72.5 27.3 72.3 63.6 ,22.3
6. 7. <b>4</b> 8. 9.	B B C B A	.159 .439 .524 .256 .415	.454 .941 .999 .853 760	.283 .498 .620 .363 .348	22.5 67.3 86.1 45.5 40.5
1. 2. 3. 4. 5.	A B B A	.000 .049 .000 .073	.000 .411 .000 .413	.000 .337 .000 .374	00.0 13.6 00.0 18.2
6. 7. 8. 9. 0.					
1. 2. 3. 4.				•	
6. 7. 8. 9. 0.		,	and the second s		

#### FLORIST

Teacher Instructions: Each item should be read aloud twice to the students. All appropriate time for marking.

Perf divally check that sudents under

the directions.

## First Page Instructions: Read Aloud

"Draw a line from each picture in the left column to the season in which it fits in the right column. Draw ε line for picture 'A, B, and C."

"For question D, think of the four seasons. Spring, summer, autumn, and winter. There are four pictures which represent 3 different seasons. Put the numeral 1 in the box or boxes under the picture representing spring, 2 for summer, 3 for autumn, and 4 for winter."

# Second\_Page Instructions: Read Aloud

"Draw a line from each picture in the left column to the season in which it fits in the right column. Draw a line for picture E.F., and G."


"There are 4 pictures in question H. They show the steps in the life of a bean plant. The pictures are not in order. Decide which comes first and put the numeral 1 in the box under that picture. Then decide which is next, put a 2 in that box. Put a 3 in the box showing the third step and 4 in the box for the fourth step."


# Third Page Instructions: Read Aloud


- I. "If you were a florist which one of the three things would you need the least in making a flower arrangement. Put on X on the picture."
- J. "If you were a florist which one of the four things would you need the most in making a flower arrangement. Put a X on the picture."
- K. "On the bottom of the page are 4 pictures. There is one picture for each season. Cut out each picture and paste into the boxes numbered with 1,2,3 and 4. Put the season in order stabing with spring in box 1."




GIRL ∃OY · GRADE WHERE YOU LIVE TOWN COUNTRY CITY TEACHER S NAME FLORIST









TEST NO.: 031

KUDER-RICHARDSON 20: .740

KUDER-RICHARDSON 21: .695

Item .	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
	В	.047	→ .383	., 291	11.8
		. 296	969	572	69.4
	Α	.289	965.	.555	68.2
2. 40	Α	.319	. 203	.106	.12.3
	D	.704	.861	.422 · -°	52.0
<i>'</i>	D	. 140	• 233	.174	9.3
ur .	<u>C</u> - شر	316	.853	. 413	49.3
	В	.143	413	268	23.4
	Ċ	.528	.91,1	• 493	61.9
	A	.329	869	. 443	51.7
	C	7.00	0		
•	С	.163	.827	.487	41.2
•	, <b>D</b>	.133	.800	• • 510	37.6
<b></b>	, A B	.066	.637	• 421	20.0
A	Δ	.103	.707	• 408	27.1
5%	i ai	. 262	.780	,400	41.0
e e	В	.193	CuO's	,	
	Ď	.233	.649 **	• 304	28.1
	B	.266	.884	• 550	50.6
837	Č	.159	• 905 • 770	• 539	54.1
	Ă -	.136	770 .780 °	416	36.4,
		• 130	• / ٥ ὑ	.479	36.4
					-
, ,	<i>t</i> ,	$\hat{f}_{ij} = \hat{f}_{ij} + \hat{f}_{ij}$			•
				K,	
		a a			

26. 27. 28. 29. 30.

AREA:

KUDER-RICHARDSON 20: .690 KUDER-RICHARDSON 21: .618

	Correct	Relative Diffi-	Phi Coeff-	Point Biserial	Discrim- ination
Item	'Option '	culty	icient	Coefficient	Index
				3	
	В	.086	707	428	28.6
	C	190	218	.212	11,9
	Α,	.224	.661	369	33:3
•	A	.603	696	.179	38.1
	D -	• 690	.780 ⊱ €	.332	<u></u> 45.2
		* 7.00			
	D	• 190	.426.	.378	26. 2.
	C	<b>.</b> 328	.661	. 238	33.3
	В	.155	. 294	.079	. 7.1
	C ·	· 672	.905	.396	60.7
•	Α	•466	.413	.216	31.0
•					
•	Č.	.155*	.770	.304	35.,7
	, <b>D</b>	.207	.827	. 50 <b>0</b>	42.9
	A	.121	.707	.320	28.6
•	B C	.121	.770	. 403	35.7
	C	. 328	•924	.527	63.1
	• D	0.27	000		
	· B	.431	.998	.600	,
•	, D	397	.000	.684	92.9
	В	.345	988	.623	78.6
	C	.155	.827	.379	.42.9
•	Α	.103	.770	•466·	35.7
•				, · · · · · · · · · · · · · · · · · · ·	
•		, , , , , , , , , , , , , , , , , , ,			in the second
					-14.
•	•				

26. 27. 28. 29.

30.

## FARM EQUIPMENT MECHANIC

Teacher Instruction: Each item should be read aloud twice to the students. Allow appropriate time for marking. Periodically check to see that students understood the directions.

## First Page Instructions: Read Aloud

"Draw a line from each picture in the left column to the correct name in the boxes in the right column. Draw a line for pictures A,B,C,D and E."

## Second Page Instructions: Read Aloud


- F. Put an X on the picture of a tool that is not likely to be found in the farm mechanic's tool box.
- G. Put an X'on the picture of the tool that is most likely to be found in the farm mechanic's tool box.
- H. For each of the four pictures decide if it is considered mechanical or not. Put a Y in the box if "Yes" it is mechanical. Put a N in the box if "No" it is not mechanical.


# Third Page Instructions. Read Aloud

"Match each item in the left column with the name of the item in the right column. Draw a line between the word and the picture."


NAME	(3.5)
GRADE (K) (1) (2) (3)	BOY GIRL
WHERE YOU LIVE	
CITY TOWN COUNTRY	
TEACHER S NAME	
(YES) ?	
FARM EQUIPMENT MECHANIC	an.

 $\hat{C}_{in}$ 









AREA: Fare
TEST NO.: 041

KUDER-RICHARDSON 20: .555

KUDER-RICHAFTON 21: .316

Item	Correct Option	Relative Diffi- culty	«Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
1. 2. 3. 4. 5.	E C B A D	.050 .000 .025 .058	.426 .000 .000 .426 .249	.345 .000 .060 .328 .135	14.3 00.0 00.1 14.3 4.8
6. 7. 8. 9.	B C A A A	.142 .233 .033 .042 .817	.454 .8E1 .294 .294 .426	.264 .481 .113 .156	19.2 45.2 7.1 7.1 20.2
L1. L2. L3. L4.	B C B D A	.050 .258 .400 .133 .417	.233 .935 .988 .790	.215 .637 .641 .433	7.3 59.5 76.2 35.7 78.7
6. 7. 8. 9.					
1. 2. 3. 4. 5.	•				
6. 7. 8. 9.					

TEST NO: 041

KLER-RICHARDSON 20: .507

KLER-RICHARDSON 21: .212

Item	rect	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
1. 2. 3. 4. 5.	E B A D	.100 .033 .100 .133 .000	.637 .000 .353 .740 .000	.523 .004 .135 .634 .000	22.2 00.0 11.1 33.3 00 0
6. 7. 8. 9.	B C A A	.100 .167 .233 .067 .933	.353 .72 .63 .63	.006 .320 .148 .471 .228	1 1 35 3 22.2 22.2 24.3
1. 2. 3. 4.	B C B D A	.067 .067 .467 .100 .400	.353 .637 .000 .637	.393 .471 .716 .135 .68	11.1 22.2 100.0 22.2 88.9
	<b>(</b>				fm .
				3)	
					3

## FOREST TECHNICIAN

Teacher Instructions: Each item should be read aloud trice to the students. Allow appropriate time for marking.

Periodically check to see that students understood the directions.

# First Page Instructions: Reac Aloud

"There are six questions on this page: A,B,C,D,E, and F. The questions are about the Forest Technician and his work.

Each question has four circles with a letter for each possible answer. The letter in the circle tells you which word to look at in the right hand column.

The teacher will read a question to you. Look for the mour enswers.

Here is an example quastion:

- A. " word that means standing trees and rhymes with member look at the four possible answers. They are:
  - (A) timber, (B) pulp, (C) hill, and (D) forest

Mark your answe

The correct water is "A" timber. Color in the carrie was the letter "A"

- B. The word that means a single cut tree and rhymes with jos
- C. ... place where wood is sawed and rhymes with gill
- D A product f a cut tree and rhymes with should.
- E. word that dentifies the insides of a tree and rhymes with pulp.
- F. word that means burning and rhymes with tires.



## Second Page Instructions: Read Aloud

"Answer the next three questions by coloring in the "yes", "?", or "no".

- G. A cruising stick is used to messure trees.
- H. I would like to be a Forest Termician.
- I. A Forest Technician has an impresent job to do.
- J., K., L. Identify each leaf in the left column with the picture that describes it best from the four pictures in the right hand column. Draw a line from the leaf to the picture describing it best.

## Third Page Instructions: Read Aloud

M., N., O., Identify the primary and secondary uses of wood. Do P., Q., R. this by coloring in the best answer for each item.

Color in the "P" f it is primary, color in the "S" if it is secondary, or color in the "?" if you do not know.

***************************************	NAME	
	GRADE (K) (1) (2) (3)	BOY GIRL
	WHERE YOU LIVE  CITY TOWN COUNTRY	
	TEACHER'S NAME	
	YES ?	•)
	FOREST TECHNICIAN	
	PORTOL INCINITETAL	

A

(A)

B

(c.)

D

B

E

 $\overline{\left(\mathbf{F}\right)}$ 

 $\bigcirc$ 



(D)

E

 $\bigcap_{\mathbf{F}}$ 

16



H

(I

 $\binom{\mathsf{J}}{\mathsf{J}}$ 

F



(c)

 $\left( D\right)$ 

E

4 4 4 э)

H

(I)

 $\left( \begin{array}{c} \mathbf{J} \end{array} \right)$ 

A. TIMBER

B. PULP

C. HILL

D. FOREST

E. HILL

F. LOG

G. FOG

H. FIRES


I. WOULD

J. WOOD '

G (YES) ?

H YES ? NO

YES ?





FURNITURE S PAPER LUMBER FIREWOOD

38

TABLE: 051S

AREA: Forest Technician

TEST NO.: 051

KUDER-RICHARDSON 20: .376

KUDER-RICHARDSON 21: -.041

r in the				8	1
		Relative	, Phi	Point	Discrim-
<b></b> /	Correct	Diffi-	Coeff-	Biserial,	ination
Item	Option	culty	icient	Coefficient	Index
• /	Α	.012	.218	.242	
•	C	. 063	440	.273	4.0
<i>ļ</i>	C	212	.844	.464	16.0 44.0
	D •	.212	869	.540	44.∪ 48.∂
•	D *	• 050	• 440	.493	16.0
	•				10.0
•	В `	.100	• 685	. 406	24.0
•	Α	• 537	•918	.461	63.2
•	<b>A</b>	• 950	309 .790	208	-8.0
•	<sub>Q</sub> A	-237	. 790	.426	43.7
•	D	. 225	.750	.340	35.8
•	•	0.07			
$r_{i} = r_{i}$	C A	.237	•411	.236	23.5
	B	•075 •800	. 440	. 282	16.0
	Ä	.850	•454 •016	.261	25.5
	B	.550	.397	085	0.8
		• 550	.03/	•204	26.5
•	В	.787	. 094	.098	4.8
•	A	.300	- 898	. 526	55.8
•	A	.475	•413 <sup>\</sup> \	.,278	30.7
			- \		
			1.0		
		9			
	•	***	,		• .
•	Agreement to				
•			/.		
	, (		i /.		
	50/				1

AREA: Forest Technician
TEST NO.: 051

KUDER-RICHARDSON 20: .360

KUDER-RICHARDSON 21: -.121

Item	Correct Option,	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim ination Index
			- e v		
	A'	.020	.279	.174	6.7
	C.		. 279	.140	6.7
	Ç	.210	. 482 –	287	26.2
1	D -	.170	↓482	295	23.1
	A	.040	-203	. 249	6.4
•	B A	<b>∔</b> 090	.482	. 383	23,1
•	Α .	•610	. 685	286	48.1
•	A	.780	• 454	•256	26.0
	• A	•100	.495	.192	20.0
•	- D	. 110	.482	. 343	23.1
	C,	.i10 . ,	• 536	<b>:</b> 394	23.3
	Α.	•020	<b>279</b>	• 212	6.7
• 14.7	В	•730	- 031	.041	-1.9.
• 1.3	<b>A</b> •	750	.454	.284	26,0
	`	500	.649	•385	45.0
	В	.900	. 264	.200	11.2
	Α	•210	.891	.641	66.7
	Α .	. 330	770	• 457	52.9
			ا د	the soft	
		· · · · · · · · · · · · · · · · · · ·			
					•
		•		- 0 100	
			<i>,</i>		
				± 0 .	
			and the second s		

### AFFECTIVE TEST Grades 4-6

READ ALL THE INSTRUCTIONS ON THIS PAGE BEFORE YOU START MARKING YOUR ANSWERS.

Please answer each question by filling in the spaces on the score sheet given to you. Be sure to fill in each space completely as you mark your answer. USE PENCIL ONLY. Be sure to erase completely when you change your answers. For each sentence mark only one answer. Please do not write on the question sheets.

Think about each sentence carefully. Do you agree or disagree with the sentence, or don't you know how you feel about it?

- 1. If you agree or "go along with" the sentence, darken in the space marked with an "A" on the score sheet.
- 2. If you don't know how you feel about the sentence, darken in the space marked with a "B" on the score sheet.
- 3. If you do not agree with or "do not go along with" the sentence, darken in the space marked with a "C" on the score sheet.



- 1. People stop learning after they finish school.
- 2. Some jobs have certain words that a worker needs to learn.
- '3. Workers depend on each other for doing their jobs.
- 4. Work means earning money.
- 5. I like to work in a grap
- 5. Other people's ideas help me in choosing a career.
- 7. Some jobs are alot alike.
- .8. I can learn about jobs on weekends and during summer vacation.
- 9. It is fun to do all parts of a job.
- 10. Once a person learns to do a job he does it all his life.
- 11. If I don't get paid, I won't work.
- 12. A person's mind can grow.
- 13. What a person believes in is important to his career.
  - 14. I work hard when I know I will get a reward.
  - 15. I do not have to like the people I work with.



- 16. What I learn out of school is not very important.
- 17. I am different from my friends.
- 18. Rules and regulations are important in only a few jobs.
- 19. People are similar in physical appearance regardless of their culture.
- 20. My parents want me to be in a certain career when I grow older.
- 21. A baby's world is small compared to a teenagers'.
- 22. Being happy is not important in choosing a career.
- 23. People learn all their lives.
- 24. I can make many decisions for myself.
- 25. Money is only one kind of pay for work.
- 26. People are different mostly in looks.
- 27. The boss needs to treat his employees fairly.
- 28. Training is important in some jobs.
- 29. Both men and women work.

- 30. I learn most about jobs at school.
- 31. Special to 1s are needed for some jobs.
- 32. People do only one job in their life.
- 33. Working in a gorup is helpful to each person in the group.
- 34. Being aple to read, write, and count are important in most jobs.
- 35. Some people do not do their jobs well because they do not know how to get along with others.
- 36. It is important to know how to find answers to our questions.
- 37. What I think about things is important to my work.
- 38. Sometimes you can tell what kind of jobs people do by the way they dryso.
- 39. People 12 to how different things when they work at different jobs.
- 40. People working together need to understand each other.
- 41. Employers held to treat their boss fairly.
- 42. Knowing now to count and use numbers are important in many jobs.
- 43. If I work hard I will be a success.

- 44. I would rather do something by myself than with a group.
- 45. It is important for me to listen to directions.
- 46. I only like to do things my friends do.
- 47. I want to do more than one kind of job in my life.
- 48. I may change my mind about careers.
- 49. My success depends on my intelligence.
- 50. My hobbies have an effect on what career I choose.
- 51. I cannot do everything, so I must make decisions.
- 52. When I am in a hurry my homework isn't as well done as when I am not in a hurry.
- 53. What I did yesterday has little to do with what I do today.
- 54. I know what job I would like to do when I grow older.
- 55. Going to school is important for getting a job.
- 56. The national economy influences my career choice.
- 57. People should be allowed to change their minds.
- 58. People are different mostly in intelligence.

- 59. Some jobs require special skills.
- 60. Getting paid can be done through ways other than money.
- 61. People change where they live often.
- 62. Most people enjoy working.
- 63. People who work in groups get more done.
- 64. Many jobs are related.
- 65. A ments encourage me.
- 66. I for other people's opinions.
- 67. Special locations are needed for some jobs.
- 68. I try to find several ways of doing things.
- 69. Special training is required for some jobs.
- 70. People learn outside of school.

TABLE: 062, 072, 082S

AREA: Affective 4 - 6

TEST NO.: 062, 072, 082

KUDER-RICHARDSON 20: .789

KUDER-RICHARDSON 21: .702

Item	Correct Option	Relative Dif_i* \ culty	Phi Coeff- jicient	Point E.serial Coefficient	Discrim- Chatich Chdex
3	•	6.27			
1.	C A	.031	.353	.123	9.
2.	A	•20 <b>5</b> •5-5	.063	.115	<i>p</i>
3.	B B		729	.279	HOUT HE
4.	A	.7 <sup>-3</sup> .2 <sub>-</sub> 7	661	346	<b>-</b> 28.
5.	A	• 2_1	.750	•406	37.
6.	A	.6 2 .	. CO.F	7.00	
7 <b>.</b>	Ä	.3_3	•685	.196	<b>35.</b> 7
8.	Ä	.3_3	•869 05.6	.279	45.5
9.	Ĉ	•3 <u>.</u> 3 •705	•956	.631	63.6
	č	• 705 • 295	.218	.167	12.6
.0.		• 235	.750	•441	37.8
1.	c	• 477	.818	200	110.0
2 <b>.</b>	Ä	205	.625	.399	48.3
3.	Ä	•295	.827	.318	31.5
	B	• 909		•379	46.9
4.	A	• 750	•000	024	00.0
5.	Λ	• / 50	368	184	-21.0
6.	C	. 205	.750	li C7	07.0
	Ă	• 455	.637	467	37.8
	Ĉ	.182		.291	32.9
8.	A	.795	809	.567	36.4
9.	B B		<b></b> 233	052	<b>-13.3</b> /
0.	D	. 886	637	144	-18.2
•	$\cdot$	• 295	000	01.0	/
1.	$t + \frac{\mathbf{a}}{\mathbf{c}} t$ .	.273	.233	.040	13.3
<b>2.</b>	A		.397	181	19.6
<b>3.</b> /	A A	.159	.918	.544	54.5
4.	A A	• 250 503	.941	•570_	65.0
5. $\frac{\pi}{2} / \frac{\pi}{2}$	A	.523	.016	.037	00.7
	С	.500	207	250	
<b>6.</b> ,	A		.891	350	58.7
<b>7.</b>	A	182	.397	.347	ъ9.6
8. /		205	.368	.318	22.4
9	A	.159	.661	• 458	28.7
O•	В	•773	233	<b></b> 052	-11.9

TABLE 062, 072, 082S

AREA Affective 4 - 6 ...

TEST NO: 062, 072, 082

Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
					ndex
	Α	.023	353	•451	9.1
	C	.136	•637	.163	18.2
	Α	.318	.729	.265	39.2
	, A	.023	353	•451	9.1
	<b>A</b>	. 273	.891	• 556	55.9
	Α	.136	.353	.191	9.1
	Α	. 250	.750	• 293	37.8
	Α	.114	.249	.243	
	Α	.045	.637	.478	10.5
	Ā	.205	.233		18.2
		• 200	• 233	.295	11.9
	Α	.114°	.729	.472	27.3
	Α	.114	.809	.532	36.4
	В	. 682	078	•006	-4.2
	В	•636	- 091	129	
	Ā	, .000 .	.000	.000	–ა.6 00 <b>:</b> 0
	С	.182	900	F.0.F.	
	Ä	:318	.809	.535	36.4
	A		750	· <b>26</b> 5	37.8
		, 182	.809	.338	36.4
: ,	B B	.750	078	169	-4.2
	В	.841	047	.051	-1.4
*	Α	. 182	-397	.232	19.6
	^A	. 227	918	.519	54.5
	C	682	.454 .	.243	28.0
	A	. 250	063	.046	<b>-3.</b> 5
	Α	.068	.729	.524	
		v	• 17213	• 024	27.3
•	A	.705	• 294	.119	18,9
	Α	.023	• 353	.451	9.1
	В	-682	.187	.121	11.2
	$\mathbf{A}$	.114	. 869	.601	45.5
•	Α	159	.869	.423	45.5

TABLE 062, 072, 0825

AREA Affective 4 - 6

TEST NO. 062, 072, 082

Conrect Item Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
• B	. 705	233	027	-13,3
<b>A</b>	.455	-110	.094	7.0
••• A.	•636	. 264		17.5
<b>A</b>	295	.637	.172	7 30.1
A	364	.976	<b>,</b> 457	74.1
<b>A</b>	• 523	• 998	• 536	84.6
<b>.</b> A.	.091	• 637	.112	18.2
• A	318	.941	•468	65.0
<b>A</b>	.091	.809	.671	36.4
Α	.159	.869	.441	45.5

## ENVIRONMENTAL TECHNICIAN (NOISE)

Answer the following questions by darkening in the space below the letter or the answer sheet with the best answer.

- 1. Noise is defined as:
  - A. sounds created by humans
  - B. sounds not desirable for growth or life of living plants and animals
  - C. all other sounds that are not considered music
  - D. created mainly by machines or non-living things
- 2. A decidel measures:
  - A. toras
  - B. notes
  - C. music .
  - D. sound
  - 3. Pater means:
    - A. highness or lowness of a sound
      - B. loudness in intensity of a sound
    - C. fullness or volume of a sound
    - D. shrilness or mellowness of a sound
  - Which of the following would probably be most annoying to listen to for a period of 5 minutes?
    - A. electric blender
    - B. radio on F.M. station
    - C. electric shaver
    - D. church bells



- 5. Which of the following would reduce the amount of noise best in the home?
  - A. shutting the door to the noisy room
  - B. putting down carpeting in noisy area
  - C. putting cork under and around noisy appliances
  - D. using appliances during "off hours"

For the next section of questions use the following key:

- (A) true
- (B) false
- (C) I don't know
- 6. Technology creates new sounds.
- 7. Sounds added to each other often cause an undesirable sound level.
- 8. A decibel measures sound levels.
- 9. Sounds are noises.
- 10. Landscaping is considered one way of planning for noise control.
- Noises can cause annoyances.
- 12. Sounds can cause annoyances.
- 13. The Environmental Protection Agency has the job of monitoring sound levels to determine safety.
  - 14. Zoning usually does not help in controlling noise in cities.
- 15. Music can be considered sound or noise.

- 16. One major problem in farm nafety in transfer myles.
- 17. Misuse of sounds can affect our mental and physical beings.
- 18. A child may become hyperactive when his homelife becomes too noisy.
- 19. Noise pollution is a health hazard.
- 20. Carpeting a noisy area can reduce the noise level.

Environmental 061 .764 .709 ...

AREA:
AREA:
TEST NO.:
KUDER-RICHARDSON 20:
KUDER-RICHARDSON 21:

Item	Correct Option	Relative Diffi- culty	Phi . Coeff- icient	Point Biserial Coefficient	Discrim ination Index
			,		
	В	.799	.495	. 248	25.9
•	D	• 597	.522	255	33.5
	Α	.617	.685	.378	47.3
<b>.</b>		• 584	.309	186	19.9
	A B	.799	.309 .324	•178	16.0
				•π/o	, 16.8
	Α	.617	.661	374	45.0
•	A A	•318	411	.269	
	/ <b>A</b>	.662	.790	• 508	25.6
<u>,</u>	В	.747	.339		56.2
Ţ	Ä	.636	.661	•146	19,4
7.	**	• 030		- •405	45.0
•	A	.175	. 522	<b>^</b>	
	Ä	.364	. 322	•354	28.6
	A A	.617	.522	•279	34.4
	B		,,685	<b>.</b> ⁴423	47.2
•		.727	.625	•353	40.1
•	A	.182	.468	315	26.3
•	Λ .	201	CI.O	,	
	:A A	• 364	.649	. 382	.43.7
•		• 448	.884	• 543	68.4
•	A	. 344	.588	<b>.</b> 368	37.2
•	A	.383	.884	• 515′	68.6
•	Α	• 506	.861	• 539	66.1
•	*.				and the second
•				r	
•					
•					
•				and the first of the second	
•		• .		<b>5</b> -	
	- <del></del>		e .		
•					
•		e d'anna			
•		•	•	•	
•				19	

#### LIVESTOCK PRODUCER

Answer the following by darkening in the appropriate spaces. Mark only one space for each answer.

- 1. Animal diseases can be eliminated or slowed down by:
  - A. dusting:
  - B. spraying
  - C. other fumigation methods
  - D. any of the above.
- 2. Based on the concept of genetics, the least important is:
  - A. prediction based on animal size can be made
  - B. predictions based on growth patterns can be made
  - C. predictions concerning the sex of the unborn animal can be made
  - D. none of the above
- 3. Which of the following is the most important aspect of livestock production?
  - A. prenatal care
  - B. postnatal care
  - C. both prenatal and postnatal care
  - D. first year of growth
- 4. An animal producer must keep many records. Which is the least important to the animal producer?
  - A. supplies and services
  - B. purchases and sales
  - C. breeding and production .
  - D. planting and crop rotation

For the following questions mark:

- (A) if you think the statement is true
- (B) if you think it is false
- (C) if you don't know
- 5. A livestock producer can work many places in the United States.
- 6. Livestock production shows how decisions are made in a chainaction manner.
- 7. Animal nutrition relates to the production industry.
- 8. Prenatal and postnatal care are important aspects of livestock production.
- 9. A calf needs to eat approximately eight pounds of feed for one pound of gain.
- 10. Buying meat "on the hoof" means buying the animal before slaughter.
- 11. Genes combine to determine certain characteristics in animals.
- 12. Lineage means the relationship through birth.
- 13. An animal producer must work long hours during certain times of the year.
- 14. Feed lot pollution control is a major concern of the Environmental Protection Agency.
- 15. Only the choicest animals come from the "feed lot".
- 16. The added costs to farmers can be seen in the added costs to consumers through commercial meat cuts.

AREA: Livestock Producer
TEST NO.: 071

KUDER-RICHARDSON 20:

KUDER-RICHARDSON 21:

Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
η,	D				
2•	, <u>D</u>				
ł.	<b>D</b> -				
<b>5.</b>	A				
	Α				
	, A A				
	<b>A</b> *,		•		
	<b>A•</b>	0			
	A			**	
	ı. A			•	
	A B				
	7		. · •	$-\lambda'$ in $-\lambda$ .	-
	Α.	en e			7.4
• • • • • • • • • • • • • • • • • • • •					
<b>4</b>					
			<del>,</del>		
•					
•			Á		
•					
•	1	•			
•					
• ,					
			•		· · · · · · · · · · · · · · · · · · ·
				•	

#### FEED SALES PERSONNEL

Answer the following questions by darkening in the space with the letter of the best answer.

- 1. Feed sales dealers can be located quickly by:
  - A. dialing O for operator information
    - B. asking farmers in the neighborhood
    - C. looking in the yellow pages of the phone book
    - D. checking the advertisement section of the Sunday paper
- 2. Who make the best feed sales people:
  - A. men with much selling experience
  - B. women who have a farm background
  - C. men who have an agricultural background
  - D. men or women who have an agricultural interest
- 3. Which of the following is of least importance to the feed sales person?
  - A. English
  - B. math
  - C. speech
  - D. geography

The next section deals with characteristics that would be desirable for a sales person. Use the following key to describe how desirable each item is:

- (A) extremely desirable
- (B) desirable
- (C) not desirable at all
- (D) I don't know

- 4. Meeting people
- 5. Liking all nationalities
- 6. Showing favoritism
- 7. Talking to strangers
- 8. Bargaining with purchases
- 9. Likes other's viewpoint
- 10. Likes to make speeches
- 11. Shows impartiality
- 12: Shows prejudice
- 13. Likes to talk
- 14. Enjoys animals
- 15. "Soft hearted"
- 16. Likes to own things
- 17. Thinks things through

- 18. Is optimistic
- 19. Listens to others
- 20. Gives instructions
- 21. Speaks clearly

For the next section of questions use the following key:

- (A) true
- (B) false
- (C) I don't know
- 22. Different brands of feed with the same mixture contents will cost different prices.
- 23. Parasites bother animals.

**.** 

- 24. A feed sales person should be able to give clear, accurate instructions.
- 25. Feed sales dealers can be located by looking for addresses in the yellow pages.
- 26. "Sales pitch" means what you say and how you convince the buyer.
- 27. A feed sales person should not be tolerant with all his customers.

TEST NO: 081

KUDER-RICHARDSON 20: 611

KUDER-RICHARDSON 21: 527

	Correct	Relative	Phi	Fallent	Discrim
Item	Option	Diffi- culty	Coeff-	isepial	ination
	· option	Curty	TCTENT	Cefficient	Index
<b></b>					
<b>46</b> 0	C	.256	.861 🐔	1477	46.2
	D	651	.125	A 77725	7.7
	D.	535	•625	1/8 230 >	30.8
	A	.395	.853	块。	53.8
	Α	. 488	• 956	548	69.2
	C	• 442	. 249	214	75.0
	A	.767	.685	.441	.15.4
	<b>B</b> .	767	.264	.099	30.8 15.4
, ,	Α	.581	.707	•267	38.5
	В	•698	. 637	.207	30.8
					7 30.6
	/*A	.814	.141	.263	7.7
	, C	•628	.707	.398	38.5
, J	<b>B</b>	•535	780	375	-46.2
1	Α	.395	- 249	023	-15.4
	C	, <b>.</b> 581	.707	.216	38.5
	•				
	A	.721	• 000	027	00.0
	A	.302	.918	• 546	61.5
	<b>A</b>	•907	.750	.685	30.8
	<b>A</b> .	.349	969	.562	69.2
14	Α	.721	.809	.434	38.5
,	• A	372	.956	.461	60.0
	Ā	.186	.673	.286	69.2
	Ā	465	.780	.350	23.1
•	Ā	.116	.673	•350 •298	46.2
	A.	.302	.876	• 478	23.1,
					53.8
	Α	.419	.876	.383	53.8
	В	.767	.279	.396	15.4
					TO • T

## AFFECTIVE TEST GRADES 7-9

Answer the following questions by darkening in the appropriate spaces. Mark only one answer for each question.

- 1. Many occupations deal primarily with machines, equipment, or paper work, that is, they deal with things. In other occupations, however, the primary focus is on:
  - A. employees
  - B. superiors
  - C. people
    - D. other workers
- 2. As a group, people are very much:
  - A. different
  - B. alike
  - C. it is difficult to say
- 3. Which of the following is not a desirable trait of an employee?
  - A. indifference
  - B. sense of humor
  - C. tact
  - D. initiative
- 4. When you are criticized by your superior, it is best to:
  - A. act indifferent
  - B. tell him to do it himself
  - C. take it constructively
  - D. shrug it off
- 5. Loyalty includes:
  - A. working hours only
  - B. both the time to and from work
  - C. all the time
  - D. just when you feel like it

- 6. To approach your job with enthusiasm, it is necessary to:
  - A. fool the boss
  - B. work long hours
  - C. impress your co-workers
  - D. be glad to be part of the team
- 7. A good way to get along in your new job is to:
  - A. be a know-it-all
  - B. be willing to learn
  - C. show your co-workers how smart you are
  - D. run to your boss with every question you have
- 8. Show that you are not afraid of work means to:
  - A. work as hard as you can
  - B. be willing to tackle any job assigned
  - C. work harder than any of your co-workers
- .9. The people you can learn the most from are:
  - A. always your bosses
  - B. your best buddies
  - C. those who show an interest in you
  - D. the ones you eat lunch with
- 10. Plus doing the best work you can, it is important to :
  - A. learn as much as you can about your company
  - B. see what you can get on your boss
  - C. keep up on the latest gossip
  - D. be seen and not heard

For the next section of questions, mark the:

- (A) if you agree with the statement
- (B) if you are undecided about the statement
- (C) if you disagree with the statement
- 11. Your pay is the only financial benefit your employer can provide.
- 12. Any ideas you get you should keep to yourself, unless you will get paid for them.
- 13. Everyone makes mistakes.
- 14. People will act the same all the time.
- 15. Store rules and regulations are set up to hinder the employees.
- 16. Most employers don't care what you do with your own time.
- 17. Respect for authority is not necessary as long as you get the job done on time.
- 18. It is up to you to learn the job, not for the boss to train you.
- 19. People are different and the sooner you treat them this way, the better off you will be.
- 20. Regular attendance is of secondary importance to your boss.



For the next section of questions, decide how important each word or phrase is to you as you think about working at a job, Use this key in marking each answer:

- (A) very important to me
- (B) less important to me
- (C) not important to me
- (D) undecided
- 21. to look sharp
- 22. to be in a clique
- 23. to not show emotion
- 24. to discover the real problem
- 25. to learn from constructive criticism
- 26. to desire financial benefits
- 27. to investigate apparent problems
- 28. to emphasize human relations
- 29. to "politic"
- 30. to be industrious
- 31. to pass the buck
- 32. to practice "apple-polishing"

33. to show initiative

34. to follow instructions

35. to write

36. to read

37. to make choices

38. to change ideas

39. to cooperate with other people

40. to listen to others

41. to think about how others feel

42. to agree to do the job I say I will do

43. to show respect

44. to talk with others

45. to be enthusiastic

TABLE: 092, 102, 112, 122 AREA: Affective 7 - 9

TEST NO.: 092, 102, 112, 122
KUDER-RICHARDSON 20:
KUDER-RICHARDSON 21:

Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
1. 2. 3.	C B A				
4. 5.	C C				, fig.
6. 7. 8. 9.	B B C A		7		
11. 12. 13. 14.	C C A C	<b>\</b>			
6. 7. 8. 9.	A C B C				
0. 1. 2. 3. 4.	C h				
5. 6.	A A B A A				
7. 8. 9. 0.	C A				

TABLE: 092, 102, 112, 122

AREA: Affective 7 - 9

TEST NO.: 092, 102, 112, 112

Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
1. 2. 3. 4. 5.	C C- A A A				
B	A A A A A				
	Ä				

# AGRICULTURAL PRODUCTS (FOOD PROCESSING)

Answer the following questions by darkening in the space with the letter of the best answer..

٦ .	 V.Tland - In									
⊥.	Which proc	essing	method	18	used -	most ·	in for	nré	ee dan t	さんりょう
	•	_							DOTA OF	TOTE,

- A. salting B. drying

  - C. smoking
  - D. canning

2. Which processing method is used least in food preservation:

- A. freezing
- B. canning
- C. smoking
- D. drying

Which of the following school subjects is least important to the food processer.

- A. chemistry
- B. science
- C. biology
- D. home economics.

Which of the following never includes a grain product:

- A. macaroni
- B. balogna
- C. sausage
- D. cereal.



Which is not a fiber:

- A. wool
- B. silk
- C. cotton
- D. fur

Nylon is an example of:
A. a natural fiber

- B. a synthetic fiber
- C. a non-fiber
- D. any of the above

7. Migrant workers are usually associated with which of the following processing industries:

- B. meat C. fruit, vegetables, and nuts
- D. other non-food products

Which of the following is least important to the meat processing activities:

- A. curing
- B. peeling
- C. packaging and canning
- D. slaughtering

Which is the least desirable form of milk:

- A. dried
- B. evaporated
- C. fresh
- D'. none of the above

For the next section of questions use the following key:

- A. true
- B. false
- C. I don't know
- 10. The D.O.T. (Dictionary of Occupational Mitles) describes jobs in many occupations.
- 11. The pasteurizing process was developed by Louis Pasteur.
- 12. Aging is an important part of cheese making.
- 13. Carcass means the animal "on foot".
- 14. U.S.D.A. inspectors give meat grades such as prime, choice, good, etc.
- 15. Taste, color, and texture are important things to consider when comparing food preservation methods.

TABLE:
AREA: Agricultural Products (Food Processing)
TEST NO: 091
KUDER-RICHARDSON 20:
KUDER-RICHARDSON 21:

Correct Item Option	Relative Phi Diffi- Coeff culty icien	Discrim- ination Index

1. 2. 3. 4. 5. 6. 7. 8. 9.	D D B C D D B C B D A
11. 12. 13. 14.	A A' B B A
16. 17. 18. 19. 20.	
21. 22. 23. 24. 25.	

for

26. 27. 28. 29. 30.

#### ENVIRONMENTAL PROTECTION

Answer the following questions by darkening in the space with the letter of the best answer.

- 1. Environmental protection deals with which of the following:
  - A. water
  - B. solid wastes
  - C. air, noise, and radiation
    - D. all of the above
- 2. Tractor noise has proven to be harmful to a farmer's health over a period of time because it can cause:
  - A. hypertension.
  - B. deafness .
  - C. memory loss
  - D. none of the above
- 2. Which of the following community trash disposal methods is illegal:
  - A. open dump
  - B. incineration
  - C. land fill
  - D. none of the above
- 4. A decibel measures:
  - A. tones
  - B. notes
  - C. music
  - D. sound

- Which of the following school subjects would be least important to the Environmental Protection worker:
  - A. science
  - B. math
  - C. biology
  - D, art
- Solid waste is a problem for:
  - A. manufacturers
  - B. farmers
    - C. city sanitation directors
    - D. any of the above
- Trash is basically a problem for which environmental protection
  - A. air, noise, and radiation
  - B'. water

  - B. water
    C. solid waste
    D. none of the above
- Environmental protection is a problem for:
  - A. the community
  - B. government (Federal, State and Local)
  - C. individuals
  - D. all of the above

For the next section of questions use the following key:

- A. true
  - B. false
  - C. I don't know

- 9. Noise pollution is a health hazard.
- 10. An aqueduct is an ancient power system used by the Romans.
- 11. Monitoring is an important aspect of environmental control.
- 12. Noise means power.
- 13. Chemical pollution is a problem in environmental protection.
- 14. The D.O.T. (Dictionary of Occupational Titles) describes jobs in many occupations.
- 15. By using carpeting, noise in the home can be reduced.
- 16. Cork is known to be a poor sound absorber.
- 17. Environmental protection is necessary to humans whether they are at home; school, work or during their leisure.
  - 18. Noises add to each other to cause annoyances.
  - 19. The E.P.A. (Environmental Protection Agency) is an example of an agency which employees people to detect and monitor pollution of the air.
- 20. Too much noise around children can cause hypertension in children.

TABLE: 101
AREA: Environmental Protection
TEST NO.: 101

KUDER-RICHARDSON 20:
KUDER-RICHARDSON 21:


	, (				
Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient.	Discrim- ination Index
• <b>1</b>	D	y de la companya de l			
1. 2. 3. 4. 5.	B				
3.	A D	1	, ,		
5.	. *> D			٥,	
6. 7.	D C				
<b>8.</b> 9.	D				
9. 10.	A				
		Ċ.	•		•
11. 12.	A ~				•
13.	A B A		•	•	
14. 15.	A A				
	•				
16.	B A				
17. 18.	<b>A</b>				
19. 20.	A			94	
	A			a. The second se	
21.	•				
21. · · · · · · · · · · · · · · · · · · ·					
24. 25.					
25.					
26.		· Art			
26. 27.					
28. 29.				•	
30.	🔆				<b>V</b>
•	•		2 . · · · · · · · · · · · · · · · · · ·		

#### FORESTRY

Answer the following questions by darkening in the space with the letter of the best enswer.

- 1. Which of the following is <u>least</u> important in forest production:
  - A. planting
  - B. cruising
  - C. grafting
  - D. felling
- 2. When is the best time for forest planting:
  - A. between November and January
  - B. between April and June
  - C. before January
  - D. between January and March
- 3. Which of the following school subjects would be <u>least important</u> to the forester:
  - A. biology'
  - B. chemistry
  - C. math
  - D. geography
- 4. It takes about how many large trees to produce a ton of paper:
  - A. 12
  - ·B. 20
  - C. 17
  - D. 25

- 5. Which of the following best explains why trees get sick:
  - A. fungi
  - B. insects or diseases
  - C. animal damage
  - D. any of the above
- 6. Deciduous means:
  - A. evergreen
  - B. cone bearing
  - C. neither A or B
  - D. both A and B



- A. true
- B. false
- C. I don't know.
- 7. The D.O.T. (Dictionary of Occupational Titles) describes jobs in many occupations.
- 8. Woods are different in color, wood grain, and hardness.
- 9. It is impossible to estimate the age of a forest without cutting down at least one tree.
- 10. An entomologist can tell you about tree insects.
- ll. Forest fire fighters wear special clothes.
- 12. Chewing gum is a by-product of the forestry industry.

- 13. Sassafras tea is made from the tree branch bark.
- 14. A cruising stick is used to measure trees.

For the next section of questions use the following key:

- A. ... a primary use of wood

  B. ... a secondary use of wood...
- C. ... I don't know
- Furniture
- Turpentine
- 18.
- 19. Lumber
- Firewood

TABLE: 111

AREA: Forestry

TEST NO:: 111

KÜDER-RICHARDSON 20: KUDER-RICHARDSON 21:

Discrimination Index

Item	Convect Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient
1.	c	4.4.		
2. 3.	D B			
ц. 5.	C D			
6.	c			
7. , 8. 9.	A		3	
9.	B A			
11.	A A	•		***************************************
L3.	В			
14. 15.	A B			
[6. L7.	A			
L8. 5 L9.	B B A			
20.	A C			
21. 22., *****				
?3. ?4.				
25.	**			

!6.!7.!8.!9.!0.

### ORNAMENTAL HORTICULTURE

Answer the following questions by darkening in the space with the letter of the best answer.

- 1. Which deals with the cultivation and management of ornamental and flowering plants?
  - A. landscaping
  - B. arboriculture
  - C. nursery management
  - D. floriculture
- 2. Which school subject would be <u>least</u> helpful if you were to work in Ornamental Horticulture?
  - A: art
  - B. home economics
  - C. math
  - D. foreign language
- 3. In flower arranging, needle holders, frogs, and floral clay all are:
  - A. materials necessary in all flower arrangements
  - B. containers for securing flowers in all arrangements
  - C. items used to hold parts of an arrangement
  - D. any of the above
  - Which of the following is least important in turf management?
  - A. fungi control
  - B. fertilization
  - C. irrigation
  - D. drainage control

- 5. Ornamental Horticulture does not deal with:
  - A. ground cover
  - B. woodland protection
  - C. aesthetics
  - D. trees and shrubs
- 6. Which of the following is of <u>least</u> importance to the turf manager of a golf course?
  - A. fairway
  - B. tee-off spot
  - C. rough
  - D. greens

For the next section of questions use the following key:

- A. true
- B. false
- C. I don't know
- 7. Soil is an example of "plant growing media".
- 8. Another name for lawn grasses is sod.
- 9. The D.O.T. (Dictionary of Occupational Titles) describes jobs in many occupations.
- ,10. Seedling and sapling means the same thing.
- 11. Grafting is an important part of operation for the nurseryman.
- 12. Floral arrangements are designed with the season in mind.

- 13. Propagated means reproduced.
- 14. Japanese, Tropical, and English are three different kinds of gardens used in turf management.
- 15. Flora is a word meaning flower.
- 16. Turf is to land ... as ... surf is to water:
- 17. Floriculture deals mainly with growing and managing ornamental and flowering plants.
- 18. Arbor is a word meaning trees.
- 19. Selling is the most important part of a nurseryman's operation.
- 20. Sand is an example of "plant-growing media".

For the next section match the word with the best horticulture area. Use the following key for marking your answers.

- A. arboriculture 3
- B. floriculture
- · C. turf management
- D. greenhouse operation and management
- 21. Shrubs
- 22. Growing media such as sand, peat and top soil
- 23. Floral wire

TABLE: 121

AREA: Ornamental Horticulture

TEST NO.: 121

KUDER-RICHARDSON 20: KUDER-RICHARDSON 21:

Item	Correct Option	Relative Diffi- culty	Phi Coeff- icient	Point Biserial Coefficient	Discrim- ination Index
1.	Ď				
1. 2. 3.	D D	C. 75			
	C A ** , * **				•
5.	В				
6.	C.		<b>₩</b>		
7. 8.	C A A				
9.	Α				
LO.	В				
1.	A				
2. 3.	A A				
4. 5.*	D.				
	<b>A</b>				
6. 7.	' Å				
7. 8. 9.	. A .				
9. 0.	B 🐴				o*
1. 2. 3. 4.	Ç ×				
3. h	В		W. W.		***
5.					24
6.				***	
2					
2.~> 8. 9.	W		*		
0.					Ĵg

AREA: AGRICULTURAL PRODUCTION

Unit: Livestock Selection

### Student Performance Objectives

The student should be able to:

- 1. From a group of livestock within one species, distinguish those animals that are superior according to a phenotypic or type selection process as determined by market demands.
- 2. Using the pedigrees for a small group of livestock within one species, distinguish the animals which appear to have superior inheritance for selected traits as determined by evidence presented on the ancestors.
- 3. Given the production testing data of a group of animals within one species, determine those animals that are superior based on the evaluation of their past or present performance.
- 4. From a group of animals within one species, distinguish those animals that are superior according to a combination of type, pedfgree and production testing selection procedures to insure that those animals selected will meet their productive purpose efficiently and economically.

# AREA: AGRICULTURAL PRODUCTION

## Unit: Livestock Selection (1:1)

- 1. An extended record of an animals ancestry is known as a:


  - A. progeny record


    B. performance record


    C. pedigree

    - D. A and C above
- 2 . The practice of selecting animals on the basis of the merit of their offspring is known as: A, performance testing


  - P. progeny testing. C. pedigree enalysis
  - D. B and C are correct
- In the drawings below of beef steers of equal age and weight, which animal will most probably yield the greatest amount of primal cuts:








- 4. The evaluation and selection of animals on the basis of their individual merit is known as:
  - A. progeny testing
  - B. pedigree analysis
  - C. performance testing
  - D. 'none of the above
- 5. In the pedigree shown below, the top half is known as the:
  - A. maternal half
  - "B. production half.
  - C. paternal half
  - D. none of the above



- 6. A disadvantage of testing offspring of animals is (are):
  - A. only females can be adequately tested
  - B. a longer generation interval is required to obtain test information
  - C. culling can not be as intense
  - D. B and C are correct
- When selecting livestock based upon type or conformation, animals should be inspected from the:
  - Av side.
  - B. rear
  - Cofront
  - M.D. all of the above


8. The percent relationship of animal A to animal C in the pedigree shown below is:

- A. 50%
- B. 25%
- C. 12.5%
- D 25%



- 9: The figure in a dairy bull "sire proof" used to determine what improvement can be expected in the offspring of a progeny tested bull is called:
  - A. performance expectancy
  - B. predicted difference
  - C. production determinant
  - D. progeny increase
- 10. The beef steer in the diagrams below which most nearly approaches ideal conformation or type is:
  - A. 1
  - B. 2
  - C. 3





- 11. A pedigree is especially helpful in selection when:
  - A. selecting among young animals before their own performance is known
  - B. selecting for characteristics that are measured late in life
  - C. selecting for type and conformation
  - D. A and B above
- 12. In order to accurately compare the milk records of a 3 year old cow and 7 year old cow who are out of the same sire, one must compare the information given for:
  - A. herdsire daughters
  - B. the herdmates
  - C. the sires of these two cows
  - D. B and C are both correct
- 13. The dairy cattle score card is commonly used to select cattle on the basis of type. Of the four major categories covered in the score card the two categories which account for the most points are:
  - A. dairy character and mammary system
  - B. general appearance and mammary system
  - C. body capacity and dairy character
  - D. dairy character and general appearance
- 14. Information on a pedigree which is of little use in selection is (are):
  - . A. the price received for animals
  - B. show winnings of ancestors
  - C. animals beyond the grandparents
  - D. all of the above
- 15. One should be cautious when using a sire proof developed with the records of:
  - A. more than 50 daughters
  - B. less than 50 daughters
  - C. more than 100 daughters
  - D. less than 150 daughters

- The conformation defect of horses shown in the drawing below is knom as:

  - A. splay foot
    B. sickle-hocked
    C. pigeon-toed
    D. bundy-legged



- Which of the following factors should be used regardless of breed and method of production for selecting sheep:
  - A. production record B. pedigree

  - C. conformation
  - D. all, of the above

- A meat-type hog should generally have a back fat thickness of:

  - A. more than 1.5 inches
    B. less than 2.0 inches
    C. less than 1.5 inches
    D. more than 2.0 inches

Using the drawing below, match the letter of the parts listed in the column on the right with the proper number in the column on the left.

19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29.

A. Fore Flank

B. Elbow

C. Round

D. Poll

E. Loin

F. Rear Flank

G. Tail Head

H. Stifle

I. Dew Claw

J. Belly

K. Brisket


L. Hock


M. Rump

N. Shoulder

ð. Back

P. Pastern






Using the drawing above, match the letter of the parts listed in the right hand column with the proper number in the column on the left.

|                | 31.        |
|----------------|------------|
|                | 32.        |
|                | 33.        |
|                | ×34.       |
| And the second | 35.<br>36. |
|                | 37.        |
|                | 38         |
| •              | 39.        |
| - J. M.        | 40.        |

- A. Loin
- B. Breast
- C. Shoulder
- D. Thigh E. Rump
- F. Face
- G. Dock H. Belly
- I. Forehead J. Back

  - K. Hock
  - L. Top of Shoulder



Match the letter of the parts listed on the right with the proper number in the left column:

|                      | 4 <b>T</b> . |
|----------------------|--------------|
|                      | 42.          |
|                      | 43 /         |
| 1                    | 44.          |
| <del></del>          | 45           |
| · · · · ·            | 46.          |
|                      | 47.          |
|                      | 48.          |
| <del>- 1 1 1 1</del> | 49           |
|                      | 50.          |

A. Jowl

B. Ham

.C. Belly

D. Snout

E. Rump

F: Loin
G. Cheek

H. Side

I. Roll

J. Dew Claw

K. Pastern

L. Hind Quarter

END OF TEST

TEST NO.: 1=1

KUDER-RICHARDSON 20: .850

KUDER-RICHARDSON 21: .803

|            |            | Relative          | Phi       | Doint             |              |
|------------|------------|-------------------|-----------|-------------------|--------------|
|            | Correct    | Diffi:            | Coeff-    | Point<br>Biserial | Discrim-     |
| Item       | Option     | culty             | icient    |                   | ination      |
| 104        | Option     | Curty             | reteir    | Coefficient       | Index        |
|            |            |                   |           |                   | 7 di         |
| 1.         | Ċ          | .296              | 836       | .435              | 48.7         |
| 2.         | . B        | 685               | .661      | .229              | 33.8         |
| 3.         | В          | .750              | 673,      | 234               | -32.7        |
| 4.         | $ar{c}$    | 620               | .780      | .320              | 46.2         |
| 5.         | Č          | .528              | .750      | .311              | 42,7         |
|            |            |                   | • , , , , | • 314             | 42,7         |
| 6.         | D .*       | .630              | 078       | 008               | -4.1         |
| 7.         |            | .148 <del>-</del> | 637       | .328              | 26.0         |
| 8.         | D.         | 444               | .918      | .441              | 61.6         |
| 9.         | В          | 648               | 4.454     | . 281             | 27.6         |
| LO.        | • B        | 343               | .740      | . \ .232          | 39.1         |
|            |            |                   |           | * ZUZ             | 00• <b>T</b> |
| Ц.         | , D        | *583 · ·          | .078      | .082              | 4.8          |
| L2.        | В 9        | . 778             | 016       | 093               | -0.9         |
| L3.        | В 🧖        | ·806              | .047      | .038              | 2.4          |
| Ltr.       | D .**      | .611              | .339-     | 249               | 21.2         |
| L5.        | В          | .454              | 718       | .263              | 39.4         |
|            |            |                   | , ,,,,,   | • 200             | 00.4         |
| L6.        | В          | .676              | .696      | • 247             | 34.1         |
| 17.        | D          | 444               | ,718`     | 295               | 39.5         |
| L8.        | *C         | •491              | .836      | .426              | 52.3         |
| L9.        | Α          | .083              | .637      | .403              | 19.4         |
| .20        | Α          | .509              | .750      | .343              | 43.0         |
|            |            | ,                 |           |                   | 40.0         |
| ?l.        | <b>A</b>   | ,269              | .876      | .462              | 51.7         |
| <b>!2.</b> | Α          | .630              | .233      | 199               | 14.6         |
| <b>?3.</b> | <b>A</b> . | 731               | • .094    | .104              | 5.3          |
| 24.        | Α          | .732              | .91i      | .550              | 61.7         |
| <b>?5.</b> | A          | /333              | .969      | .626              | 71.1         |
|            |            | , i               |           |                   | 4            |
| <b>?6.</b> | • <b>A</b> | 7.49 <b>1</b> .   | .844      | .431              | 52.5         |
| <b>!7.</b> | . A        | .398              | .946      | . 568             | 68.1         |
| <b>?8.</b> | ••A        | .537.             | . * .844  | .476              | 52.6         |
| .º9.       | A .        | .537 .<br>.250    | .946      | . 686             | 64.6         |
| 10.        | A ·        | •222              | • 924 .   | .623              | 58.1         |
|            | <b>198</b> |                   |           |                   |              |

TABLE: 1-1 A

AREA: Agricultural Production
TEST NO.: 1-1

| •   | Correct                                | Relative<br>Diffi- | Phi<br>Coeff- | Point<br>Bișerial  | Discrim-<br>ination |
|---|--|--------------------|---------------|--------------------|---------------------|
| Item  | Option                                 | culty              | icient        | /Coefficient       | Index.              |
|   | •                                      |                    |               |                    |                     |
|   | - A                                    | . 657              | 078           | 075                | 15,11               |
|   | Α                                      | . 833              | 4,54          | .304               | 24.7                |
| J   | Α                                      | .824               | 339           |                    | 18:3                |
| le e la comp                                    | A                                      | • 306              | .876          | .566               | 55.1                |
| <b>j.</b>                                       | A·                                     | .176               | .729          | . 448              | 32.4                |
|   |  |                    |               |                    |                     |
| <b>j.</b>                                       | Α                                      | .083               | .729 .        | .581.              | 29.0                |
| 1. 5  | . A                                    | .130               | .836          | . 625.             | 41.9                |
| <b>3.</b> • • • • • • • • • • • • • • • • • • • | A A                                    | . 259              | • 965         | • • • <b>•</b> 620 | 67.7                |
| <b>}.</b>                                       | Α.,                                    | .130               | .625          | . 386              | 22.7                |
| <b>).</b>                                       | . A                                    | .185               | 836           | .447               | 41.9                |
|   |  | 000                |               |                    |                     |
| L.  | Α.                                     | 287                | 94.6          | 568                | 64.6                |
| 2. 0  | A                                      | · 4 285            | .809          | .434               | 42.0                |
| 3.  | A                                      | . 426              | .911          | 512                | 61.9                |
|   | A                                      | .120               | 218           | .173               | 10.0                |
| <b>3.6</b>                                      | $\mathbf{A}_{\mathbf{w}_{\mathbf{b}}}$ | .074               | •172          | ,107               | 6 <sub>#</sub> 7    |
|   |  | 000                | COF           |                    | , , ,               |
| <b>5.</b>                                       | , A 😘                                  | .093               | -625 (        | .480               | 22.7                |
| · ·   | · A                                    | 306                | .956          | . 641              | 67.8                |
| 5.  | A                                      | •176               | 264           | 199                | **· 13.3            |
| 5.  | Α.                                     | ·250 ***           | <b>7.707</b>  | .393               | 35.9                |
| 0.  | A                                      | .102               | .729          | . 503              | .29.0               |

AREA: AGRICULTURAL PRODUCTION

Unit: Breeding Systems

Student Performance Objectives

The student should be able to:

When given a certain species of animals, their productive purpose and a list of the various systems of breeding, determine the breeding method(s) he may use on these animals in order to obtain the most desirable type of offspring.


### AREA: AGRICULTURAL PRODUCTION

Unit: Breeding Systems (1-2),

- 1. The mating of animals such as half-brother to half-sister and female to grandsire, in which the matings are usually directed toward keeping the offspring closely related to some highly desired ancestor is called:
  - A. closebreeding
  - B. linebreeding
  - C. in-breeding.
  - D. outcrossing
- 2. Usually a linebreeding program is best accomplished through breeding to an outstanding:
  - A. dam
  - B. half-sister
  - C. sire
  - D. grand dam
- 3. Which of the following systems of breeding swine is relatively safe to use since it is unlikely that two such unrelated animals will carry the same "undesirable" genes and pass them on to the offspring?
  - A. inbreeding
  - B. purebreeding
  - C. outcrossing
  - D. crossbreeding
- Which of the following systems of breeding is rarely practiced because lethals and other genetic abnormalities often appear with increased frequency?
  - A. linebreeding
  - B. purebreeding
  - C. closebreeding
  - D. grading up

- Identify the breeding system illustrated below:
  - A. cross breeding
  - B purébreeding C. linebreeding

  - D. outcrossing



- When animals are mated to close relatives this practice is called:
  - A. inbreeding
  - ·B. crossbreeding
  - C. outcrossing
  - D. linebreeding
- When animals are inbred, the traits of fertility, growth rate and vigor tend to:
  - A. remain the same
  - B. increase
  - C. decrease
  - D. increase dramatically

TO NEXT PAGE

- If one were to breed a Hereford bull to an Angus cow, the offspring would tend to show more growthiness which is because of: A. hybrid breeding B. hybrid vigor C. crisscrossing D. B & C above The system of breeding where there are a minimum of different ancestors is called
- A. linebreeding
  - B. closebreeding C. inbreeding
  - D. outcrossing
- 10. The mating of animals that are members of the same breed but which show no relationship close up in the pedigree is known as:
  - A. crossbreeding
  - B. linebreeding
  - C. inbreeding
  - D. outcrossing
- The system of breeding in which purebred sires of a given pure bred are mated to native or grade females is called:
  - A. grading up
  - . B. outcrossing
    - C. closebreeding
  - D. purebreeding
- 12. Crossbreeding is being conducted to:
  - A. increase productivity over straightbreds
  - B. produce commercial animals with a desired combination of traits not available in any one breed
  - C. produce foundation stock for developing new breeds
  - D. all of the above

13. The crossbreeding system illustrated below is known as:

A. backcrossing
B. criss-crossing
C. three breed cross
D. A and B above

Breed A x Breed B

Breed B x Crossbreed AB

Breed A x Crossbreed ABB

- 14. The system of breeding which especially decreases traits of reproduction and vigor of young animals such as growth rate, fertility and survival is called:
  - A. outcrossing
  - B. crossbreeding
  - C. purebreeding
  - D. inbreading
- A breeder may mate two animals which are both related to an outstanding animal. This is done to try to develop offspring which are similar to the one outstanding animal. This is called:
  - A. crossbreeding
  - B. linebreeding
  - C. inbreeding
  - D. back crossing

The crossbreeding system shown below is called: Breed A Breed B Breed A Crossbreed AB Crossbreed ABB A. criss-crossing B. backcrossing C. outcrossing D. two-breed cross 17. To get full advantage of hybrid vigor in crossbreeding beef cattle, the crossing needs to be up to the: A. 4th breed of sires B. 3rd breed of sires C. 2nd breed of dams
D. 5th breed of sires For the mating illustrated below, what is the amount of inbreeding which will result: FULL BROTHER X SISTER A. 25 percent B. 12.5 percent C. 50 percent D. 6.25 percent

END OF TEST

10

| 7  |                   | Relative        | ¿ Phi  | Point                     | Discrim-         |
|--|-------------------|-----------------|--|---------------------------|------------------|
| Item   | Correct<br>Option | Diffi-<br>culty | Coeff-<br>icient   | Biserial /<br>Coefficient | ination<br>Index |
|  |                   |                 |  |                           | V                |
| 1.   | В                 | .589            | 233  | 001                       | -13.9            |
| <b>2.</b>                                      | ,c,               | 339             | .911   | .538                      | 60.4             |
| 3.<br>4.                                       | C                 | .732            | .454   | .236                      | 27.1             |
| 5. , .   | , <u>C</u>        | .607            | .729   | .337                      | 39.6             |
| 5  | <b>A</b>          | •518            | .353   | .137                      | 22.9             |
| 6.   | <b>-A</b>         | .429            | .397   | .204                      | 25.0             |
| 7.   | C                 | .661            | .869   | .442                      | 50.7             |
| 8.   | ' B               | . 643           | . 844  | •420                      | 52.8             |
| 9.<br>0.                                       | В                 | .679            | , 905  | •, •449                   | 56.9,            |
| U•   | D                 | 714.            | . 685  | •278                      | 32.6             |
| K.   | . A               | . 375           | .898   | .499                      | 59 (7            |
| 2.   |                   | *.393           | .110   | .189 ;                    | 6.9              |
| 3.   | D<br>B<br>D<br>B  | 857             | 649  | .312                      | 25.7             |
| 4.<br>5.                                       | D.                | .643            | .661 (*  | .316                      | . 34.7           |
| •  | . В               | •750            | .800   | .424                      | 45.1             |
| 6.   | В                 | 696             | .800   | . 364                     | 45.1             |
| 7.   | В                 | •5128           | .353   | .208                      | . 22.2           |
| 8<br>9   | Α                 | .768            | .047   | .031                      | 2.8              |
| 0.   |                   |                 |  | , a                       |                  |
|  |                   |                 | kan di jaman di jama   |                           |                  |
| 1.   |                   |                 | A Company of the Comp | `&                        |                  |
| 2.<br>3.<br>4.<br>5.                           |                   |                 |  |                           |                  |
| <b>3</b> • . • . • . • . • . • . • . • . • . • |                   |                 |  |                           | / /-             |
| 5.   |                   |                 |  |                           |                  |
|  |                   |                 | <i>/</i>   |                           |                  |
| 6.   |                   |                 |  |                           |                  |
| 6.<br>7.<br>8.<br>9.                           |                   |                 |  |                           |                  |
|  |                   |                 |  |                           | •                |
| 8.<br>0  |                   |                 |  |                           |                  |

TEST NO.: 1-2

KUDER-RICHARDSON 20: .505

KUDER-RICHARDSON 21: .422

N(tests) = 58

| Item                            | . Correct<br>Option   | Relative<br>Diffi-<br>culty               | Phi<br>Coeff-<br>icient              | Point<br>Biserial<br>Coefficient       | Discrim-<br>ination<br>Index         |
|---------------------------------|-----------------------|---|--------------------------------------|--|--------------------------------------|
| 1.                              | B<br>C                | .483                                      | .110<br>.935 °.                      | .064<br>.484                           | . 6.7<br>63.0                        |
| 3.<br>4.<br>5.                  | C<br>C<br>A           | .862<br>.50 <b>0</b><br>.345              | .353<br>.836<br>.884                 | .196<br>.334<br>.421                   | 17.3<br>51.9<br>56.7                 |
| 6.<br>7.<br>8.<br>9.            | A<br>C<br>B<br>B<br>D | . 276<br>. 397<br>. 724<br>. 707<br>. 776 | .827<br>.930<br>.930<br>.869<br>.031 | .315<br>.487<br>.575<br>.363<br>.123 - | 49.0<br>64.4<br>62.5<br>50.0<br>1.9  |
| 11.<br>12.<br>13.<br>14.<br>15. | A<br>D<br>B<br>D<br>B | .431<br>.379<br>.707<br>.483<br>.793      | .884<br>.440<br>.383<br>.965<br>.249 | .502<br>.209<br>.208<br>.548<br>.242   | 58.2<br>27.4<br>22.1<br>72.1<br>14.4 |
| 16.<br>17.<br>18.<br>19.<br>20. | B<br>B<br>A           | .810<br>.672<br>.741                      | .279<br>.426<br>.454                 | .255<br>.179<br>.284                   | 15.9<br>26.9<br>28.4                 |
| 21.<br>22.<br>23.<br>24.<br>25. |                       |   | ,                                    |  |                                      |
| 26.<br>27.<br>28.<br>29.<br>30. |                       | <b>*</b>                                  | 103                                  |  |                                      |

AREA: AGRICULTURAL PRODUCTION

Unit: Balancing Rations for Livestock

Student Performance Objectives:

The student should be able to:

1. When given a list containing several feeds, both homegrown and commercial and the cost of each along with a specific class of animals to feed, design a least-cost balanced ration for that group of animals so that it is appropriate for the animal's weight, sex, age and productive purpose.

AREA: AGRICULTURAL PRODUCTION.

Unit: Balancing Rations for Livestock (1-3)

- Which of the following factors is not important when formulating a ration for beef cattle?
  - A. cost of feed ingredients
  - B. animal needs
  - .C. length of feeding period.
  - D. composition, digestibility, and palatability
- TDN stands for total digestible nutrients which means the sum of the digestible
  - .A. protein
  - B. fiber
  - . C. nitrogen-free extract
  - D. fat x 2.25 E. all of the above
- One of the following is not a source of Vitamin D
  - A. sun-cured hay
  - B. cod liver oil
  - C. direct sunlight.
  - D. citrus fruits
- 4. Using the Pearson's Square Method, calculate the amount of corn (15% -crude protein) and soybean meal (55% crude protein) that will be needed to furnish 15 pounds of mixture containing 25% crude protein

Choose your answer here:

- A. 11.25 lbs. corn and 3.75 lbs. soybean meal
- B. 75% corn and 25% soybean meal
- C. 18.75 lbs. corn and 6.25 lbs. soybean meal
- D. cannot be determined due to lack of information

- Given the following information, determine the total digestible nutrients, Given: 7% protein
  - 4% fiber
  - 61.8% nitrogen-free extract
    - 3.44% fat

Choose your answer here:

- A. 80.5% TDN
- B. 73.9% TDN
- C. 76.2% TDN
- D. none of the above
- Using the information below, determine the percent total protein in a ration/consisting of 600 pounds of corn and cob meal, 300 pounds ground øats, and 100 pounds of soybean oil meal.

| . 1 | 1. 6.35 percent  | Feedstuff % of Total Protein |
|-----|------------------|------------------------------|
| . ] | 3. 12.35 percent | -Corn & cob meal 7.5         |
|     | c. 63.5 percent  | Ground oats 12.0             |
| 1   | 0. 1.25 percent  | Soybean meal 44.0            |

- When fed free choice, a cow will usually eat 2 lbs. of good quality hay daily per 100 lbs. of body weight. Using this rule of thumb, how much hay per day would a 1350 lb. cow eat?
  - A. 34 pounds B. 27. pounds

  - C. 28 pounds
  - D. 30 pounds
- If corn silage contains 20% TDN, and if the yield of corn silage is 8. 15, tons, what is the yield of TDN per acre?
  - A. 3 Tons, B. 4 Tons

  - C. 6 Tons
  - D: 5 Tons
- Feedstuffs which are high in energy are called:
  - A. supplements
  - B. concentrates
  - C. roughages
  - D. B & C are correct

GO TO NEXT PAGE

106

- 10. If alfalfa hay sells for \$46 per ton, how much will 2500 lbs. cost?
  - A. \$55.40
  - .B. \$47.60
  - C. \$57.50
  - D. \$56.50
- If fat contains 2.25 times as much energy per pound as carbohydrates, 11. how many pounds of fat will be required to supply as much energy as 30 lbs. of carbohydrates.
  - A. 67.50 pounds
  - B. 13.3 pounds
  - C. 57.55 pounds
  - D. 64.50 pounds
- 12. One of the most common measures of useful energy in a feed is
  - A. total digestible energy
  - B. digestible protein
  - .C.\_crude protein
  - D. total digestible nutrients.
- From the information given in the table below, how many pounds of TDN are required daily for a 1320 lb. lactating cow giving 30 lbs. of 4.5% fat milk per day?
  - A. 11.56 pounds
  - B. 20.0 pounds
  - C. 9.56 pounds
  - D. 2.38 pounds

### Daily Nutrient Requirements

Maintenance-Lacating Cow Body Wt. DP . (1b)6.8 1210 .76 1320 9.2 1430 .80 1540 .86 Daily nutrients required

per pound of milk

| % Fat | DP   | TON |
|-------|------|-----|
| 2.5   | .042 | .26 |
| 3.0   | .045 | .28 |
| 3.5   | .048 | .31 |
| 4.5   | .054 | .36 |

- 14. Corn contains 9.0% protein. 80% of the protein in corn is digestible. How many pounds of digestible protein are present in a ton of corn?
  - A. 124 pounds
  - B. 180 pounds
  - C. 144 pounds
  - D. 160 pounds
- Given the information below determine which protein supplement is the best buy. Soybean meal (44% CP) \$3.65 CWT


Linseed oil meal (35% CP)

\$3.50 CWT

A. soybean meal

٠ س

- B. linseed oil meal
- C. both have the same walue per pound of protein
- Feedstuffs which are ligh in fiber are called: ·16.
  - A. concentratés
  - B. roughages
  - C. protein supplements
  - D. none of the above
- Many feedstuffs do not contain sufficient sodium and chlorine to meet the needs for these elements. In order to correct this problem, (select answer below) is usually added to the ration:
  - A. steamed bone meal
  - B. calcium chloride
  - C. salt
  - D. magnesium
- A compound sometimes used as a protein supplement in cattle rations is:
  - A. oats
  - B. urea
  - ·C. alfalfa
  - D. salt





- The energy value of feeds can be expressed in units of energy called: A. energy coefficient B. crude protein C. calories D. energines As forage plants (hays) become more mature, the levels of protein 20. and TDN: A. increase B. decrease C. stay about the same In general, the protein content of animal products is that of plant protein supplements. A. lower B. higher Urea is an organic compound that contains: A. nitrogen B. calcium C. potassium D. all of the above 23. If feed costs can be reduced \$8 per cow per year by using urea, how much, will the yearly feed bill be reduced in a herd of 270 cows? A. \$2920 B. \$2160 c. \$2060 D. none of the above Corn contains 9.0% protein, and soybean meal contains 51.0% protein. What percent protein does a mixture of 1000 lbs of corn and 200 lbs, of soybean meal contain?
  - A. 16 percent
  - B. 60 percent
  - C. 30 percent
  - D. 23 percent

The more water (moisture) that a feed contains, the more of that feed an animal must eat in order to maintain the same intake of:

- A. TDN
  B. concentrates
  C. dry matter
  D. A and C are both correct

AREA: Agricultur
TEST NO.: 1-3

KUDER-RICHARDSON 20: .670

KUDER-RICHARDSON 21: .606

N(tests) = 160

| •                               | Item | Correct<br>Option       | Relative<br>Diffi-<br>culty          | hi<br>Coeff-<br>icient               | Point<br>Biserial<br>Coefficient     | Discrim-<br>ination<br>Index         |
|---------------------------------|------|-------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 1. 2. 3. 4. 5.                  | •    | C<br>B<br>A<br>B<br>D   | .403<br>.431<br>.708<br>.097<br>.514 | .836<br>.918<br>.673<br>.696<br>.637 | .493<br>.455<br>.280<br>.374<br>.387 | 51.4<br>60.7<br>32.4<br>26.1<br>33.0 |
| 7.<br>8.<br>9.<br>10.           |      | D<br>C<br>B<br>B        | .514<br>.403<br>.361<br>.556         | .930<br>.661<br>.951<br>.637         | .498<br>.266<br>.570<br>.325         | 64.6<br>34.0<br>65.2<br>33.0         |
| 11.<br>12.<br>13.<br>14.<br>15. |      | B<br>C<br>D<br>A<br>B   | .653<br>.264<br>.556<br>.347<br>.569 | .187<br>.413<br>324<br>.718<br>.790  | .123<br>.318<br>067<br>.423<br>.342  | 9.9<br>29.6<br>-20.4<br>38.3<br>46.4 |
| 16.<br>17.<br>18.<br>19.        | • •  | A<br>B<br>B ~<br>C<br>C | .514<br>.194<br>.444<br>.472<br>.125 | .440<br>.637<br>.750<br>.790<br>.413 | .201<br>.466<br>.348<br>.284<br>.368 | 28.9<br>29.8<br>42.5<br>46.8<br>17.4 |
| 21.<br>22.<br>23.<br>24.<br>25. |      |                         | .n                                   | 3.                                   |                                      | •                                    |

26. 27. 28. 29. 30.

TABLE: 1-3 A
AREA: Agricultural Production
TEST NO.: 1-3
KUDER-RICHARDSON 20: 216
KUDER-RICHARDSON 21: 152

N(tests) = 70

|                                 | Cornect<br>cem Option | Relation ulty                        | Phi<br>Coeff-<br>icient              | Poin<br>Bisc al<br>Coefficient        | Discrim-<br>ination<br>Index          |
|---------------------------------|-----------------------|--------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|
| 1.<br>2.<br>3.<br>4.            | C<br>E<br>D<br>A      | .543<br>.571<br>.629<br>.671         | .685<br>.309<br>.637<br>.218<br>353  | 189°<br>149<br>217<br>164<br>- 127    | 37.3<br>19.3<br>30.4<br>13.1<br>-16.3 |
| 6.<br>7.<br>8.<br>9.            | C<br>B<br>A<br>B<br>C | .600<br>.414<br>.671<br>.771<br>.471 | .809<br>.397<br>.836<br>.649<br>.413 | .267<br>.271<br>.471<br>.19           | .48.0<br>25.8<br>47.4<br>30.1<br>31.0 |
| 11.<br>12.<br>13.<br>14.<br>15. | B<br>D<br>B<br>C<br>A | .757<br>.671<br>.671<br>.729         | 24<br>861<br>411<br>218<br>.760      | .175<br>.400<br>.259<br>.006<br>.320  | 18.6'. 53.6 24.5 13.1 42.2            |
| 16.<br>17.<br>18.<br>19.        | B<br>C<br>B<br>C      | 529<br>.457<br>.700<br>.800<br>.643  | .809<br>.397<br>.637<br>.233<br>.637 | .47.0<br>.223<br>.233<br>.164<br>.400 | 48.0<br>26.1<br>30.4<br>12.7<br>30.4  |
| 21.<br>22.<br>23.<br>24.<br>25. | B<br>A<br>P           | .543<br>.300<br>.386<br>.871<br>.600 | 97<br>116<br>318<br>141<br>218       | .145<br>011<br>.377<br>.084<br>.165   | 25.8<br>00.7<br>47.7<br>6.5<br>13.7   |

26. 27. 28. 29.

### AREA: AGRICULTURAL PRODUCTION

Unit: Detecting and Controlling Common Livestock Diseases

Student Performance Objectives

The student should be ab to

- when given various livestock animals common to the local areas infested with common diseases, and a recognized reference which describes symptoms and treatments for livestock disease, determine the disease causing damage, the recommended treatment, and whether technical or professional assistance is needed to carry out recommended treatment and whether technical or professional assistance is needed to carry out recommended treatment.
- 2. When given is a diseases of livestock common to the local area, outline a paragray control program using recognized references for the given disease, such that the possibility of disease can be reduced ated in a given herd of livestock.
- When given recommend treatments for specific diseases which do not require took or professional assistance, and animals needing treatments, carry out the techniques, procedures and/or processes recessar to effectively control the disease(s) in question.

## AREA: AGRICULTURAL PRODUCTION

Unit: Detecting and Controlling Common Livestock Diseases (1-4)

- 1. If a cow aborts, gives birth to a dead or weak calf, or has a normal birth and fails to expel the afterbirth, she is most probably infected with
  - A. coccidoisis
  - B. tuberculosis
  - C. brucellosis
  - D. trichinosis
- 2. In order to help prevent an outbreak of Brucellosis (Bangs' disease) in a herd of livestock you should
  - A. vaccinate steers at 2 weeks of age
  - B. blood test all animals annually
  - C. vaccinate with penicillin at 4 months of age
  - D. feed a balanced ration
- 3. The assistance of a veterinarian should be acquired when giving:
  - A. intraocular injections
  - B. Intramuscular injections
  - C. injections of Rotenone
  - D. none of the above
- 4. A disease chiefly affecting young cattle that have been under stress during transportation from one point to another is called:
  - A. anthrax
  - B. shipping fever
  - C. pneumonia
  - D. none of the above

7

- 5. Nutritional anemia, commonly found in swine can be prevented to some degree by following which procedure (s):
  - A. injections of iron to baby pigs
  - B. placing clean sod in the pen daily
  - C. giving pigs an iron and copper pill
  - D: all of the above
- 6. A program of livestock diseas prevention and parasite control should include:
  - A. isolating affected animals and follow instructions for prescribed treatment
  - B. eliminate breeding grounds of parasites
  - C. maintain a small herd to lessen possible losses due to disease
  - D. A & B above
- 7. A disease of hogs in which infected animals first show fever and loss of appetite, then the eyes become filled with a sticky discharge and the animals prefer dark quarters is called:
  - A. rhinitis :
  - B. colonitis
  - C. erysipelas
  - D. cholera
- 8. The technique most gene lly used to treat Milk Fever in cattle is:
  - A, inflating the udder with air
  - B. injecting the udder with mastoids
  - C. an intravenous injection of calcium
  - D. Coeding high quality hay

- Operations such as castrating and docking of shoep should not be done when fli s are prevalent, in ord to prevent possible damage to the animal from:
  - A., round-worms
  - N. lerer fore; t

  - 4). bagworms
- In areas where blackles is known to have existed a preventative . measure is to:
  - A. rotate pastures every 3 4 weeks
  - B. vaccinate all cattle at 3 months of age
  - C. burn and bury all animals
  - D. none of the above
- When a horse has been improperly fed, worked or water d and shows signs of abdominal discomfort, constipation, and violent rolling and kicking, it most probably has
  - A. lung forms
  - B. colic
  - C. distemper
  - D. founder
- A regular program of spraying or dusting livestock with recommended chemicals will help to prevent:
  - A. screw work
  - B. Lum worms
  - C. mit
  - D. stomech werms

- 13. Cattle showing signs of grass tetany can be treated inject of:
  - A. calcium
  - B. phosphorous
  - C. magnesium
  - D. A and C above
- A nutritional ailment of horses which may be cused by overeating or overdrinking that may result in the dropping the hoof sole and a turning up of the toe walls is:
  - A founder
  - B. foot rot
  - C. toenitis
  - D. none of the above
- Good sanitation practices when handling dairy cattle and equipment during the milking operation can greatly assist in preventing and controlling:
  - A. milk fever
  - B. mastitis
  - C. bag rot
  - D. scours
- 16. Rickets, a nutritional deficiency disease which exhibits symptoms of enlargement of the knee and hock joints is caused by a deficiency of:
  - A. vitamin D
  - D. nitrogen
  - C. vitamin C
  - D. potassium.

- 17. A condition in cattle and sheep where there is swelling of the paunch noticeable on the left side in front of the hip bone, and usually found after animals have been turned in on lush green pastures is called:
  - A. tetany
  - B. bloat
  - C. colic
  - D. rumen distension
- 18. A common ailment of calves during winter months where there is loss of appetite, severe diarrhea, rough hair coat and sometimes death is:
  - A. cholera
  - B. White scours
  - C. milk poisoning
  - D. dietetic fecente
- 19. A disease of swine most serious in pigs 3 to 12 months old that has three forms; one which resembles cholers, a less severe form (diamon) and a chronic form where the knees and hocks are generally swollen and stiff is called:
  - A, enterotoxemia
  - B. cncephalomyelitis
  - .C. grysidelas
  - D. enteritis
- 20. Which of the cattle diseases listed below usually has lameness as a first symptom, reddering and swelling of the skin just above the hoof; and if in advanced stages, has a foul odor?
  - A. toenitis
  - B. foot evil
  - C. foot rot
  - D. founder

| TEST NO:: 1-4  KULER-RICHARDSON 20: .548  KULER-RICHARDSON 21: .482  N(tests) = 72 |                   |                                      |                                      |                                      |                                      |  |  |  |
|--|-------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|--|--|
| Item   | Correct<br>Option | Relative<br>Diffi-<br>culty          | Phi<br>Coeff-<br>icient              | Point<br>Biserial<br>Coefficient     | Discrim-<br>ination<br>Index         |  |  |  |
| 1.<br>2.<br>3.<br>4.<br>5.   | C<br>B<br>A<br>B  | .403<br>.431<br>.708<br>.097<br>.514 | .836<br>.918<br>.673<br>.696         | .493<br>.455<br>.280<br>.374<br>.387 | 51.4<br>60.7<br>32.4<br>26.1<br>33.0 |  |  |  |
| 6.<br>7.<br>8.<br>9.   | D<br>C<br>B<br>B  | .181<br>.514<br>.403<br>.361<br>.556 | 016<br>.930<br>.661<br>.951<br>.637  | .061<br>.498<br>.266<br>.570<br>.325 | -0.8<br>64.6<br>34.0<br>65.2<br>33.0 |  |  |  |
| 11.<br>12.<br>13.<br>14.   | B<br>C<br>-       | .653<br>.264<br>.556<br>.347<br>.569 | .187<br>.413<br>324<br>.718<br>.790  | .123<br>.318<br>.067<br>.423<br>.342 | 9.9<br>29.6<br>-20.4<br>38.3<br>46.4 |  |  |  |
| 16.<br>17.<br>18.<br>19.   | A. E. E. C. C. C. | .514<br>.194<br>.444<br>.472         | .440<br>.637<br>.750<br>.790<br>.413 | .201<br>.466<br>.348<br>.284<br>.368 | 28.9<br>29.8<br>42.5<br>46.8<br>17.4 |  |  |  |
| 21.<br>22.<br>23.<br>24.<br>25.  |                   |                                      |                                      | n.                                   |                                      |  |  |  |

AREA: Agricultural
TEST NO.: 1-4
KUDER-RICHARDSON 20: .602
KUDER-RICHARDSON 21: .547

| Item      | Correct<br>Option  | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient     | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|-----------|--|-----------------------------|-----------------------------|----------------------------------|------------------------------|
|           |  | •                           |                             |                                  |                              |
| 1.        | - C'   | •593                        | . <b>7</b> 60               | .375                             | 42.2                         |
| 2.        | В  | .537                        | .790                        | .341                             | 46.7                         |
| 3.        | A  | .778                        | .869                        | . 445                            |                              |
| <b>+•</b> | В  | .130                        | 780                         | .439                             | 33.3                         |
| 5.        | . D  | .500                        | . 836                       | .413                             | 52.2                         |
| 3.<br>7.  | , D,   | . 296                       | 956                         | .579                             | 67.8                         |
|           | D , ,  | .593                        | 4.413                       | • 258                            | 30.0                         |
| 3. '      | C  | .593                        | 339                         | 153                              | 22.2                         |
| <b>).</b> | B  | .741                        | .309                        | . 204                            | . 18.9                       |
| ).·       | B 3.3  | .667                        | . 203                       | .162                             | 12.2                         |
|           | В  | .704                        | -:078                       | .025                             | -4.4                         |
|           |  | .407                        | •918 '                      | •466 <i>)</i>                    | 62.2                         |
| 3.        | D  | .481                        | <b>.</b> 63 <b>7</b>        | .324.                            | 33.3                         |
|           | Α  | 519                         | .649                        | .423                             | 34.4                         |
| <b>5.</b> | В.   | •556                        | <b>.7</b> 18                | .386                             | 40.0                         |
|           | Α  | <b>.</b> 5 <b>7</b> 4       | -951                        | 467                              | 66.7                         |
|           | В  | • 222                       | <b>.</b> 6 <b>7</b> 3       | .301                             | 27.8                         |
|           | • B'   | 481 ".                      | • 994                       | 668                              | 81.1                         |
|           | C  | .500                        | 141                         | 01î                              | -8.9                         |
|           | C  | .315                        | •930                        | .455                             | 61.1                         |
| •         |  |                             |                             |                                  |                              |
|           |  |                             |                             |                                  |                              |
| •         |  |                             |                             |                                  |                              |
| •         |  | <b>.</b>                    | •                           |                                  |                              |
| •         |  |                             |                             |                                  |                              |
|           |  |                             |                             |                                  |                              |
| •         | The state of the s |                             |                             |                                  | Consultation of the second   |
| •         |  |                             | $\mathcal{N}_{\mathcal{N}}$ |                                  |                              |
|           |  |                             | <b>1</b>                    |                                  |                              |
| • •       |  |                             |                             | •                                | 4 t                          |

### AREA: AGRICULTURAL PRODUCTION

Unit: Castrating, Dehorning, Identifying and Injecting Livestock

Student Performance Objectives

The student should be able to:

- 1. When given an animal of a certain species, determine how best to restrain that animal in order to perform those management practices appropriate for that particular animal as quickly, painlessly and safely as possible.
- When given a properly restrained male animal, castrate that animal by the most desirable procedure for the given environmental conditions to assure that the animal will not develop secondary sex characteristics.
- 3. When given a properly restrained animal, dehorn that animal by the most desirable procedure for the given environmental conditions to assure that the animal will not grow horns.
- When given a properly restrained animal with one or both horns obstructing their vision or endangering their eye(s), remove enough of the horn(s) to correct the situation.
- 5. When given a properly restrained animal, apply the most appropriate means of identification on that animal to insure that it has a permanent means of identification.
- 6. When given a properly restrained animal, vaccinate it with the appropriate vaccine to insure that it has an immunity to a particular pathogen.
- 7. When given a properly restrained animal that has just been castrated, give that animal an intramuscular injection of an antibiotic to reduce the chances of infection from that operation.
- 8. When given a diagram of a certain species of livestock, explain the different types of injections that might be given and show on the diagram when they might or should be given in order to achieve the most desirable effect on the animal.

# AREA: AGRICULTURAL PRODUCTION


Unit: Castrating, Dehorning, Identifying, Injecting Livestock (1-5)

Which of the illustrations on the following page shows the method of restraint most appropriate for castration to provide the least control problems.

- Δ.
- в.
- C.
- D.

The piece of castrating equipment shown below is a:

- A. elastrator
- E. burdizzo
- C. emasculator
- D. pliers




Which of the following is a reason for dehorning livestock:

- A.: to/prevent bruised carcasses
- b. to get a more rapid rate of gain
- C. to provide more trough space in feedlot .
- D. all of the above


•









Which of the following tools pictured below should be used to prevent the cow's horns in the diagram above from growing into its eyes.




С.



R






GO TO NEXT PAGE




 $^{e}124$ 

- 5. The device used for identifying livestack shown below is (are)
  - A. ear notching pliers
  - B. tagging pliers
  - C. tatooing pliers
  - D. none of the above



- 6. The device shown below is called a:
  - A. balling gun
  - B. siphon
  - C. syringe
  - D. none of the above



- The temperature of materials to be injected and the syringe and needles should be:
- A. near body temperature
- B. higher than body temperature
- C. near 34 degrees fahrenheit
- D, none of the above

A subcutsments ajection meters

A. inject \_\_\_ the leg muscles


B. injection the skin

C. in ec into) the cuticle if the flank

D. in to the eyelid

The piece of unipment shown below used for restrain an animal is a:

- A. hobble
- B. nose lead
- C. emasculat.
- D. hog snare




- ). When castrating by the "knife" method, the cord should be cut by:
  - A. scraping
  - B. making a clean cut through the cord
  - C. burning the cord
  - D. none of the above
  - A chemical sometimes used for dehorning small calves is:
    - A. creolin paste
    - B. caustic potash
    - .C. calcium powder
    - D. EQ 335 smear

- when cath is dee fied by holding a brand iron against the Ania cient length of time to estroy the color-productive causes the hair to turn lite, it is called:
  - A. Ptopins
  - B. not trancis
  - C. Freeze E. W.
  - D. cold Passi
- The Abbrevi 13.

"stands for:


- A. counter : E
- B. dubic ce: 30 ...
- C. Mic ci mone
- D. pole of the moche.
- Intrapuscula it itions are those made into large muscles. The 14. muscles come \_\_\_\_\_ =ed for the injection are in the:
  - A. pack and its a
  - B. Pack and the 21
  - C. peck and b.

Use the diagram mior to answer questions 15-16




The area indicated as "1" above is the most likely sport of giving


- A. intramemmary injections
- E. intraveneous injections
- C. intraocular injections
  - D. none of the above
- 16. Intramuscular injections are most commonly given in what indicated in the diagram:
  - A. 1
  - B. 2
  - **c.** 3
  - D. none of the above
- 17. This picture shows what kind of restraining equipment?
  - A. leg irons
  - B. burdizzo
  - C. hobbles
  - D. chain grip



- 18. The device shown below used to castrate livestock-is a(an):
  - A. burdizzo
  - B. elastrator
  - C. emasculator
  - D. banding gur



- 19. In order to avoid damage to the area around horns from chert als used for dehorning:
  - A. cover the area with cloth
  - B. apply lard or greate on the area.
  - C. give an injection of aeromycin to present infection
  - D. all of the above
- 20. When freeze branding, the iron is cooled by, a:
  - A. solution of dry ice and denatured alcohol
  - B. liquid nitrogen
  - C. solution of dry ice and water
  - D. both A and C are correct
- 21. Vaccines are made from:
  - A. pacterias
  - B. \_iving germs
  - C. serums
    - D. both A and B are correct
- 22 This horse is being restrained with a:
  - A. twitch
  - B. hobble
  - C. nose gri:
  - D. none



23. In the diagrams below, which illustrates the most appropriate. That had for making the castration in the scrotum of spine:


Ŀ.



Б.



D




- 24. When \_\_\_\_cals are usel for dehorning, calves should be dehorned when the are:
  - A. 3 ===hs old
  - B. 3- fays old
  - C. 1 --- old
  - D. 4 mins of
- 25. If freeze brancing over not iron branding is:
  - \_\_ io: \_\_ require as much time = apply.
  - B. is measur method or imentification
  - C. does not nestroy the bill mere the brand is applied
  - D. all a above
- 26. Vaccises
  - A. produce mild attack of the disease when injected into an animal
  - B. produce \_mmunity .
  - C. produce antibodies
  - D. all of the above

- 27. A device which can be used to restrain cattle during castration is a:
  - A. chute
  - B. restraining trough
  - C. cattle grip
  - D. none of the above
- 28. The piece of castrating equipment shown below is used to;
  - A. cut the scrotum
  - B. sever the cord
  - C. smash the cord without cutting it
  - D. none of the above



- 29. Which of the following is not a procedure to follow in order to prevent infection after castration:
  - A. clean lands and ins sweents
  - B. cut the scrotum at the point near the body
  - .C. no fingers in the and
  - D. none of the above
- 30. The piece of equilibrium below is called:
  - A. elas rator
  - B. deficring tu.
  - ·C. calf dehorner
  - D. caustic dehorn



51. There are many marking systems for ear notching. One of the most commonly used is described relow:

one notch in the lower right ear is 1 one notch in the lower left ear is 3 one notch in the upper right ear is 10 one notch in the upper left ear 10 30


Using the above information, from what litter number is the pig shown below:

- A. 38
- B. 47
- c. 48
- D. 24



Left

- 32. The device shown below is used to castrate livertock. It and show this task by:
  - A. smashing the cord
  - B. cutting off blood circulation data causes the smotum to me
  - C. cutting the scrotum off immediate.
  - D. none of the above



- 33. One of the best methods of permanent identification of young is:
  - A. ear tags:
  - B. neck chains
  - C. tatoo
  - D. horn branding

AREA: Agricultural Product
TEST NO.: 1-5
KUDER-RICHARDSON 20: .736
KUDER-RICHARDSON 21: .694
N(+ce+s) = 170

N(tests) = 170

| Item                            | Correct<br>Option     | Relative<br>Diffi-<br>culty          | Phi<br>Coeff-<br>icient              | Point<br>Biserial<br>Coefficient         | Discrim-<br>ination<br>Index         |
|---------------------------------|-----------------------|--------------------------------------|--------------------------------------|--|--------------------------------------|
| 1.<br>2.<br>3.<br>4.            | C E L L C             | .565<br>.629<br>.512<br>.524<br>.253 | .495<br>.696<br>.468<br>.522<br>.844 | .331<br>.413<br>.247<br>.301<br>.481     | 33.1<br>48.7<br>30.9<br>35.0<br>59.3 |
| 6.<br>7.<br>8.<br>9.            | C A B B A A           | .159<br>.329<br>.318<br>.118<br>.335 | .685<br>.770<br>.625<br>.613<br>.770 | .452<br>.485<br>.350<br>.368<br>.405     | 41.3<br>53.0<br>39.8<br>29.5<br>53.0 |
| 11.<br>12.<br>13.<br>14.        | 3<br>C<br>B<br>C<br>B | .553<br>.494<br>.335<br>.476<br>.506 | .249<br>.836<br>.760<br>.397<br>.685 | .165<br>.460<br>.440<br>.185<br>.365     | 15.5<br>62.9<br>53.2<br>26.1<br>47.9 |
| 16.<br>17.<br>18.<br>19.<br>20. | B<br>C<br>B<br>B      | .747<br>.565<br>.365<br>.694<br>.818 | .233<br>.809<br>.884<br>.661<br>.495 | .093 /<br>.456 /<br>.497<br>.361<br>.211 | 13.1<br>59.3<br>66.3<br>43.0<br>22.7 |
| 21.<br>22.<br>23.<br>24.<br>25. | B<br>B<br>B<br>C      | .847<br>.547<br>.471<br>.824<br>.506 | .279<br>.770<br>.156<br>.125<br>.575 | .184<br>.407<br>.109<br>.052<br>.269     | 13.6<br>55.1<br>10.0<br>6.8<br>39.2  |
| 26.<br>27.<br>28.<br>29.        | D<br>A<br>B<br>B<br>C | .518<br>.641<br>.641<br>.559<br>.500 | .549<br>.482<br>.649<br>.339         | .311<br>.313<br>.360<br>.225<br>.357     | 37.1<br>31.4<br>42.8<br>22.0<br>37.1 |

AREA: Agricultural

| Item | Correct<br>Option | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient   | Discrim-<br>ination<br>Index |
|------|-------------------|-----------------------------|-------------------------|--|------------------------------|
|      | C<br>B<br>C       | •588<br>•259<br>•400        | .661<br>.637<br>.661    | .344<br>.361<br>.382   | 45.8<br>39.4<br>44.7         |
|      |                   |                             |                         |  |                              |
|      |                   |                             |                         |  |                              |
|      |                   |                             |                         |  |                              |
|      |                   |                             |                         |  |                              |
|      |                   |                             |                         |  | 5                            |
|      |                   |                             |                         | THE PARTY OF THE P |                              |

TEST NO.: 1-5

KUDER-RICHARDSON 20: .752

KUDER-RICHARDSON 21: .698

| 7 · ·                                   |          | Relative                    | Phi    | Point Disc     |              |
|---|----------|-----------------------------|--------|----------------|--------------|
|   | Correct  | Diffi-                      | Coeff- | Biserial       | ination      |
| Item                                    | Option   | culty                       | icient | Coefficient    | Index        |
|   | 10 10 10 | A service of the service of |        |                |              |
|   | C        | • 407                       | •930   | <b>,</b> 548   | 65.7.        |
|   | В        | .593                        | • 233  | <b>/.</b> 242  | 14.7         |
|   | ° C      | • 648                       | .649   | /.310          | 32.4         |
|   | <b>D</b> | • 648                       | •440   | / .187 .       | 28.9         |
|   | C        | .259                        | •869   | <b>√ •</b> 478 | 52.9         |
|   | C        | .093                        | • .696 | .373           | 29.4         |
|   | A        | .389                        | .383   |                |              |
|   | B        | • 444                       | .383   | 182            | 25.5         |
|   | В        | .037                        | .353   | 569            | 68.1         |
|   | Ä        | .463                        |        | .167           | 11.8         |
|   |          | • 400                       | .930   | •495           | 65.7         |
| •                                       | В        | 389                         | .992   | .618           | 82.4         |
| •                                       | C c      | .389                        | .979   | • 573          | 76.5         |
| • | В        | .444                        | . 930  | • 583          | 65.7         |
| •                                       | C '      | .537                        | .233   | • 203          | 14.7         |
| •                                       | В        | .519                        | •800   | . 435          | 48.0         |
| •                                       | R R      | .611                        | .233   | 170            | 731. 5       |
|   | B<br>C   | .463                        | .827   | .179           | 14.7         |
|   | B        | .352                        | .992   | .400           | 50.5         |
|   | B        | .630                        | .685   | .695           | 82.4         |
|   | B<br>A   | .481                        | .740   | •266           | 37.3         |
|   |          | • <b>TOT</b>                | • / 40 | .364           | 40.7         |
| •                                       | В        | •907                        | 203    | 170            | <b>9.</b> 3  |
| •                                       | Α        | .352                        | .999   | .703           | 88.2         |
| •                                       | В        | .778                        | .031   | .074           | 1.5          |
| •                                       | B<br>C   | .630                        | .172   | .221           | 9.8          |
|   | <b>C</b> | .333                        | .324   | .174           | • 18.6       |
| •                                       | D        | .815                        | .649   | .274           | 20.0         |
|   | Ä        | .685                        | .203   |                | 29.9         |
|   | B        | .815                        | 016    | .126           | 12.3         |
|   | В        | .630                        | 016    | •010           | <b>-1.</b> 0 |
|   | C        | .667                        |        | •562 ·         | 77.5         |
|   | · · ·    | • 00 /                      | .685   | •308           | .37.3        |

TABLE: 1-5 A

AREA: Azricultural Production
TEST NO:: 1-5

| Item                       | Córrect<br>Option | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|----------------------------|-------------------|-----------------------------|-------------------------|----------------------------------|------------------------------|
| 1.<br>2.<br>3.             | C<br>B<br>C       | .648<br>.148<br>.500        | .413<br>.309<br>.294    | .195<br>.097<br>.249             | 31.4<br>15.2<br>19.6         |
| 5.<br>6.<br>7.<br>8.<br>9. |                   |                             |                         |                                  |                              |
| 0.<br>1.<br>2.<br>3.       |                   |                             |                         |                                  |                              |
| 5.<br>6.<br>7.<br>8.<br>9. |                   | <b>6</b> ,                  |                         |                                  |                              |
| 0.                         |                   |                             | a.                      |                                  |                              |

#### AREA: AGRICULTURAL PRODUCTION

Unit: Market Classes and Grades of Livestock

# Student Performance Objectives


The student should be able to:

- 1. Determine the market class most appropriate for a group of animals of varying species according to age, general use, sex and weight.
- 2. When given a group of animals of warying species and their intended use, determine the market grade(s) most appropriate for the animals according to conformation, finish and quality.

#### AREA: AGRICULTURAL PRODUCTION

Unit: Market Classes, and Grades of Livestock (1-6)

- 1. Which of the following is not considered when determining market classes of cattle.
  - A. sex
  - B. age
  - C. weight
  - D. breed



NOTE: Using the drawings of the four animals above answer questions 2. to

- 2. According to current standards, animal 'A" above would be in the slaughter grade called
  - A. prime
  - B. choice
  - C. good
  - D. utility

- 3. Animal "B" in question #1 above would be in the slaughter grade called:
  - A. choice
  - B. utility
  - C. cutter
  - D. none of the above
- 4. Given the following grades of slaughter lambs, what grade would you give to animal "D' above?
  - A. choice
  - B. utility
  - C. good
  - D. prime
- 5. Calves which are of weaning age and are sold to go back into the country for further growing or finishing are classed as:
  - A. slaughter calves
  - B. feeder calves
  - C. finishing calves
  - D. stocker calves
- 5. Young lambs under one year of age that carry sufficient finish for slaughter purposes, but which show indications of making good gains if placed on feed are classed as:
  - A. hothouse lambs
  - B. slaughter lambs
  - C. weaning lambs
  - D. fecder lambs










3










7. Using the diagrams of the feeder pigs above what would be the most logical order to have them arranged from "best" to "worst" market grade.

- A. 1,2,4,3
- B. 4.3.2.1
- C. 3,4,1,2
- ייניני

Use the giagram of the four swine below to enswer questions 8 to 11.



- Which of the animals above would you grade U.S. No.1?
  - A. animal 'A"

  - B. animal 'B"
    C. animal 'C"
  - D. animal Du
- Animal above would most likely be in which of the following slaughter grades?

  - A. prime No. 4
    B. U.S. No. 1
    11.S. No. 1
    - C. U.S. No.
- 10. Which and in the diagram above would most likely be graded a U.S. No.4;
  - A. animal "A"
  - B. animal "B"
    C. animal "C"
    D. animal "C"

  - D. animal "D"

- 11. Animal "D" above would most probably be in which of the following market grades?
  - A. U.S. No.1
  - B. U.S. No.4
  - C. U.S. No.2
  - D. utility
- 12. Lambs that are usually less than three months of age at slaughter which are born and marketed out of season are classed as:
  - A. spring lambs
  - B. slaughter lambs
  - C. hothouse lambs
  - D. feeders
- 13. Which of the following is not a sex class of sheep
  - A. ram
  - B. ewe
  - C. barrow
  - D. wether
- .14. Which of the following is a term meaning a castrated male swine?
  - A. steer
  - B. barrow
  - €. wether
  - D. gilt

# Questions 15 thru 19

| Match | the | terms | on the ri | ght to | the | correct | definition | indicating | the |
|-------|-----|-------|-----------|--------|-----|---------|------------|------------|-----|
|       |     |       | range of  |        |     | f = f   | •          |            |     |

|          | 15. Cattle from 12 to 24 months of age | of age   | В.<br>С.<br>D. | older cattl<br>2 year olds<br>vealers<br>calves<br>vearlings |
|----------|--|----------|----------------|--|
| <u> </u> | 17. Cattle from 24 to 36 months of     | of age   |                |  |
| · .      |  |          |                |  |
|          | 18. Cattle that are over 36 month      | s of age |                |  |
|          | 19. Cattle between the yealer and      | Vearling | stage          |  |

NOTE: Use the drawing of slaughter cattle below to answer question 20-22









20. What is the most logical order to place the above four animals so that they go from "best" to "worst" slaughter grade

- A. 1, 3, 4, 2
- B. 2, 4, 3, 1
- C. 4, 3, 1, 2
- D. 4, 2, 1, 3

21. Animal "3" above would most likely be in which of the following slaughter grades?

- A. prime
- B. choice
- C. good
- D. utility

22. The animal above which will generally yield the highest amount of primal cuts is:

- A.1
- B. 2
- c. 3
- D. 4

END OF TEST

|            | •        |  | TABLE: 1-         | 3 •  |                |                                       |
|------------|----------|--|-------------------|--|----------------|---------------------------------------|
|            |          |  | AREA: Apr         | ultural Prod   | uction         |                                       |
|            |          |  | EST/NO.: 1-6      |  |                |                                       |
| .5         | 3.       | KUDER-RICHAR   | _ /               |  |                |                                       |
|            |          | KUDER-RICHAR   |                   | - \ - 000  | <del></del>    |                                       |
|            |          |  | N(test            | s) = 202   | ~              |                                       |
|            | <u> </u> |  | <u> </u>          |  |                |                                       |
|            |          |  | Relative          | Phi  | Point          | Discrim-                              |
| ·          |          | Correct  | Diffi-            | Coeff-   | Biserial       | ination                               |
| ·          | tem      | Option   | culty             | icient _   | ·Coefficient   | Index                                 |
|            | L,       | A service of the serv |                   | ~  |                | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 1.         |          | `, D   | .500 <sup>)</sup> | .707   | .300           | 39.4                                  |
| 2.         |          | ifc  | .277              | .941   | .512           | 61.6                                  |
| 3.         |          | B  | .886              | <b>07</b> 8  | 018            | -3.4                                  |
| 4.         | • • •    | D  | .743              | 264  | 137            | -14.0                                 |
| · 5 •      |          | В  | •317              | .397   | .193           | 22.9                                  |
| 6.<br>7.   |          | D  | .337              | .718   | .350           | 37.5                                  |
|            | 3        | D  | .188              | .844   | .465           | 45.5                                  |
| 8.         |          | Ć  | .322              | .918   | .535           | 58.0                                  |
| 9.         |          | D<br>A   | .406              | .994   | .636           | 80.9                                  |
| 10.        |          | Α  | .307              | •969   | .585           | 70.5                                  |
| 11.        |          | С  | .376              | .91  | <b>5</b> 1.0   | <b>50</b> m                           |
| 12.        | · · -    | C  | 450               | •  | .500           | <b>59.</b> 7                          |
| 13.        |          |  | .238              | .905   | .36 ±          | 49.4                                  |
| L4.        | :        | C<br>C<br>B  | .262              | .898   | .475           | 55.9<br>53.2                          |
| L5.        |          | Ē,   | .228              | .935   | 589            | 58.9                                  |
|            |          |  |                   | ,  | .005           | 30.3                                  |
| 16.        |          | C  | .426              | .969   | • 593 `        | 71.0                                  |
| 17.        | *        | В  | .198              | .935   | .556           | 58.9                                  |
| 18.        |          | A  | .109              | <b>'.</b> 685 ',   | .425           | 26.1                                  |
| 19.<br>20. | •        | D  | .411              | .946   | •548           | 65.3                                  |
| 20.        |          | В  | .129              | <b>.</b> 729   | ×399           | 30.3                                  |
| 21.        |          | С  | .193              | . 905  | .526           | 50.0                                  |
| 22.        | •        | В  | .183              | . 844  | • .526<br>.385 | 42.2                                  |
| 23.        | •        |  |                   | , ×3   |                |                                       |
| 24.        |          |  |                   | •  |                | •                                     |
| 25.        |          |  |                   | a de la companya de |                |                                       |
| 26.        |          | · · · · · · · · · · · · · · · · · · ·  |                   |  |                |                                       |
| 27. :      |          |  |                   | •  |                |                                       |
| 28.        |          |  |                   |  |                |                                       |
| 29.        | g.       |  |                   |  | •              |                                       |
| ().        |          |  |                   |  |                |                                       |

AREA: Agricultural Production
TEST NO.: 1-6
KUDER-RICHARDSON 20: .689
KUDER-RICHARDSON 21: .589

N(tests) = 10

| 'Item                           | Correct<br>Option     | Relativé<br>Diffi-<br>culty          | Phi<br>Coeff-<br>icient              | Point<br>Biserial<br>Coefficient      | iscrim-<br>ination<br>index           |
|---------------------------------|-----------------------|--------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|
| 1.<br>2.<br>3.<br>4.<br>5.      | D<br>C<br>B<br>D<br>B | .000<br>.300<br>.700<br>.500         | .000<br>.941<br>.264<br>%941<br>000  | .000<br>.686<br>.132<br>491<br>777    | 00.0<br>66.7<br>16.7<br>-66.7         |
| 6.<br>7.<br>8.<br>9.            | D<br>D<br>C<br>D<br>A | .400<br>.000<br>.500<br>.300         | .264<br>.000<br>.941<br>.729<br>941  | . 197<br>. 1923                       | 56.7<br>3.3<br>6.7                    |
| 11.<br>12.<br>13.<br>14.<br>15. | C C C B E             | .500<br>.800<br>.100<br>.200<br>.700 | 26<br>90:<br>729<br>.729<br>.000     | .0.17<br>.045<br>.702<br>.332<br>.699 | 16.7<br>50.0<br>33.3<br>33.3<br>100.0 |
| 16.<br>17.<br>18.<br>19.        | C<br>B<br>A<br>D<br>B | .400<br>.400<br>.100<br>.400<br>.300 | .941<br>.000<br>.729<br>.941<br>.000 | .365<br>.777<br>.702<br>.188          | 6.7<br>100.0<br>33.3<br>66.7<br>100.0 |
| 21.<br>22.<br>23.<br>24.<br>25. | C<br>B                | .400<br>.800                         | .000                                 | .777<br>.317                          | 100.0                                 |
| 26.<br>27.<br>28.<br>29.        |                       |                                      |                                      |                                       | •                                     |

Unit: Controlling Weeds in Farm Crops

#### Student Performance Objectives

The student should be able to:

- 1. When give a situation of a weedy field, identify the major weed come to the area, and describe well enough to classify them according to reproductive characteristics as well as type and degree of harmful effects.
- 2. When given a grain sample containing weed seeds, correctly identify the common noxious seeds to the satisfaction of the teacher:
- 3. When given a specific weed problem and crop rotation plan, cutline and recommend an effective biological, cultural or chemical control program which will control anticipated weed problems to the satisfaction of the teacher.
- 4. When given a weed sprayer or applicator, calibrate and apply the recommended rate of material in an even coverage over the area or plants to be treated; clean and store the equipment according to manufacturer's recommendations.

Unit: Using Concrete on the Farm

# Student Performance Objectives

The student should be able to:

- 1. Given a particular farming operation, plan what concrete installations are necessary to meet the needs of the operation.
- 2. When given a concrete structure to build, assist in the building of forms in such a way that the structure will result in the intended strength and shape.
- 3. When given concrete forms prepared for the placing of concrete, assist in placing the concrete in such a way that the structure will result in the intended shape and strength.
- 4. Given a freshly poured structure, finish the concrete to provide the desired surface.
- 5. When given a freshly finished structure, cure and remove the forms from the concrete to produce a long lasting structure.



Unit: Controlling Weeds in Farm Crops (1-7):

### The weed shown in this slide is:

- A. smartweed
- B. sheep sorrel
- C. curled dock
- D. none of the above

## The plant shown is:

- A. ragweed
- B. wildmustard
- C. lambsquarters
- D. yellow nutsedge

### This slide shows an example of:

- A. idiot grass
- B. sheep sorrel
- C. smart weed
- D. pigweed

## The weed shown in this slide is:

- A. horsenettle
- B. buckhorn plantain
- C. rough pigweed
- D. field bindweed

#### This slide shows an example of a weed called:

- A. chicory
- B. curled dock
- C. common plantain
- D. milkweed

| о. | This slide shows an ex | cembre ot.: |
|----|------------------------|-------------|
|    | A. canadian thistle    |             |
|    | B. velvet leaf         |             |
| .* | C. purslane            | 18.         |
|    | D. cocklebur           |             |
|    |                        | <b>V</b>    |

- - A. small ragweed
  - B. smart weed
  - C. sheep sorrel
  - D. knot weed
- 8. This slide shows an example of:
  - A. pigweed
  - B. bindweed
  - C. ground ivy
  - D. purslane
- The weed pictured in the slide is: The week production and the second
  - A. sandbriar
  - B. horsenettle C. pigweed

  - D. A and B are both correct
- 10. This plant is called:
  - A. lambsquarter
  - B. jimsonweed
  - C. wintercress
  - D. cocklebur
- 11. The weed seed shown is:
  - A. johnsongrass
  - B. field, bindweed
  - C. canadian thistle
    - D. corn-cockle

- 12. This slide shows seeds from:
  - A. field bindweed
  - B. corn-cockle
  - C. barnyardgrass
  - D. curly dock
- 13. This is a slide of the seed of:
  - A. ryegrass
  - B. johnsongrass
  - C. cheat
  - D. orchardgrass
- 14. The weed seed shown is:
  - A. buckhorn plantain
  - B. ryegrass
  - C. quackgrass
  - D. johnsongrass
- 15. This slide is an example of:
  - A. red sorrel
  - B. corn-cockle
  - C. buckhorn plantain
  - D. canadian thistle
- 16. This is an example of:
  - A. field bindweed
  - B. quackgrass
  - C. corn-cockle
  - D. curly dock
- 17. This slide is an example of:
  - A. johnsongrass
  - B. curly, dock
  - C. buckhorn plantain
  - D. field bindweed


| 18.    | This slide shows weed seed from:              |   |               |            |
|--------|---|---|---------------|------------|
|        | A. buckhorn plantain B. cheat                 |   |               |            |
|        | C, corn-cockle<br>D, red sorrel               |   |               |            |
| 10     | A herbicide is used to control:               |   |               |            |
| 19.    | A. insects                                    |   |               |            |
|        | B. diseases<br>C. weeds                       |   |               |            |
|        | D. all of the above                           |   |               |            |
| 20,    | 2,4-D is recommended for the co               | ntrol of:                               |               |            |
|        | A. buckhorn' plantain                         |   |               |            |
|        | B. quackgrass<br>C. crabgrass                 |   |               |            |
|        | D. nimblewill                                 |   |               |            |
| 21.    | The chemical 2,4-D is used for                | weed control.                           | Which weed is | not killed |
|        | by 2,4-D?                                     |   |               |            |
|        | A. yellow grass B. buckhorn plantain          |   |               |            |
|        | C. crabgrass D. curly dock                    | ~ · · · · · · · · · · · · · · · · · · · |               |            |
| 22.    | . Chloro-IPC, Casoron, Simazine,              | and Treflan ar                          | e all:        |            |
| ,      | A. post-emergence herbicides                  |   |               |            |
|        | B. soil fumigants C. pre-emergence herbicides |   |               |            |
|        | D. fungicides                                 | <b>&amp;</b> .                          |               |            |
|        |   |   |               |            |
|        |   |   |               |            |
|        | 8   |   |               |            |
| 6-     | 20.0  | O NEXT PAGE                             |               |            |
| 1      | <b>GO 1</b>                                   | O IMVI INCE.                            |               |            |
|        | 152   |   | 4 .           |            |
|        |   |   |               |            |
| 7<br>3 |   | • · · · · · · · · · · · · · · · · · · · |               |            |

- 23. If you should accidently spill some herbicide concentrate on yourself, you should immediately:
  - A. consult the label to see if an antidote is suggested
  - B. remove contaminated clothing and wash thoroughly
  - C. telephone a doctor for instructions
  - D. contact the local poison control center
- 24. The first step in preparing to use herbicide is to:
  - A. put on your rubber gloves and respirator
  - C. clean the spray tank with hot soapy water
  - C. read the pesticide label
  - D. make sure the sprayer nozzles are not clogged
- 25. Pesticides should be stored:
  - A. in their original containers only
  - B. in a cool, dry place where they will not freeze
  - C. in a building or cabinet which is always locked
  - D. all of the above
- 26. Empty pesticide containers should be:
  - A. sent to the local dump or incinerator
  - B. thoroughly cleaned and recycled,
  - C. saved for future use
  - D. buried or burned away from people and animals
- 27. If you want to spray weed killer on a pasture with a boom sprayer:
  - A. use cone type nozzles and a pressure of 25 to 40 PSI
  - B. use cone type nozzle and a pressure of 25 to 150 PSI
  - C. use fan type nozzle and a pressure of 25 to 40 PSI
  - D. use fan type nozzle and a pressure of 125 to 150 YPSI
- 28. Spray volume per minute may change due to:
  - A. worn nozzle tips
  - B. increased ground speed
  - C. decreased ground speed
  - D. amount of chemical tank gapacity

GO TU NEXT PAGE .



- 29. The nozzle arrangement, shown below is best described as:
  - A. complete overtop-coverage for weeds or insects and between narrow rows for weed control,
  - B. between rows for weed control
  - C. over and between rows
  - D. between rows for control of insects



- 30. Which of the following factors does not affect the eventual spray application rate per acre?
  - A. pressure and delivery of the pump
  - B. volume of the tank
  - C. speed of forward travel
  - D. nozzle size
- 31. Select the best in-field adjustment to reduce spray volume:
  - A: increasing operation pressure
  - B. lowering operation pressure
  - C. changing pumps
  - D. shortening the spray boom
- You are spraying a herbicide on a pasture with a 12 foot boom having 8 nozzles. The desired application rate is 40 gallons per acre. The tractor is moving at 5 miles per hour. You are using a nozzle size of .048" with a nozzle pressure of 40 pounds PSI. which of the following factors are needed to check the actual application rate?
  - A. boom width, nozzle number, and ground speed
  - B. boom width, nozzle number, and nozzle size
  - C. boom width, nozzle number and nozzle pressure
  - D. boom width, nozzle number, nozzle pressure and nozzle size

महासंग चा तामच

AREA: Agricultural Production
TEST NO:: 1-7
KUDER-RICHARDSON 20: .572
KUDER-RICHARDSON 21: .422
N(tests) = 20

N(tests) = 32

| Item         | Correct<br>Option | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|--------------|-------------------|-----------------------------|-------------------------|----------------------------------|------------------------------|
|              |                   |                             |                         |                                  |                              |
| 1.           | C                 | .313                        | •809                    | .440                             | 48.2                         |
| 2.           | A A               | •969                        | .000                    | 078                              | 00.0                         |
| 3.           | ·                 | .813                        | • 440                   | <b>.</b> 162                     | 14.3                         |
| <b>4. 5.</b> | B /               | .375                        | .696                    | •284                             | 35.7                         |
| · •          | . D               | •375                        | •906                    | <b>.</b> 302                     | 60.7                         |
| 6.           | A                 | .188                        | .685                    | .187                             | 25.0                         |
| <b>7.</b> \  | · C               | •969                        | •440                    | .216                             | 14.3                         |
| 8.           | D                 | •875                        | . 047                   | .068                             | 1.8                          |
| _9.          | D                 | .750                        | .649                    | .123                             | 30.4                         |
| 10.          | Α                 | .375                        | •696                    | <b>;</b> 302                     | 35.7                         |
| n.           | С .               | 625                         | .780                    | .368                             | 46.4,                        |
| 12.          | Α                 | .344                        | .696                    | .405                             | 35.7                         |
| 13.          | В                 | •719                        | •924                    | .316                             | 57.1                         |
| 14.          | C                 | .344                        | •935                    | .422                             | 62.5                         |
| 15.          | ♥ C 4,            | . 781                       | .844                    | .306                             | 42.9                         |
| i6.          | C                 | 594                         | <del>9</del> 05         | .458                             | 60.7                         |
| 17.          | В                 | 688                         | .924                    | .516                             | 57.1                         |
| 18.          | , D               | .781                        | 203                     | 024                              | -10.7                        |
| 19.          | C                 | -188                        | .397                    | .274                             | 23.2                         |
| 20.          | A                 | .719                        | 790                     |                                  | 44.6                         |
| 21.          | C .               | .875                        | .844                    | . 403                            |                              |
| 22.          | Č                 | .531                        | .078                    | •403<br>•172                     | 42.9                         |
| 23.6         | В                 | .313                        | .869                    | .330                             | 5.4                          |
| 24.          | č                 | .594                        | <b>-</b> 696            | 203                              | 50.0                         |
| 25.          | . D               | .500                        | .110                    | .026                             | -35.7<br>7.1                 |
| 26.          | D                 | .094                        | • 685                   | •462                             | 05.0                         |
| 27.          | č                 | .531                        | .969                    | •                                | 25.0                         |
| 28.          | Ä                 | .406                        | .979                    | .531<br>.533                     | , 73.2 °                     |
| 29.          | В                 | . 281                       | •869                    | .538                             | 75.0                         |
| 30.          |                   | 250                         | •790                    | .251                             | 50:0                         |
|              |                   |                             | • / 30                  | • 201                            | 37.5                         |

TABLE: 1-7 S

· AREA: Agricultural Production

TEST NO.: 1-7

| Item                 | Correct<br>Option | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|----------------------|-------------------|-----------------------------|-------------------------|----------------------------------|------------------------------|
| 1.<br>2.,<br>3.      | В<br><b>А</b>     | .375<br>.875                | 637<br>383              | 121                              | -32.1<br>-12.5               |
| 5.<br>6.<br>7.<br>8. |                   |                             |                         |                                  |                              |
| 9.<br>0.<br>1.<br>2. |                   | 9                           |                         |                                  |                              |
| 3.<br>4.<br>5.       |                   |                             |                         |                                  |                              |
| 6.<br>7.<br>8.<br>9. |                   |                             |                         |                                  |                              |

AREA: Agricultural Property No.: 1-7

KUDER-RICHARDSON 20: .471

KUDER-RICHARDSON 21: .364

N(tests) = 64

|                | Correct    | · Relative    | Phi    | Point                                   | * Discrim-   |
|----------------|------------|---------------|--------|---|--------------|
|                | Option     | .Diffi-       | Coeff- | Biserial 0                              | ination      |
|                | OPLIOI     | culty .       | icient | Coefficient                             | Index        |
|                |            |               | 6      |   |              |
| A Maria        | Ċ          | .781          | 110    | <b></b> 019                             | <b>5</b> 8.4 |
| 2:34           | Α          | . 844         | 309    | .110                                    |              |
| 3.             | C •        | •703          | • 440  | £ 288                                   | 13.7         |
| 14.            | В          | .750          | 707 *  | 445                                     | 28.3         |
|                | D          | .125          | 187    | .019                                    | 47:5 p       |
|                |            | •             |        | .013                                    | -/.1         |
| 6              | Α *        | .328          | • 790  | 478                                     | 55.8         |
| /303           | . C        | .859 ৣ        | • 426  | 129                                     | 20.4         |
| 8.<br>9.       | , D        | 766           | 353    | 235                                     | 21.2         |
|                | . D •      | .828          | 110    | •018                                    | -5.4         |
| 10.            | Α          | .609          | 770    | •401                                    | 5.4.2        |
| $\mathbf{n}$ . |            |               | • 🕉    |   |              |
| 12.            | C          | <b>4</b> ∕953 | .411   | .107                                    | 13.3 .       |
| 13.            | . A .      | .891          | • 411  | 115                                     | 13.3         |
| 14.            | B          | . 844         | 718    | .380                                    | 40.0         |
| 15.            | Ç<br>C     | .688          | .264   | .162                                    | 14.6         |
| ro.            | C #        | . 703         | 279    | 122                                     | -17.1        |
| 16.            | C          | 000           |        |   |              |
| 17.            | C<br>B     | a .828 "      | .156   | .080                                    | 7.5          |
| 18.            | D 9        | <b>:</b> 766  | .141   | .081                                    | 8.3          |
| 19.            | C          | 766<br>.438   | 094    | .025                                    | 5.0          |
| 20. "          | Ä          | 6.813         | .454   | .220                                    | 29.6         |
|                |            | & • OT?       | 588    |   | 26.7         |
| 21.            | С          | .766          | •700   | 200                                     |              |
| 22.            | Ċ          | 625           | .141   | •290<br>•                               | 46.7         |
| 23.            | В          | .438 °        | .536   | .105<br>.257                            | 9.2          |
| 24.            | · c        | .391          | .740   | .318                                    | 35.8         |
| 25.            | D ,        | .406          | .924   | .564                                    | . 49:6       |
| LEA.           |            |               | •324   | *************************************** | .74.6        |
| 26.            | D .        | •641          | .729   | . 428                                   | <b>47.1</b>  |
| 27.            | С          | .703          | 536    | .247 · ©                                | 34.6         |
| 28.            | <b>. A</b> | •656          | 353    | . 226                                   | 21.7         |
| <b>?9.</b>     | В.         | . 422         | •685   | •400                                    | 48.3         |
| 30•            | В          | .531          | . 818  | .465                                    | 61.2         |
| •              |            |               |        |   | OT•5.        |

AREA: Agricultura TEST NO.: 1-7

| Correct Item Option | Diffi- (       | hi<br>Coeff-<br>lcient                  | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|---------------------|----------------|---|----------------------------------|------------------------------|
| B A                 | • 438<br>• 656 | .760<br>.536                            | .427<br>.275                     | 55.0<br>34.6                 |
|                     |                |   |                                  |                              |
|                     |                |   |                                  |                              |
|                     |                | *************************************** |                                  |                              |
|                     |                |   |                                  |                              |

Unit: Electric Welding in Agricultural Mechanics

## Student Performance Objectives

The student should be able to:

- 1. Provided various types of materials to be welded, correctly identify the type of metal by using sight, texture, and/or spark test results.
- Run beads in various positions by selecting the proper electrode, maintaining the proper arc length, selecting the proper current setting, maintaining proper speed of travel and proper electrode angle.
- 3. Given the metals to be welded and appropriate welding equipment, follow and exhibit safe operating procedures for arc welding to prevent injury to students or damage to the welding equipment.
- Given metals to be welded and the appropriate welding equipment, prepare the metal and make lap, fillet, and butt welds in the flat, horizontal, vertical, and overhead positions that will not break under the operating conditions of the equipment being repaired.

# Unit: Electric Welding in Agricultural Mechanics (1-8)

Which of the sparks shown are produced by grinding cast iron?











In the diagram above "D" indicates:

- A. cast iron
- B. wrought iron
- C. low carbon steel
- D. malleable iron


In order to have a high quality weld, when running a flat bead, the electrode should be positioned at:

- A. a 35 degree angle in the direction of travel
- B. a 30 degree angle in the opposite direction of travel
- C. a 15 degree to 25 degree angle in the direction of travel
- D. a 5 degree to 10 degree angle in the direction of travel

The commonly recommended helmet lens to use when are welding:

- A. no. 7
- B. no. 10
- . C. no. 18
- D. no. 3

- The weld joint shown is
  - A. flat butt
  - B. vertical butt
  - C. flat láp
  - D. none of the above
- Took steel is commonly used for making:
  - A. angle iron
  - B. chisels
  - C. machinery braces
  - D. A and B above
- An electrode classified as E 6011 can be used when:
  - A. hardsurfacing metals
  - B. welding cast iron
  - C. welding stainless steel
  - D. welding steel
- A recommended safety precaution which should be followed when arc welding is:
  - A. to wear gauntlet gloves
  - B. to change polarity only when the amperage is above 50
  - C. to use a helmet with a no. 7 lens D. A and B above
- The weld joint shown is:
  - A. horizontal butt
  - B. flat cap
  - Q. fillet
  - D. none of the above




|  | 충발되는 것은 경기 가장 없는 보고 있다. 그 사람들은 사람들은 사람들이 되었다.                     |
|--|---|
|  | 됐다면서 프로마들은 다리는 시간을 하는데 말하다. 하는 장난 얼룩 먹는 것이 하다고 모르겠다.              |
| 10.                                    | Machinery steel when compared to mild steel is:                   |
|  | 1회 사용화가입니다 (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1              |
|  | A. lighter and softer   |
|  | B. used to make machinery bolts C. lower in carbon content        |
|  | D. stronger and harder  |
|  |   |
| 1                                      |   |
| / 11.                                  | Electrode size is measured by:                                    |
| $= \sum_{i=1}^{n} \lambda_i \lambda_i$ | 권한 이 이 의원 회사는 나는 이 모든 이 성도 함께 가고 함께 그 말은 그는 것이 되었다면서 생각이 되었다.     |
|  | A. length of the electrode  |
|  | B. diameter of the clectrode                                      |
|  | C. the circumference in centimeters D. all of the above           |
|  | D. all of the above   |
| •                                      |   |
| 12.                                    | Looking at an electric arc without eye protection may:            |
|  |   |
|  | A. cause permanent eye injury                                     |
|  | B. not be injurious if you rest your eyes every 20 seconds        |
|  | C. cause temporary eye burn                                       |
| Α                                      | D. severely burn the retina of the eye                            |
|  |   |
| 13.                                    | The weld joint shown is:  |
|  |   |
|  | A. a vertical butt  |
|  | B. a flat butt  |
|  | C. a flat fillet  |
| =                                      | D. none of the above  |
|  |   |
| 14.                                    | It is necessary to use the correct speed or rate of travel of the |
|  | electrode in order to:  |
|  |   |
|  | A. prevent waste of materials                                     |
|  | B. keep the amperage high enough to weld the pieces               |
|  | C. obtain a strong, neat appearing weld D. A and C above          |
|  | D. A and C above  |
|  |   |
| 15                                     | The area used for arc welding should be:                          |
| v s                                    |   |
|  | A. well-ventilated  |
|  | B. in a separate room of the shop                                 |
|  | C. lined with asbestos  |


Which of the following procedures will give the least distortion when welding steel?

Α.


Ç.

В.







- In the diagram below, number 1 refers to the
  - A. flame
  - B. welding cone
  - C. arc length
  - D. molten pool




Which of the following diagrams best illustrates the correct angle of the electrode?




·B.





- 19. From the bead shown below it appears that
  - A. the current is too low B. the voltage is too high

  - C. speed is too fast
  - D. current is too high



- 20. Using several welding beads to build up a worn surface is called
  - A. hardsurfacing
  - B. surface plating
  - C. padding
  - D. none of the above

GO TO MEKT PAGE

- 21. Many small drops of spatter along an arc welding bead results from:
  - A. incorrect angle of electrode
  - B. travel too slow .
  - C. current setting too high
  - D. arc too short
- 22. A flat weld results from:
  - A. arc too short
  - B. incorrect angle of electrode
  - C. travel too slow
  - D. current setting too high
- 23. The weld joint shown below is:
  - A. a vertical butt
  - B. a flat butt
  - C. a flat fillet
  - D. none of the above



- 24. The electrode which is especially adapted for arc welding high carbon steel is:
  - A. tugsten carbide
  - B. monel metal
  - C. nickel
  - D. low hydrogen
- 25. The electrode which is especially adapted for arc welding cast iron is:
  - A, stainless steel
  - B. nickel
  - G. monel metal
  - D. stoodite

END OF TEST

AREA: Agricultural Production
TEST NO.: 1-8

KUDER-RICHARDSON 20: .559

KUDER-RICHARDSON 21: .505

N(tests) = 92

| Item                            | Correct<br>Option     | Relative<br>Diffi-<br>culty          | -Phi<br>Coeff-<br>icient              | Point Biserial Coefficient           | Discrim-<br>ination<br>Index              |
|---------------------------------|-----------------------|--------------------------------------|---------------------------------------|--------------------------------------|---|
| 1.<br>2.<br>3.<br>4.<br>5.      | B<br>C<br>C<br>B      | .750<br>.652<br>.761<br>.554         | 279<br>.536<br>.279<br>.673<br>.869   | 068<br>.262<br>.119<br>.388<br>.529  | -12.8<br>.35.2<br>.15.3<br>.46.8<br>.67.3 |
| 6.<br>7.<br>8.<br>9.            | B<br>D<br>A<br>C<br>D | .435<br>.500<br>.641<br>.554         | .625<br>.809<br>\$637<br>.411<br>.770 | .402<br>.466<br>.384<br>.203<br>.409 | 42.5<br>59.5<br>43.3<br>26.8<br>54.7      |
| 11.<br>12.<br>13.<br>14.        | B<br>B<br>D<br>D<br>A | .609<br>.663<br>.674<br>.489         | .729<br>.575<br>.637<br>.353          | .404<br>.339<br>.364<br>.230         | 51.3<br>35.5<br>43.2<br>22.7<br>54.8      |
| 16.<br>17.<br>18.<br>19.        | C<br>C<br>B<br>D<br>C | .283<br>.630<br>.446<br>.826<br>.772 | .876<br>.482<br>.218<br>.440<br>094   | .550<br>.235<br>.141<br>.315<br>.073 | 62.5<br>31.2<br>14.0<br>23.7<br>-4.8      |
| 21.<br>22.<br>23.<br>24.<br>25. | C<br>D<br>D<br>D      | .337<br>.717<br>793<br>.793<br>.587  | .685<br>.661<br>.588<br>.339<br>.218  | .352<br>.345<br>.344<br>.195<br>.075 | 46.5<br>39.8<br>35.7<br>19.3<br>14.3      |
| 26.<br>27.<br>28.<br>29.        | \$                    |                                      |                                       |                                      |   |
| •                               |                       |                                      | -1.66                                 |                                      |   |

TABLE: 1-8 A

AREA: Agricultural Production
TEST NO.: 1-8

KUDER-RICHARDSON 20: .578

KUDER-RICHARDSON 21: .547

N(tests) = 90 ·

| <del>- ,</del> | Correct | Relative '      | Phi "            | Point                                 | Marie Dansen                 |
|----------------|---------|-----------------|------------------|---------------------------------------|------------------------------|
| Item ~         | Option  | Diffi-<br>culty | Coeff-<br>icient | Biserial<br>Coefficient               | Discrim-<br>ination<br>Index |
|                | · ·     |                 |                  |                                       | - Indox                      |
|                |         |                 | •                |                                       |                              |
|                | В       | .511            | .707             | <sub>16</sub> 344                     | 38.6                         |
|                | C       | . 622           | 411              | 2,15                                  | 25.5                         |
|                | , C ,   | •678            | .770             | . 313 ''                              | 44.1                         |
|                | В       | . 544           | •696             | . 345                                 | 37.7                         |
|                | Α       | . 589           | .891             | 383.                                  | 58.2                         |
| ) <b>.</b>     | D       |                 | •                |                                       |                              |
|                | В       | .511            | 637              | 307                                   | 33.2                         |
| •              | D       | . 544           | .637             | . 276                                 | 33.2                         |
|                | ∖ A .   | .689            | .673             | • 358                                 | 34.5                         |
|                | С       | •767            | 707              | .371                                  | 35₊5                         |
| ) <b>.</b> .   | D       | . 311           | .770             | .341                                  | 40.9                         |
|                |         | V               |                  | •                                     |                              |
| •              | . B     | .600            | .853             | • 405                                 | 53.2                         |
|                | C       | .700            | .661             | . 187                                 | 30.9                         |
| <u>.</u>       | · D /   | 544             | . 836            | 408                                   | 51-8                         |
|                | D .     | .522            | .685             | .172                                  | 35.0                         |
| •              | , A     | .411            | .836 👸           | 414                                   | .51.8                        |
| •              |         |                 | ₹                |                                       |                              |
|                | C,      | .300            | .891             | 376                                   | 50.0                         |
| •              | C ,     | .667            | .413             | 235                                   | 30.0                         |
|                |         | 667             | .203             | .064                                  | 11.8                         |
| ).             | C<br>D  | .722            | .203             | .134                                  | 11.8                         |
| ) <b>.</b>     | C 1.    | .589            | .790 :           | ւկ1կ                                  | 47.3                         |
| , •            |         | •               |                  | . •                                   |                              |
| .•<br>}•       | C       | 511             | .637             | . 239                                 | 33.2                         |
|                | D .     | 756             | . 309            | ·146                                  | 16.8                         |
| ).<br>}.       | D       | . 544           | .836             | .383                                  | 51.8                         |
| · /            | D       | 778             | .661             | .275                                  | 30.9                         |
|                | В       | 611             | . 836            | 358                                   | 52.3                         |
| \ . · ·        |         |                 | ,                | •••                                   | a                            |
|                |         |                 |                  | •                                     |                              |
| }.             |         | •               | ••.              | · · · · · · · · · · · · · · · · · · · |                              |
| ) <b>.</b>     | • • •   |                 |                  |                                       |                              |
| )              |         |                 | •                |                                       | •                            |
| <b>7.</b>      | ')      |                 | . ~              |                                       |                              |

Unit: Using Concrete on the Farm

# Student Performance Objectives

The student should be able to:

- 1. Given a particular farming operation, plan what concrete installations are necessary to meet the needs of the operation.
- 2. When given a concrete structure to build, assist in the building of forms in such a way that the structure will result in the intended strength and shape.
- 3. When given concrete forms prepared for the placing of concrete, assist in placing the concrete in such a way that the structure will result in the intended shape and strength.
- 4. Given a freshly poured structure, finish the concrete to provide the desired surface.
- 5. When given a freshly finished structure, cure and remove the forms from the concrete to produce a long lasting structure.

## Unit: Using Concrete on the Farm (1-9)


- 1. The unit of measure for concrete volume is the:
  - A. yard
  - B. cubic yard
  - C. linear foot
  - D. cubic foot
- 2. In order to obtain a neater and stronger concrete installation:
  - A. an extra part of sand should be added to the mixture
  - B. sharp corners and angles should be avoided
  - C. forms should be constructed with crude or crankcase oil on the boards
  - D. all of the above
- 3. When concrete is placed in tall forms at a fairly rapid rate there is 'likely' to be some "bleeding" of water:
  - A. to the sides of the forms
  - B. to the bottom of the forms
  - C. to the top surface
  - D. to the center of the concrete installation
- 4. When newly placed concrete is leveled to remove humps and hollows it is called:
  - A. striking off
  - B. darbying
  - C. bull floating
  - D. consolidating
- 5. When concrete temperature is 50 degrees fahrenheit or above, it should be allowed to cure for at least:
  - A. 2 days
  - B. 5 days
  - C. 3 days
  - D. 7 days

- 6. In a 1:2:3 concrete mixture the "2" refers to the volume of:
  - A. water
  - B. gravel
  - C. sand
  - D. cement
- 7. In order to obtain good uniformity, concrete should be placed in the forms in layers not more than:
  - A. 25" thick
  - B. 18" thick
  - C. 38" thick
  - D. hone of the above
- 8. In order to avoid bleeding of any free water to the surface of the concrete, the tool which should be used is a:
  - A. screed
  - B. bull float
  - C. hand tamper
  - D. none of the above
- 9. The most favorable range for curing concrete is:
  - A. 45 degrees 50 degrees fahrenheit
  - B. 80 degrees 85 degrees fahrenheit
  - C. 55 degrees 73 degrees fahrenheit
  - D. none of the above
- 10. Using the formula below, how much concrete is needed for a 4 inch floor for a 30'x 60' building?
  - A. 27.64 cubic yards
  - B. 22.22 cubic yards
  - C. 222.2 cubic yards
  - D. 26,60 cubic yards

width in ft. x length in ft. x thickness in ft.

27

- 11. When all bleed water has left the surface of the concrete, the surface will appear:
  - A. glossy
  - B. dull (without gloss)
  - C. rough
  - D. A and C above
- 12. Concrete can be cured effectively by:
  - A. adding moisture to concrete immediately after placement
  - B. adding additional aggregates during mixing
  - C. sealing the surface to prevent moisture loss
  - D. A and C above
- 13. Newly placed concrete should be tamped in order to:
  - A. thoroughly mix the concrete and water together
  - B. remove air pockets around aggregates .
  - C. keep the concrete from sticking to the forms
  - D. A and B above
- 14. The machine shown in the diagram below is called:
  - A. power edger
  - B. power trowel
  - · C. power float
  - D. none of the above



- 15. In vertically formed concrete, a simple way to prevent "drying out" is to:

  A. cover with straw
  B. leave forms in place
  C. line forms with plastic
  D. none of the above

  16. If vibrators are used to consolidate placed concrete, care must be
- 16. If vibrators are used to consolidate placed concrete, care must be taken to avoid:
  - A. bringing water and fine sand to the surface B. using the vibrators with stiff harsh mixes
  - C. segregating the mix
  - D. A and C are both correct
- 17. The hand and power float is used to prepare the concrete surface for:
  - A. screeding
  - B. striking off.
  - C. troweling
  - D. consolidating
- 18. With air-entrained concrete installations there is:
  - A. less bleeding than regular Portland cement
  - B. no need for troweling
  - C. no aggregate in the mix
  - D. A and B are both correct
- 19. Aggregates generally comprise to percent of the volume of a concrete mixture. (select answer below)
  - A. 20 to 40
  - B. 60 to 80
  - .c. 30 to 50
  - D. 10 to 30
- 20. Joints that are used to separate slabs-on-ground from points of abutmen such as walls and footings are called:
  - A. construction joints
  - B. control joints'
  - C. isolation joints
  - D. A and C are both correct

END OF TEST

TEST NO.: 1-9
KUDER-RICHARDSON 20: 529
KUDER-RICHARDSON 21: 452

N(tests) = 76

|           | 0       | Relative   | Phi                                     | Point<br>Biserial | Discrim-<br>ination |
|-----------|---------|--|---|-------------------|---------------------|
| Thom      | Correct | Diffi-<br>culty  | Coeff-<br>icient                        | Coefficient       | Index               |
| Item      | Option  | curty  | TCTELL                                  | coera retent      | Titlex              |
| • • • • • | σ,      | •  |   |                   |                     |
| 1.        | В       | ,329   | . 884                                   | .516              | 55.7                |
| 2.        | В       | . 684  | .969                                    | . 676             | 71.0                |
| 3.        | C       | .421   | .905                                    | .491              | 59.7                |
| 4.        | В       | .500   | .827                                    | 1:484             | 51 <i>-</i> 2       |
| 5,        | В       | 855  | <b>∸.</b> 264                           | -:110             | -11.7               |
| 5         |         |  |   |                   |                     |
| 6.        | . C     | .368   | .264                                    | . 244             | 15.2                |
| 7.        | В       | . 7,24   | .172                                    | 000               | 9.0                 |
| 8.        | , В     | . 855  | .110                                    | . 057             | 1 4.5               |
| 9.        | , C     | .355   | .740                                    | .358              | 39.5                |
| 0.        | , B     | .566   | •661 <sup>'</sup>                       | .294              | 34.5                |
|           |         |  |   |                   |                     |
| 1.        | В       | . 408  | .905                                    | .529              | 59.7                |
| 2.        | °. C    | .605   | 707                                     | .385              | 38.3                |
| 3.        | В       | .461   | .869                                    | .491              | 55.3                |
| 4.        | В       | .500   | .898                                    | .493              | 59.5                |
| 5.        | В       | . 645  | .876                                    | · 502             | 54.5                |
| *         |         |  |   |                   |                     |
| 6.        | C       | .763   | 063                                     | 049               | -3.2                |
| 7.        | С       | . 434  | .898                                    | .445              | °59.5               |
| 8.        | Α       | .829   | .110                                    | .110 -            | 4.7                 |
| 9.        | В       | .776   | .203                                    | 017               | 8.7                 |
| 0.        | С.      | .776   | ۹ .187                                  | •060•             | 8.8                 |
| ٠,        |         |  |   |                   | •                   |
| 1.        | •       |  | *                                       |                   |                     |
| 2.        | 1       |  |   |                   |                     |
| 3.        |         |  |   |                   |                     |
| 4 🎺 .     |         |  | 1 8 3 8 3 8 3 8 B                       | an and a second   |                     |
| 5.        |         |  |   |                   |                     |
|           |         |  | 1 |                   |                     |
| 6.        |         | 73   |   |                   |                     |
|           |         |  |   |                   |                     |
| 8.        |         |  | <b>,</b>                                | ۵                 |                     |
| 9.        | }       |  |   |                   |                     |
| 10.       |         | and the second s | •                                       | •                 | •                   |

AREA: Agricultural
TEST NO: 1-9;
KUDER-RICHARDSON 20: .717
KUDER-RICHARDSON 21: .639

N(tests) = 42

| •           |          | Correct                                 | Relative<br>Diffi- | Phi<br>Coeff-      | Point<br>Biserial | Discrim-<br>ination |
|-------------|----------|---|--------------------|--------------------|-------------------|---------------------|
| Item        |          | Option                                  | culty              | icient             | Coefficient       | Index               |
| T CCM       | <u> </u> | OPCION                                  | Culty              | TCTEIL.            | . WEITICIEIL      | TIMEX               |
| "           |          |   |                    |                    |                   |                     |
| •           | 7 .      | D                                       | 207                | 7,500              |                   |                     |
|             |          | В                                       | 381                | • 985 <sup>)</sup> | . 633             | 75.0                |
|             |          | √ B                                     | 952                | .309               | 242               | 7.7                 |
|             |          | C                                       | 452                | .063               | .077              | 3.8                 |
| •           |          | • <b>A</b>                              | • 500              | • 997 ,            | • 592             | 84.0-               |
| •           |          | В                                       | .690               | .800               | 427               | 38.5                |
|             | 1.0      |   |                    |                    |                   | 7                   |
| •           |          | ` C                                     | • 405              | 905                | 567               | 59.0                |
| •           |          | C                                       | • 333              | .884               | .447              | 50.0                |
|             | ••       | В                                       | .881               | 187                | 132               | <del>-</del> 9.6    |
|             | ٠,       | С                                       | .310               | .951               | .461              | 67.3                |
| •           |          | В                                       | 405                | 905                | 526               | 59 <b>.0</b>        |
| 3 .         |          |   | 7                  | . 303              | • 520             | 39.0                |
| •           |          | В                                       | .405               | .760               | 221               | 110                 |
| •           |          | C                                       | .403               |                    | .334              | 43.6                |
| •           | ,        | D                                       |                    | .809               | .436              | 45.5                |
|             |          | В                                       | .381               | .426               | . 342             | 28.2                |
|             | •        | В.                                      | .357               | . 930              | • 534             | · 58.3              |
| •           |          | В                                       | .810               | .740               | .491              | 37.8                |
|             |          |   |                    |                    |                   | •                   |
| •           | ٠        | С.                                      | •952               | •000               | 074               | . 00.0              |
| • 41 - 42   |          | C - 1                                   | 405                | 998                | • 594             | 83.3                |
| •           |          | Α                                       | •619               | .673               | . 33,7            | 35.9                |
| • 42 (15)   |          | v B                                     | . 595              | 898                | .585              | 60.3                |
| • • • • • • | ٠. ٠     | С                                       | .857               | .172               | •038              | 7.1                 |
| •           | : .      | • . • • .                               |                    |                    |                   | <b>5.</b> —         |
| •           |          | - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 |                    |                    |                   |                     |

22. 23. 24. 25.

26. 27. 28. 29. 30.

Unit: Maintenance of Small Gasoline Engines


## Student Performance Objectives

Tee student should be able to:

- 1. Identify the different types of carburetor air cleaners commonly found on small gasoline engines and clean and service them according to the manufacturer's specifications
- 2. Identify the three basic types of fuel strainers commonly found on small gasoline engines and clean and service them according to the manufacturer's specifications.
- 3. Select the right oil, keep the proper crankcase oil level, and change the oil in a four stroke cycle engine according to manufacturer's specifications for small gasoline engines.
- Select and service the spark plug on two and four stroke cycle engines according to manufacturer's specifications.
- 5. Identify the principles of carburetor operation in small gasoline engines and make carburetor adjustments for most efficient performance.

Unit: Maintenance of Small Gasoline Engines (1-10)


- 1. If you fail to service your air cleaner properly:
  - A. some dirt may enter the combustion chamber and be blown out through the muffler
  - B. the dirt may pass into the engine and mix with the lubrication oil
  - C. the dirt will build up and choke the engine
  - D. all of the above
- 2. To avoid air pockets after cleaning the sediment bowl:
  - A. realign the gasket in the exact same position it was when removed
  - B. fill the bowl with a gasoline additive
  - C. fill the sediment bowl before tightening the jam nut
  - D. both A and C are correct
- 3. Oil viscosity grade refers to:
  - A. its resistance to flow
  - B. its freezing temperature
  - C. the amount of additives.
  - D. the service conditions under which it should be used
- 4. Most small gasoline engines use plugs with:
  - A. longer reaches
  - B. shorter reaches
  - C. average length reaches



- From this diagram of a typical carburetor, no. 1 is called the:

  - A. idle mixture adjustment
    B. high speed load adjustment


  - C. idle speed stop screw D. float level adjustment



- This diagram represents a:

  - A. dry-filter type air cleaner
    B. oiled-filter type air cleaner
    C. oil-bath type air cleaner


  - D. none of the above



- This diagram represents a:

  A. screen and sediment bowl filter
  - B. breather valve and filter
  - C. screen in the fuel tank fuel filter
  - D. crankcase valve and filter
- Under normal operating conditions the crankcase oil on a 4 stroke cycle small engine should be checked:
  - A. every 2 to 4 hours of operation.
    B. once every week.
    C. when the engine begins knocking

  - D. once every month




- In the above diagram, the person is using a(n)
  - A. flat feeler gauge
  - B. wire feeler gauge
  - C. gap setter
  - D. ignition file 🔌
- 10. Of the following types of carburetors found on small gasoline engines the one usually used on chain saws is the:
  - A. fleat feed type
    B. suction type

  - C. diaphram type
- 11. The venturi in the carburetor causes:
  - A. low air speed, low préssure
  - B. high air speed, low pressure
  - C. low air speed, high pressure
  - D. high air speed, high pressure
- Lean fuel mixtures in a small gatoline ingine will cause:
  - A. engine overhoating
  - B. cardon deposits on combustion chamber parts
  - C. fouled spark plugs
  - D. wasted fuel



- 13. When servicing an oiled-filter type air cleaner, you should:
  - A. clean the filter with gasoline or Naptha
  - B. clean the filter with soapy water
  - C. clean the filter with petroleum solvent
  - D. use a stiff brush to clean the filter
- 14. When servicing the screen-type of fuel strainer:
  - A. clean the strainer with a dry-cloth
  - B. be sure the fuel tank is full
  - C: remove the full strainer from the fuel tank, if possible
  - D, all of the above
- 15. When adjusting the main needle valve and idle valve on a small gasoline engine:
  - A. the idle valve should be adjusted first
  - B. the engine should be under heavy load
  - .C. the engine should be cold
  - D, the main needle valve should be adjusted first
- 16. Crankcase oil in a small gasoline engine should be changed:
  - A. when the engine is thoroughly heated
  - B. when the engine is cold to prevent burns
  - C. only if there is a drain plug on the engine
  - D. when the oil level drops to the "add" level
- 17. If a spark plug has a weak spark and the observed spark between the spark-plug wire and the cylinder head is blue-orange color:
  - A. the ignition system is faulti
  - B. the spark plug is faulty
  - C: the spark
  - D. both A and C are correct



- 18. From the above diagram of the cross ection of a carburetor, no. 2 is called the:
  - A. choke plate
  - B. main mixing chamber -
  - C. float bowl
  - D. throttle plate
- 19. If the main in colle valve is turned to a lean mixture, the engine will
  - . A. give off black smoke
    - B. miss
    - C. "flood-out" .
    - D. both A and B are cornect
- 20. From this same diagram number 3 is used to adjust
  - A. idle sp ed
  - B. 'idle gas-air ratio
    - C. the main gas-air ratio
    - D. float level
- 21. When servicing air cleaners on lawn mowers or chain saws:
  - A. the spark-plug wire should be disconnected first
  - B. the fifter element should always be replaced
  - C. petroleum solvents should be used to clean the filter
  - D. both A and B are correct

- 22. A MS classification on a can of oil stands for;
  - A. most severe conditions
  - B. multiple standard
  - C. motor severe
  - D. motor sealant
- Care must be taken to select the correct peplacement sparkplug
  - A. a cold plug under heavy load conditions will overheat quicker

  - B. hot plugs will stay cleaner under light load conditions
    C. a cold plug will foul with carbon under heavy load conditions.
  - D. both A and C are correct

END OF TEST

|   |     | KUDER-RICH<br>KUDER-RICH | TEST NO: 1-10  IARDSON 20: -237  IARDSON 21: _159                            | S<br>l'tural Produc<br>:s) =48   | tion   |  |
|---|-----|--------------------------|--|--|--|--|
| -   |     |                          | Relative   | Phi.   | - Ait  | Discrim-   |
| • ]   | tem | Correct<br>Option        | Diffi- Culty   | Coeff-<br>icient   | Biserial<br>Coefficient  | ination<br>Index   |
| 1.<br>2.<br>3.<br>4.<br>5.<br>6.<br>7.<br>8.<br>9.<br>10. |     | D C A B C A C C B        | .563<br>.646<br>.604<br>.625<br>.604<br>.583<br>.646<br>.750<br>.396<br>.771 | - 233<br>- 685<br>- 818<br>- 585<br>- 760<br>- 891<br>- 440<br>- 800<br>- 918<br>- 339 | - 101<br>.362<br>.487<br>.336<br>.417<br>.339<br>.038<br>.522<br>.323<br>052 | -16.7<br>40.5<br>54.8<br>40.5<br>47.6<br>64.3<br>-31.0<br>50.0<br>59.5<br>14.3 |
| 12.<br>13.<br>14.<br>15.                                  |     | A<br>C<br>C<br>D         | 813<br>7 708<br>646<br>438   | . 426<br>. 696<br>. 383<br>. 750   | .004<br>.131<br>.262<br>.200<br>.170   | 21.4<br>21.4<br>35.7<br>26.2<br>45.2   |
| 16.<br>17.<br>18.<br>19.<br>20.                           |     | A .<br>B .<br>A .<br>B . | .833<br>.438<br>.708<br>.843<br>.792   | .426<br>.440<br>673<br>.696  | 328<br>.309<br>004<br>.352<br>.524   | 21.4<br>31.0<br>-38.1<br>35.7<br>42.9  |
| 21.<br>22.<br>23.<br>24.<br>25.                           |     | A<br>C<br>B              | 85µ<br>833<br>875  | - 339<br>- 426<br>- 637  | - 015<br>212<br>277  | -19.0.<br>21.4<br>28.6   |
| 26.<br>27.<br>28.<br>29.<br>30.                           |     |                          |  |  |  |  |

TEST NO.: 1-10

KUDER-RICHARDSON 20: .594

KUDER-RICHARDSON 21: .534

N(tests) = 118

| Correct  | Relative<br>Diffi- | Phi<br>Coeff- | Point                   | Discrim-         |
|--|--------------------|---------------|-------------------------|------------------|
| Item Option                                    | culty              | icient'       | Biserial<br>Coefficient | ination<br>Index |
|  |                    |               | 4                       | FIREX            |
|  |                    |               | •                       |                  |
| 1.<br>2.                                       | .373               | .440          | •250                    | 28.8             |
| , C  | . 669              | .413          | .294                    | -29,8            |
| A<br>B   | •475               | .869          | .411                    | 54.7             |
| 5. / . C                                       | ÷458               | • 685         | •306                    | 37.3             |
|  | •466               | .750          | .323                    | 42.2             |
| 5. R   | • 508              | •969          |                         |                  |
| 7.³  | .415               | .951          | .515                    | 72.7             |
| $\check{\mathbf{A}}$                           | .525               | .935          | 7 .500                  | 69.0<br>65.7     |
| 9. Ĉ   | .203               | .790          | .387                    | 40.8             |
| o  | • • 703            | .707          | .313                    | 34.9             |
|  |                    | }             | •0.40                   | 34.3             |
| B B  | .653               | .876          | • 450                   | 54.5             |
| $\tilde{A}$                                    | .7.88              | .625          | 292                     | 24.1.            |
| ,  | •585               | ̃., . 649     | •339                    | 34.3             |
| <u>.                                      </u> | •636               | 750           | • 336                   | 42.7             |
| D  | • <b>4</b> 07 *    | •673          | • 261                   | 35.5             |
| δ  | C 7 7              |               |                         |                  |
| 7. A   | .517<br>.585       | 911           | .422                    | 62.4             |
| 3. A   | .542               | 0.90          | • • 079                 | 5.9              |
| $\mathbf{B}^{(1)}$                             | .661               | 718           | .304                    | 39.8             |
| D. B.  | .788               | 637           | •428<br>•262            | 49.0             |
|  |                    | Marie Co.     | . • 202                 | 28.2             |
| . A  | .881 . *           | 047           | 065                     | -1.8             |
| 2•   | .856               | 078           | 027                     | -3.9             |
| B B  | .847               | .125          | .075                    | 4:1              |
|  | <b>.</b>           |               |                         |                  |
| <b>?.</b> •                                    | Y                  |               |                         |                  |
|  |                    |               |                         |                  |
|  | , y                |               |                         |                  |
|  |                    |               | Alba                    |                  |

## AREA: AGRICULTURAL PRODUCTION

Unit: Electric Motors -- Selection and Maintenance

## Student Performance Objectives

The student should be able to:

- 1. For the various types of motors, provide maintenance services which are recommended to keep motors in a safe and efficient operating condition.
- 2. Using a dual voltage, reversible motor, correctly change the voltage and direction of the motor according to the manufacturer's recommendations.
- 3. Using a chart of motor types and characteristics, select a motor which fits its job in the following characteristics:
  - A. motor type !!
  - B. starting load
  - C. horsepower
  - D. motor speed
  - E. motor duty
  - F. motor bearings
  - G. motor enclosure
  - H. motor mounting
- 4. For a given piece of equipment to be powered by an electric motor, select the kind and size of drive which will operate the equipment within the recommended speeds.
- 5. For a given motor and power application, select an overload, protection device according to the standards of the National Electrical Code.

- 1. Electric motors with sealed bearings should:
  - A. be lubricated twice a year
  - B. be lubricated once every two years
  - C. never be lubricated
  - D. none of the above
- 2. On a dual voltage motor, voltage can be changed by:
  - A. switching the terminal plate connection wires to series or parallel wiring
  - B. turning the plug over which will result in a voltage drop
  - C. adding a voltage adapter
  - D. shortening the brushes
- 3. On which of the following outlets (circuits) pictured below would most power suppliers permit the use of a 1/2 hersepower motor:

Α.



C




R.




D.



- The type of drive shown in the diagram, below is an example
  - A. direct drive
  - B. speed conversion drive
  - C. gear drive
  - D. none of the above



- The Pactor which is of greatest concern when deciding the type of control and overload protection needed for a motor is:
  - A. duty rating
  - B. voltage limit.
  - C. motor size
  - D. RPM
- Motors with sleeve bearings lubricated by the oil wick method:
  - A must be lubricated less often than oil-soaked yarn lubricated bearings
  - B. must be lubricated more often than bearings using an oil ring for lubrication
  - C. Do not have to be lubricated but once every two years
  - D. never have to be lubricated
- If a split phase, single voltage motor is wired as shown in the sketch below, which of the following procedures will reverse the direction of rotation





- attach wires 1 and 4 to point A
- B. attach wire 3 to point A and wire 2 to point B C. attach wire 3 to point A and wire 1 to point B
- attach wire 2 to point B and wire 4 to point A

- "Capacitor start" refers to:
  - A. speed ranges
  - B. motor type /-
  - C. horsepower needed for starting
  - D. voltage meded for starting .
- Which of the diagrams below shows the proper location for determining the size of a V-Belt.










Excessive current will flow to a motor if:

- A. load is too heavy
- B. voltage is high
- C. voltage is low
- D. A and C are both correct


Motors that are operated in the presence of explosive gases require an enclosure which is:


- A drip proof
- B. splash proof
- C. totally-enclosed
- D. A and B are both correct


12: In the diagram below the dual voltage repulsion - start motor is wired for 120 volts operation



Which of the following illustrate the proper circuit diagram for this motor to operate at 240 volts?








- 13. which of the motors listed below is not designed for easy starting
  - A. split phase
  - B. permanent split, capacitor-induction
  - C. shaded-pole induction
  - D. capacitor-start induction run
- 14. A V-Belt that is best for use with pulleys that are 2 1/2 inches and less in diameter is a:
  - A.a.
  - В. с .
  - C. fhp
  - D. d

- A motor overload protection device should be selected so it will provide for temporary overload of 15 percent but not more than:
  - A. 18 percent
  - B. 35 percent
  - C. 20 percent
  - D. 25 percent
- The type of motor enclosure illustrated below is a:
  - A. drip proof
  - B. splash proof

  - C. dust proof
    D. leak proof



| Diam.    |       |           |                   | DIAMETER O                       | ू<br>जाताच्     | Y ON EQIII   | рмелит 7т       | NCHES) |        | - 1             |              |
|----------|-------|-----------|-------------------|----------------------------------|-----------------|--------------|-----------------|--------|--------|-----------------|--------------|
| Motor    | ***   |           |                   |                                  | 7. I OTHER      | 1 01 11001   |                 |        |        |                 |              |
| Pulley   |       |           | · • • •           | EQ.                              | UIPMENT         | SPEED (R     | PM)             |        | ,      |                 |              |
| (inches) | 1-1   | /4        | 1-1/2             |                                  | 2               | 2-1/4        |                 | 2 🛂    | 4      | ₹5              | 6-1/         |
| 3        |       |           | · · · -           | _                                | *               | _ 1          |                 |        |        | *               | 4            |
| 1-1/4    | 1725  | • : :     | 1435.             | 1230                             | 1075            | 950          | 850             | 715°   | 54Q    | 430             | 330*         |
|          | 2075  | 1.5       | 1725              | 1475                             | 1290            | 1140. "      | 1030            | 850    | 645    |                 | 395          |
| 1-3/4    | 2400  | 444       | 2000              | 1725                             | 1500            | 1340         | . 1200          | 1000   | 750    | 600             | 460          |
| 2        | 2775  |           | 2290              | 1970                             | 1725            | 1530         | 1375            | 1145   | 850    | 685             | 530          |
| 2-1/4*   | 3100  | ٠.        | 2580              | 2200                             | 1930            | 1725         | 1550            | 1290   | 965    | <i>',</i> 775 : | 595 <i>°</i> |
| 2-1/2    | 3450  |           | 28,70°            | 2460                             | 2150            | 1900         | 1725            | c 1435 | 1075   | 850             | : .660 ·     |
| 3 N      | 4140  |           | 3450              | 2950                             | 2580            | 2290         | ~2070 °         | 1725   | .1290  | 1070            | .800 ·       |
| 4        | 5500  |           | 4575              | 3950.                            | <sub>3450</sub> | 3060 .       | 2775            | 2295.  | , 1725 | 1375            | 1060         |
| .5       | 6850  | •         | 5750              | 4920                             | 4300            | <b>2</b> 825 | 3450            | 2865   | 2150   | 1725            | 1325         |
| 6-1/2    | :8950 |           | 7475              | 6400                             | 5600            | 4975         | 448o            | 3730   | 2790   | 2240            | 1725         |
| 8        |       |           | 9200              | ` 7870 ·                         | 6900            | 6125         | 5520            | 4600   | 3450   | 2750            | 2120         |
| 10       | -     |           |                   | 9850                             | 3620            | 7670         | `6900           | 5750   | 4300   | 3450·           | 2650         |
| 12       |       |           |                   | order of the will be a filled to |                 | 9200         | · 8280          | 6900   | 5160   | 4130            | 3180         |
|          |       |           |                   | 7                                |                 |              |                 | 8635   | 6470   | 5170            | 3970         |
| 15<br>18 |       | • • •     |                   |                                  |                 |              |                 | 2-37   | 7750   | 6200            |              |
|          |       | , , , , , | · <del></del> · . |                                  |                 |              | . <del></del> . |        |        |                 |              |


- A. 3 inches
- B. 4 inches
- C. 5 inches
- $D = 2 \frac{1}{2}$  inches

18. Which of the time-delay fuses shown below is designed to be "tamper-proof":

A.



C



В



D.


none of the above

- 19. The motor to shown below is a
  - A. split phase
  - .B; shaded-pole induction
  - C. capacitor start
  - D. repulsion start




- 20. If your motor driven equipment runs at a speed of less than 200 rpm which of the following should be used to help reduce the speed?
  - A. a flat belt drive
  - B. a longer V-Belt
  - C. a jackshaft
  - D. a wider grooved pulley
- 21. In a 0 1/2 hp motor the type of control and overload protect on which could be used is:
  - A. manual starting switch with overload protection
  - B. built in overload protection in the motor
  - C. magnetic starting switch with overload protection
  - D. all of the above

- 22. The motor enclosure illustrated below is called a:
  - A. splash proof
  - B. leak proof,
  - - D. open drip proof



- 23. If you have a 7 1/2 hp or larger motor operating on a single-phase power, you may be required by your power supplier to get a:
  - A. magnetic starter
  - B. built in overload protection device.
  - & C. current limiting type starter
    - D. higher voltage starter
- 24. Which of the following is not a factor to consider when selecting a motor?
  - A. duty rating
  - B. motor speed
  - C. motor type
  - D. none of the above
- 25. A motor that is used to start light loads but will draw 6 to 8 times its hormal running current while starting is a:
  - A. three phase
  - B. repulsion start, induction run
    - C. vsplit-phase
  - .D. \*capacitor-start; capacitor run
- 26. The motor shown below used primarily for starting easy loads on a 120 volt service and frequently found on a fan or blower is a
  - A. capacitor start, induction run
  - B. shaded-pole induction
  - C. three phase
  - D. split phase



END OF TEST

TABLE: 1-11 S.

AREA: Agricultural Production
TEST NO.: 1-11 ...

KUDER-RICHARDSON 20: .506

KUDER-RICHARDSON 21: .402

N(testss) = 38'

|  | Correct | Relative<br>Diffi-                      | Phi<br>Coeff- | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|--|---------|---|---------------|----------------------------------|------------------------------|
| Item                                     | Option  | culty                                   | . icient      | COETTICIENT                      | 11/40/1                      |
| •  |         | (                                       |               | }                                |                              |
|  |         | .211                                    | .976          | .690                             | 70.0                         |
| 1. · · · · · · · · · · · · · · · · · · · | C<br>A  | .368                                    | .861          | .470                             | 55.0                         |
| 3.                                       | A ,     | .395                                    | 969           | .565                             | 71.7                         |
| <b>II.</b>                               | В       | .395"                                   | .861          | .448                             | 51.7                         |
| 5.                                       | C       | .921                                    | 047 /         | 065                              | -1.7                         |
|  |         |   |               |                                  |                              |
| 6.                                       | В       | .684                                    | 063.          | :011.                            | -3.3                         |
| 7.                                       | 'B' y   | .658                                    | .063          | 046                              | 3.3                          |
| 8.                                       | В       | .579                                    | .790          | ⇒ 350                            | 46.7                         |
| 9.                                       | B       | .921                                    | 047           | 065                              | -1.7                         |
| 10.                                      | Ð       | .789′                                   | .294          | ,008                             | 15.0                         |
|  |         |   | 070           | •569                             | . 70.0                       |
| 11.                                      | С       | .289                                    | .976<br>.413  | .341                             | 30.0                         |
| 12.                                      | Α .     | .684                                    | .413          | .416                             | 30.0                         |
| 13.                                      | D .     | .579<br>.395                            | 031           | .130                             | · -1.7                       |
| 14.                                      | · C     | .474                                    | .685          | .327 •                           | 36.7                         |
| 15.                                      | עי      | •4/4                                    | .000          |                                  |                              |
| 16.                                      | В       | .789                                    | 673           | 269                              | -33.3 *                      |
| 17.                                      | Č /     | .474                                    | .969          | .539                             | 73.3                         |
| 18.                                      | Č       | .500                                    | .994          | . 654                            | 81.7                         |
| 19.                                      | Ċ .     | .368                                    | 969           | 589                              | 71.7                         |
| 20.                                      | С       | .474                                    | .924          | .425                             | 61.7                         |
| •  |         |   | 45            |                                  | 00.0                         |
| 21:                                      | D       | .579                                    | .309          | .168                             | 20.0                         |
| .22.                                     | D       | .921                                    | 047           | <b></b> 035                      | -1.7                         |
| 23.                                      | C-      | .789                                    | 094           | 109<br>.376                      | -5.0<br>35.0                 |
| 24.                                      | D       | 447                                     | .661          | 109                              | -13.3                        |
| 25.                                      | C       | .789                                    | 249           | 103                              | , 10.0                       |
| 00                                       | •<br>D  | .474                                    | .411          | .212                             | 26.7                         |
| 26.                                      | В       | • | • Т           |                                  | •                            |
| 27.<br>28.                               |         |   | v             |                                  |                              |
| 28.<br>29.                               |         | •                                       |               | <i>r</i> -                       |                              |
| 30.                                      | •       |   | •             |                                  |                              |

AREA: Agricultural Production
TEST NO.: 1-11
KUDER-RICHARDSON 20: .730
KUDER-RICHARDSON 21: .707
N(tests) = 18

| Item   | Correct<br>Option                         | Relative<br>Diffi-<br>culty             | 'Phi<br>Coeff-<br>icient | Point Biserial Coefficient | Discrim-<br>ination<br>Index |
|--|---|---|--------------------------|----------------------------|------------------------------|
| 7  |   |   |                          |                            |                              |
| •  | .c  | 389                                     | .729                     | . 428                      | 40.0                         |
|  | Α   | 444                                     | 729                      | .210                       | 40.0                         |
|  | Α   | 389                                     | . <b></b> 339 · ·        | .017                       | -20.0                        |
|  | Α<br>Β                                    | • 667                                   | . 339                    | € .239                     | 20.0                         |
|  | C   | .778                                    | .637                     | .221                       | 20.0.                        |
|  | В   | .667                                    | 637                      | 159                        | -20.0                        |
|  | $\frac{1}{2}$ $\frac{1}{8}$ $\frac{1}{2}$ | .611                                    | .898                     | •523                       | 60.0                         |
| ).<br> -   | . В<br>/В                                 | .833                                    | 930,                     | •807                       | 60.0                         |
|  | B   | . 611                                   | .000                     | .702                       | 100.0                        |
| la de la companya de | D   | 667                                     | .339                     | .:133                      | 20.0                         |
| . •  | 1   | 200                                     | .930                     | FOR                        |                              |
| • ************************************   | œ .                                       | .389                                    | 930 *                    | <b>;</b> 505               | 60.0                         |
|  | . D                                       | •667<br>•444                            | .729                     | .213                       | 40.0                         |
|  | D   | 3.444                                   | •994                     | • 588                      | 80.0                         |
| · • • • • • • • • • • • • • • • • • • •  | $\int_{\mathbf{D}}$                       | . 6 <b>6</b> 7                          | •729                     | .361                       | 40.0                         |
|  | D   | ¥ 00/                                   | <b></b> 339              | 186                        | -20.0                        |
|  | B C                                       | .722                                    | . 994                    | .718                       | 80.0                         |
| •  |   | <b>*.</b> 556 .                         | .898                     | •521                       | 60.0.                        |
| •  | > C                                       | · <b>.</b> 667                          | .898                     | • 585                      | 60.0                         |
| •  | کام:                                      | . 444                                   | . 898                    | •462                       | - 60.0                       |
|  | "C  | .611                                    | •729                     | • 445                      | 40.0                         |
|  | D   | * 556                                   | • 994                    | •496                       | 80.0                         |
| ا سارة -   | D   | • 667                                   | .729                     | .266                       | 40.0                         |
| •1   | C .* \/                                   | .611                                    | .000                     | 188                        | 00.0                         |
| •  | Ď. ~                                      | .611                                    | .729                     | .523                       | 40.0                         |
| •  | Ď,  | .778                                    | .729                     | <b>%.</b> 402              | 40.0                         |
| • •  | В   | 444                                     | •729                     | 21 O 22 /                  |                              |
|  |   | • | • / 25                   | 210                        | 40.0                         |
| <u> </u>   | •   |   |                          |                            |                              |
|  |   | , ,                                     |                          |                            |                              |
| •  |   |   |                          |                            |                              |
|  |   |   |                          |                            |                              |
|  |   |   |                          |                            | 1                            |
|  | A).                                       |   |                          |                            |                              |
| 3  |   |   |                          |                            | / J.                         |
| c ·  | <b>5</b>                                  | •                                       | 94                       | sittinds. I il Alt N       | 4.2 3 *** 77.5               |

AREA: AGRICULTURAL PRODUCTION

Unit: Controlling Insects in Farm Crops

Student Performance Objectives

The student should be able to:

- 1. Given plant specimens damaged by insects, recognize the source of the damage, either on sight or by using selected references, for the insects that commonly cause significant economic losses in the area.
- 2. Given live insects, insect specimens, or colored scale pictures of insects for identification, correctly identify the main insect that attack the major crops grown in the area.

AREA: AGRICULTURAL PRODUCTION

Unit: Controlling Insects in Farm Crops (1-13)


- Damage to corn by the European corn borer is done primarily during the:

  - A. egg stage B. larva stage
  - C. pupa stage
  - D. adulty stage
- The adults of corn rootworms feed on:
  - A. com silks
  - B: corn roots
  - C. corn stalks
  - D. corn deaves
- The adult of the seed corn maggot is a:
  - A. butterfly .
  - B./moth
  - C. fly
  - D. beetle
  - If you should accidently spill some pesticide concentrate on yourself, you should immediately:
    - A. consult the label to see if an antidote is suggested
    - B. remove contaminated clothing and wash thoroughly
    - C. telephone a doctor for instructions
    - D. contact the local poison control center

- 5. The lower leaves of a corn plant wilt followed by wilting of the entire plant. The plant later turns white. The most probable cause of this damage is:
  - A. chinch bugs
  - B. cutworms
  - C. armyworms
  - D. wireworms
- 6. Spray volume per minute may change due to:
  - A. worn nozzle tips
  - B. increased ground speed
  - C. decreased ground speed
  - D. amount of chemical in the tank
- 7. A farmer notices that his corn plants are stunted and that the plants can be pulled easily from the ground. The most probable cause of this type of damage is:
  - A. seed corn maggots
  - B: armyworms
  - C. white grubs
  - D. black cutworms
- 8. A farmer growing a late maturing hybrid of corn observed that the silks of the corn were being chewed off at the ear tips which was preventing pollination. He also noticed shiney; metallic appearing green beetles in the field. The most probable cause of the damage to his corn is:
  - A. green stink bugs
  - B. june beetles
  - C. japanèse beetles
  - D, flea beetles
- 9. Of the following insect control procedures, the most effective for the hessian fly include:
  - A. spraying with malathion
  - B. delaying wheat planting until after the fly free date
  - C. planting resistant plant varieties
  - D. both B/and C/are correct
  - E. all of the above are correct



- 10. The insect pictured above varies in color from yellow to white. Its common name is:
  - A. sod webworm
  - B. cutworm
  - C. wireworm
  - D. northern corn rootworm
- 11. During warm weather stored grain should be inspected for presence of insects every:
  - A day
  - B. 7 days//
  - C. 30 days
  - D. 60 days
- 12. Alfalfa weevil damage is:
  - A. caused only by the larvae
  - B. only a threat to the first growth of alfalfa
  - C. limited primarily to the alfalfa plant
  - D. both A and C are correct
- 13. Empty pesticide containers should be:
  - A. sent to the local dump or incinerator
  - B. thoroughly cleaned and recycled
  - C. saved for future use
  - D. buried or burned away from people and animals



- The insect pictured above is greenish yellow with black spots. It is an adult:
  - A. northern corn rootworm
  - B. click beetle
  - C. southern corn rootworm
  - D. armyworm
- Of the following insect pests of corn the one that is normally found in the soil is the:
  - A european corn borer B. chinch bug

  - C. wireworm
  - D. cutworm
- The adults of wireworms are: 16.
  - A. chinch Mugs
  - B. striped cucumber beetles
  - C. moths
  - D. click beetles




- The insect larva pictured above will develop into a shiny, metallic appearing dark green to brown adult beetle - the common name of the adult is: ..
  - A. june beetle
  - B. may beetle
  - C. seed corn beetle
  - D. japanese beetle
- 18. Pesticides should be stored:

  - A. in their original containers only
    B. in a cool, dry place where they will not freeze
  - C. in a building or cabinet which is always locked
  - D. all of the above
- 19. Aphids:
  - A. have chewing mouthparts
  - B. feed on plant sap
  - C. secrete honey dew
  - D. both B and C are correct
- A farmer notices that his sexbean plants have a silvered and bleached appearance with small black dots on the leaves. The most probable cause of the damage is:
  - A. spider mites
  - B. thrips
  - C. green stink bugs
  - D. Tarmished plant bugs

- The first step in preparing to use a pesticide is to:
  - A. put on your rubben gloves and respirator
    B. clean the spray tank with hot soapy water
    C. read the pesticide label

  - D. make sure the sprayer nozzles are not clogged



- The insect. in the above diagram is in the:


  - A. egg stage B. larva stage
  - C. pupa stage
  - D. adult stage
- 23. The common name of the insect in the previous diagram is:
  - A. northern corn rootworm
    B. southern corn rootworm

  - C. armyworm
  - D. cutworm

- Which of the following factors does not affect the eventual spray application rate per acre?
  - A. pressure and delivery of the pump
  - B. volume of the tank
  - C. speed of forward travel
  - D. nozzle size
- Of the following cultural control methods, those recommended for european 25. corn borer include:
  - A. planting resistant hybrids
  - B. deep, clean plowing
  - C. planting as early as possible
  - D. both A and B are correct
  - E. all of the above are correct
- If the beetle population of corn rootworms is high one year, the best control method for the next year is to:
  - A. apply a foliar insecticide
  - B. use a soil insecticide
  - C, plant corn earlier .
  - D. chop stalks before plowing
- 27. A cultural control program for preventing damage to soybeans by seed con maggots-could include:
  - A. delaying planting until after the first generation has pupated
  - B. using resistant hybrids
  - C. deep-plowing
  - D. both A and B are correct

- 28. A fungus disease causes heavy losses to chinch bug populations if the weather is favorable. This is an example of:
  - A. chemical insect control
  - B. biological insect control.
  - C. mechanical insect control
- 29. A farmer notices that a substantial number of corn plants in his field are cut off at the soil surface or slightly above. The most probable cause of this type of damage:
  - A. black cutworm
  - .B. wireworm
  - . C. clay backed cutworm
  - D. either A or C is correct :
  - E. all of the above are correct
- 30. The crop most severely damaged by cereal leaf beetles is:
  - A. corn
  - B. wheat
  - C. oats
  - D. rye
- 31. If insecticides are used to control alfalfa weevils, they should be applied:
  - A, when two or more larvae are counted per plant and 50 75 percent of the plants show damage
  - B. early to avoid destroying parasitic wasps
  - C. to kill the adults before egg laying
  - D. both A and C are correct
  - E. all of the above are correct

- of the following stored grain insects, the one which attacks whole kernels of grain, eating out the inside and leaving the hull, is the
  - A. saw-toothed grain beetle.
    B. cadelle
    C. granary weevil
    D. confused flour beetle




- 33. The pupa, larva, and eggs pictured above are:
  - A. green cloverworms
    B. seed corn maggots
    C. stink bugs

  - D. armyworms



- 34. The insect pictured above is black and white with red legs and antennae.


  Its common name is:
  - A. blister beetle
  - B. bean leaf beetle
  - · C. tarnished plant bug
  - D. chinch bug



- 35. The insect pictured above is grayish-black in color and approximately 1/25 of an inch long. Its common name is:
  - A. potato leaf hopper
  - B. meadow spittlebug
  - C. spider mite
  - D. thrip .

- 36. Select the best in-field adjustment to reduce spray volume:
  - A. increasing operation pressur
  - B. lowering operation pressure
  - C. changing pumps
  - D. shortening the spray boom
- 37. The southern corn rootworm is the larva of the:
  - A. japanese beetle.
  - B. chinch bug
  - C. 12-spotted cucumber beetle
  - D. striped blister beetle
- 38. To control wireworms in fields that have been in grass or sod for several years before planting to corn, it is recommended to:
  - A. apply insecticides before planting
  - B. plant early
  - C. fall plaw
  - D. both A and C are correct






- The adult insect pictured above is approximately 3/16 of an inch in length its color varies from brown to black with lighter markings. Its common name is: 39.
  - A. alfalfa weevil
    B. cereal leaf beetle
    C. granary weevil
    D. cadelle



- 40. The adult insect pictured above has metallic blue-black wings and the legs and underneath part of the thorax are red. Its amon name is:
  - A ice weevil
  - 3. falfa weevi
  - C. milia weevi C. - moal leaf beatle in loaf beetle

- 41. Armyworm populations are kep't down to a certain extent by parasites. Among these parasites are:

  - A. some species of flies
    B. some species of aphids
    C. a species of small wasps
    D. both A and C are correct




ictured above is black an gray and often feeds on grasshopper ommon name is:


- A. bairter etle,
- B. seci ettle
- C. clark i.e <sup>v</sup>
- D. beat let de

- The names tomato fruitworm, tobacco budworm, and cotton bollworm all refer to the same insect. This insect is the:
  - A. corn earworm
  - B. green cloverworm
  - C. southern corn rootworm
    D. wireworm
- A successful cultural method of controlling grasshopper damage to corn and soybeans is to:
  - A. increase blister beetle numbers which prey on the grasshoppers

  - B. plant early C. plow deep in the spring
  - D. fall plow and disk



- The insect diagrammed above lays its eggs on the leaves of wheat plants. The female adult has a red tinged abdomen. Its common name is:
  - A. wheat jointworm
  - B. hessian fly
  - C, wheat stem sawfly
  - D, seed corn maggot



- 6. The insect pictured above is green in color. It is about 1/2 inch long and 1/4 inch wide Its common name is:
  - A japanese becale \*
    B. june beetle

  - C. chinch bug
  - D. green stink bug
- Control of cereal leaf beetles is accomplished through the use of:
  - - A. quarantines to prevent spread of the insect.
      B. fumigants to control infestations in some commodities.
    - C. insecticides to control the adult population
    - D. both A and B are correct/
    - E. all of the above are correct

The best method of controlling insect yests in stored grains is:

- A. to use good preventative practices
- B. to use fumigants
- C. to use insecticides.
- D. through the use of quarantines



The a lult insect pictured above is yellow to coppery brown with black spots. Its common name is:

- A. blister beetle
  B. Mexican bean beetle
  C. tarnish I plant bug
- D. click hatle

. For most effective fumigation of stored grashould be less than: he mois conte

A. 15 percent
B. 20 percent
C. 24 percent
D. 30 percent

AREA: Agricultural F
TEST NO.: 1-13
KUDER-RICHARDSON 20: .733
KUDER-RICHARDSON 21: .683
N(tests.) = 68

| -                    |                   | Relative         | Phi            | Point               | Discrim- |
|----------------------|-------------------|------------------|----------------|---------------------|----------|
| 1.0                  | Correct           | Diffi-           | Coeff-         | Biserial            | ination  |
| Item                 | Option_           | culty            | / icient       | Coefficient         | Index    |
| - /                  |                   | -                | 1              |                     |          |
| 1.                   | n                 | urc              | COC            | 205                 | 20.0     |
| <b>2.</b> /          | В                 | •456             | .696           | -385                | 38.2     |
| 3.                   | A.<br>C           | .706             | .930           | • 625               | 64.5     |
| 4.                   | B .               | • •515<br>•324   | .368<br>.911   | .135                | 23.7     |
| 5. /                 | A                 | .809             | .649           | .450<br>.463        | 58.2     |
|                      |                   | • 609            | • 049          | • 403               | . 29.5   |
| <b>6.</b> ∜          | A                 | 412              | <b>.7</b> 60 • | •396                | ,43.2    |
| <b>7:</b>            | C                 | . 574            | .440           | • 3 <sup>°</sup> 04 | 28.7     |
| 8.                   | `C .              | • 544            | .853           | .304                | 53.9     |
| 9.                   | D                 | .721             | .411           | .256                | 24.2     |
| 0. /                 | • A               | . 956            | 454            | 246                 |          |
| 1./                  |                   | 10.17            | 000            | LOL NO.             |          |
| 2.                   | C                 | .441             | .898           | .424                | 58.4     |
| 3                    | C                 | .897             | 156            | 046                 | -5.5     |
| 4.                   | D .               | •338             | .935           | .482                | 63.4     |
| 5.                   | . C               | •735             | 836            | •505                | 49.5     |
|                      | C ,               | .632             | • 047          | 001                 | 3.2      |
| 6.                   | Ď                 | • 824            | -,218          | 013                 | -11.3    |
| 7.                   | D,                | 485              | 809            | .396                | 48.7     |
| 8.                   | D ,               | .265             | .760           | .339                | 43.2     |
| 9.                   | D                 | • 500            | .637           | .236                | 33.4     |
| <b>!0.</b>           | B                 | • 676            | .426           | .221                | 28.4     |
|                      |                   |                  | , 20           |                     |          |
| :l.                  | C                 | •26 <sup>4</sup> | 740            | .472                | 37.4     |
| 2.                   | В                 | .435             | .809           | . 425               | 48.4     |
| 3.                   | С                 | .661             | .411           | •192                | 24.2     |
| 24.                  | В                 | . 294            | .649           | <b>. 29</b> 9       | 32.6     |
| 5.                   | , D               | .779             | 110            | 010                 | -6.3     |
| 6.                   |                   |                  |                |                     |          |
| 27.                  | В -               | 691              | .233           | 173                 | 13.9     |
| : <b>7 .</b><br>!8 . | Α .               | .941             | .141           | .021                | 4.7      |
|                      | В                 | • 397            | .960           | .571                | 68.7     |
|                      | . <b>D</b>        | • 603            | <b>7</b> 29    | .360                | 39.2     |
| 30.                  | $\mathbf{C}^{-1}$ | .882             | . 14           | 060                 | 4.7      |
|                      |                   | •                | . •            | '                   |          |

TABLE: 1-13 A

AREA: Agricultural Production
TEST NO.: 1-13

| Item             | Correct<br>Option  | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|------------------|--|-----------------------------|-------------------------|----------------------------------|------------------------------|
|                  | 8  |                             |                         |                                  |                              |
| l.<br>2.         | E<br>C   | .750<br>.471                | .818<br>.637            | 387                              | 44.7<br>32.9                 |
| 3.               | B  | .441                        | . 279                   | 169                              | 17.6                         |
| <b>∤.</b><br>5.  | D D  | .735<br>.721                | 031                     | 063 ···                          | , -1.3                       |
| ,•               | <b>D</b>   | • / 21                      | . 294                   | .186                             | 18.6                         |
| <b>6.</b> 1.1    | B  | . 456                       | .760                    | 351                              | 43.4                         |
| •                | C  | •647                        | .853                    | 489                              | 5,3.9                        |
| •,               | Ď  | .456<br>.471                | .426                    | 268                              | 27.6                         |
| <b>).</b>        | , A . C  | .765                        | .760<br>.264            | .273<br>.098                     | 43.9<br>14.2                 |
|                  | D  | .647                        | . 294                   | .245                             | 18.4                         |
| <b>.</b>         | Α  | .588 * `<br>.8 <b>9</b> 7   | .770                    | .401                             | .44.2                        |
| )•<br>}•         | A<br>D   | .735                        | .249<br>203             | .186<br>058                      | 9.7<br>-11.8                 |
| · ·              | B  | . 294                       | .707                    | .406                             | 37.9                         |
| <b>6.</b>        | D  | .485                        | . 6 <b>9</b> 6          | .371                             | 38.4                         |
| 7.               | D  | .868                        | .339                    | .092                             | 14.7                         |
| 3.               | <b>A</b><br>B  | .632<br>.485                | 218                     | 130                              | 13.4                         |
| 9 <b>.</b><br>0. | ^ <b>A</b>   | .397                        | .696<br>.353            | .274<br>.108                     | 38.2<br>22.9                 |
| <u>.</u>         | the second secon |                             |                         | - 200                            | 22.5                         |

AREA: AGRICULTURAL PRODUCTION

Unit: Determining Fertility Needs

Student Performance Objectives

The student should be able to:

- 1. When given a crop to be grown, determine the yield goal of the crop based on the yield potential of the soil type of the field according to agronomy standards for the local area.
- 2. Using the needed soil sampling equipment, collect a representative soil sample of a field and prepare for testing in a manner and in accordance with recommendations prescribed by the teacher, county agricultural agent or personnel of the soil testing laboratory.
- 3. Using a soil test report from the soil testing laboratory and using the calculating procedures recommended by the teacher, county extension agent or personnel of the soil testing laboratory calculate the nutrients available in the soil with accuracy.
- When given the previous crop grown on a field, calculate the nutrients supplied by the crop residue according to agronomy data for crop residue fertility.
- 5. When given the amount and kind of manure applied to a field, calculate the nutrients supplied by the manure according to published data on livestock waste fertility.
- 6. When presented with the yield goal of a crop to be grown, the amount and kind of nutrients supplied by the soil, manure and crop residues, determine the amount and kind of additional nutrients required by the plants and which will be supplied by supplemental fertility materials.

AREA: AGRICULTURAL PRODUCTION

Unit: Determining Fertility Needs (1-14)

- 1. Of the following soil properties, those of greatest importance when determing the yield potential of a field are:
  - A. surface texture and subsoil pH
  - B. soil color and number
  - C. slope and available water
  - D. both A and C are correct



- 2: A fertilizer material with the analysis of 4-16-8 has:
  - A. 16 pounds of nitrogen in each bag
  - B. 16% of the fertilizer material is available phosphate
  - C. 16% potassium in each 100 pound bag.
  - D. 4 times as much potassium as it does nitrogen
- In order to get a representative soil sample, soil from any unusual areas of the field (such as dead furrows, old manure and lime piles) should:
  - A. be included in the sample in as nearly the same proportion as these unusual areas are represented in the total field
  - B. not be included in the sample at all
  - C. be sampled more heavily than usual areas because they need special attention
  - D. be mixed with soil from other areas after both have been aired dry
- Materials such as ground limestone provides calcium to plants as well as:
  - A. increase harmful concentrations of aluminum manganese and iron
  - B. lower the pH level of alkaline (sweet) soils
  - C. increase the pH level of acid soils
  - D. result in poorer soil structure and tilth

5. A fertilizer with the analysis of 4-16-8 has a major nutrient ratio of:

A. 1:2:1

B. 0:4:2

C. 2:8:4

D. 1:10

- 6. When planning the sampling procedure for a field, recommended guidelines would suggest:
  - A. taking 15 or more core samples from each major area which differs in crop growth, core soil color or past management

B. take one core sample from each major area which differs in crop growth, soil color or past management

C. where row crops are planted, take the samples in the crop row from about 15% of the rows

D. take 15 or more samples in the rows of row crops at the plow depth level

- 7. A soil test recommendation states the following additions of fertilizer, be applied per acre for maintenance fertility: 85 pounds of nitrogen, 40 pounds of phosphorus, and 40 pounds of potassium. A 10-10-10 grade fertilizer is used to apply the total phosphorus and potassium. How much urea (45-0-0) would have to be added yet to bring the nitrogen application up to recommendation?
  - A. 40 pounds
  - B. 45 pounds
  - C. 90 pounds
  - D. 100 pounds
- 8. If a soil test indicates a need for 32 pounds of phosphate, this could be supplied by applying:
  - A. 200 pounds of 8-8-16
  - B. 200 pounds of 4-16-8
  - C. 500 pounds of 8-16-16
  - D. 200 pounds of 0-16-16

9. When preparing soil samples for processing by the laboratory, 15 soil cores taken from one major area should:

A. be packaged into 15 separate mailers
B. mixed with distilled water and mailed in plastic mailers.
C. be air dried and mixed together into a composite before being placed in a mailer
D. be dried in hot oven to make sure all disease organisms are killed before processing

10. The chemical symbol  $P_2^0_5$  refers to the more common names of:

- A. phosphate
- B. potash
  - C. potassium
  - D. both B and C are correct

11. The approximate amount of soil which is usually adequate for a laboratory analysis of nutrient levels of one major soil area is:

- ·A. 1/2-1 pint
- B. 1 quart
- C. 1 quart to 1 gallon .
- D. 1 cubic foot

12. The soil that is most likely to respond with greatest crop increases by adding fertilizer is one which has:

- A. a high magnesium level
- B. a low pH
- C. a low fertility level
- D. very low levels of calcium

13. When collecting a soil sample to determine the need for fertilizer, the best tool to use is a:

- A. hoe
- B. spade
- C. auger
- D. probe


- 14. The pH of the soil refers to:
  - A. the concentration of nitrogen ions in the soil solution
  - B. the degree of acidity on alkalinity of the soil
  - C. hydrolisis of water in the soil
  - D. the ratio of calcium to sulfur in the soil
- 15. When using lime on a soil to correct acidity, a primary consideration should be the affect the lime will have on:
  - A. the change in soil structure and drainage
  - B. the availability of fertilizer nutrients
  - C. soil microorganisms and insects
  - D. the effectiveness of pesticides applied to the soil
- 16. Which of the following would be used to raise soil pH?
  - A. calcium carbonate
  - B. aluminum sulfate
  - C. fertilizer
  - D. iron sulfate
- 17. In a 50 pound bag of fertilizer having an analysis of 15-10-5, how many pounds of phosphorus are present?
  - A. 15
  - B. 10
  - C. 5
  - D. 20
- 18. To add a supply of sulfur and calcium to the soil but not significantly change the pH, one would add:
  - . A. dolomitic limestone
    - B. gypsum
    - C. calacitic limestone
    - D. flowers of sulfur

- Phosphorus contributes greatly to:

  - A stalk strength
    B. Not development
    C. regetative growth
    D. flowering
- 20. How hard bounds of actual nitrogen are contained in a 50 pound bag of 10/6 Februilizer?
  - A. 6 pounds
    B. 5 pounds
    C. 20 pounds
    D. 20 pounds

## AND FERTILIZER RECOMMENDATIONS

| YOUR<br>SAMPLE<br>10 | 72.4     | ·No  | COM<br>AIETO                 | LIME N | I TROGEN<br>N<br>LB/A | PHOSPHATE<br>P205<br>LB/A | POTASH<br>K20<br>Lb/A | COMMENTS<br>SEE<br>BELUN |
|----------------------|----------|--|------------------------------|--------|-----------------------|---------------------------|-----------------------|--------------------------|
| 19441                | 1000     | A FAL FA<br>CORN<br>ROYBEANS<br>CORN                                     | 1308U/4<br>456U/4<br>1308U/4 | 0.0    | 60<br>•••<br>160      | 60<br>45<br>60            | 20<br>25<br>20        | 1                        |
| ISWEL                | 1977     | HE WOOM SE ED ING  | 4.0T/A<br>4.0T/A             | 0.0    | 20<br>75<br>75        | 140<br>, 50<br>50         | 40<br>190<br>190      | 2 4                      |
| 184:1                | The same | QUEGRASS PASTURE<br>SLUEGRASS PASTURE<br>A FALFAISPR SEEDING!<br>A FALFA | 2.01/A<br>2.01/A<br>5.01/A   | . 2.0  | 120<br>10             | 0<br>25<br>40             | 50<br>190<br>260      | y . <b>5</b>             |



- Then interpreting the \_me tes\_ index a indicated on the presenting of labor remained at loss the index:
  - the lower the line equirement
  - in the higher the second entility
  - the higher the continum-magnesium ration the higher the lime requirement
- 22 il pH on the laboratory recommendation erers t
  - . the active acid or alkalinity in soil .
  - , the lime requirements of the indicate crop and yield goal
  - . the cation exchange capacity of the soil
  - . the total acidiz in the soil
- 23. In the lime and fertilizer recommendation, 2 ton of lime/acre is required to raise the pH of the mineral soil in field 18 NEL, to:
  - A. 4.7
  - B. 7.0-7.5
  - C. 5.0-5.5
  - D. 6.5
- 24. To meet the fertilizer recommendation for field 19 NW1 for the 1975 corn crop and assuming a silt/loam soil the farmer could:
  - A. make a fall application of 300 lb/A of anhydrous ammonia (33-0-0) and apply 200 lb/A of 6-24-12 at planting
  - B. make a fall application of 300 lb/A of anhydrous ammonia (33-0-0) and apply 400 lb. of 5-20-20 at planting
  - C. make a fall application of 300 lb/A of urea (45-0-0) and apply 300 lb/A of 10-20-10 at planting
  - D. make a fall application of 150 lbs/A urea (45-0-0) and apply 300 lb/A of 10-20-10 at planting

- To see that Statilizer recommendation for field 18 NEI for the 1975 alfa : - - - - s farmer could apply:
  - A. 3 are carried of a special blend of 0-10-60 analysis at the rate of \_4 \_\_ /alto per application
  - B. 3 and ice mens of 5-20-23 analysis at the rate of 210.15 are per
  - C. 2 applications of 0-20-20 analysis at the rate of 150 lb/sore per
  - of a special blend of 20-40 analysis at the rate per application
- Of the soil nutrients, those which are classified as micro-26. nutrier no me
  - A. potas iu =lcium, boron
  - B. potas\_in and phosphorous. C. magne and boron

  - D. zinc rogen

ABLE 35-Percentage Nitrogen Remaining Under Various Storage Systems

| inamenya <b>Jystem</b>   | Percent Nitrogen<br>Remaining After<br>Storage and Spreadin |  |  |
|--|---|--|--|
| Becord building, solid spreading  Lipta for unit storage, solid spreading  Apraham secon intigotion or insuld spreading  Descript summan, liquid spreading  Anomalia secon, irrigotion or liquid spreading | 70<br>40<br>40<br>30  |  |  |
| Oxionescianta, anoerobic logican storage, irricantanta equid spreading   | 20<br>\$ 20   |  |  |

- The manure accreted by 50 cows in 365 days contains 9,000 lbs. of nitrogen. Assuming the open lot, solid storage, solid spreading system is used and the entire amount is spread on a 40 acre field, the amount of nitrogen applied per acre is:
  - A. 60 lbs/zuma
  - B. 70 1bs ===
  - C. 80 1bs acre
  - D. 90 lbs/acre

28. The manure excreted by 300 head of beef feeders is spread every three months. The feeders produce manure with a total of 3,100 pounds of nitrogen per month and deep pit storage with liquid spreading. Using the table on page 7 as a reference, what is the amount of nitrogen applied to a 20 acre field at the end of one the month period?

A. 125 lb/A

B. 145 15/A

С. 165 15/А

D. 185 1b/A

END OF TEST

AUDEE-RICHARDSUN IO: 102 AUDEE-RICHARDSUN 21: 815

N(tests) = 110

|            | Correct                     | Relative<br>Diffi-                    | Coeff-       | Point<br>Biserial    | Discrim-<br>ination |
|------------|-----------------------------|---------------------------------------|--------------|----------------------|---------------------|
| Item       | Option                      | culty                                 | ient         | Coefficient_         | · Index             |
|            |                             |                                       |              |                      |                     |
| L.         | D                           | . • 382                               | .827         | .378                 | 49 <b>.3</b>        |
| 2.         | Ē.                          | .573                                  | .905         | 520                  | 60.3                |
| 3.         | · B •                       | .455                                  | .969         | • 596                | 72.8                |
| <b>!.</b>  | č                           | .364                                  | 696          | .377                 | *37.1               |
| 5. <3      | Ď                           | 345                                   | .844         | • +68                | 52 <b>.2</b>        |
|            |                             |                                       | c s          |                      |                     |
| <b>3.</b>  | A                           | •700                                  | .696         | •388                 | 35.3                |
| 7.         | D                           | .745                                  | .800         | • 474                | 44.3                |
| 3.         | $\mathbf{B}_{\epsilon^{1}}$ | .591                                  | .141         | .042                 | 8.6                 |
| 3.         | C                           | 427                                   | .891         | •504                 | 58.1                |
| <b>)</b>   | Α                           | -645                                  | .780         | • 392                | - 44.9              |
|            |                             |                                       |              |                      | ****                |
| L          | Α                           | .591                                  | 800          | • 462                | 48.2                |
| 2          | С                           | √ .5€4                                | .941         | . 560                | <b>66.</b> 5        |
| 3.         | D                           | .273                                  | .911         | .491                 | 58.6                |
| <u> </u>   | , B                         | •536                                  | . 956        | .468                 | 69.3                |
| 5.         | В                           | .527                                  | .770         | .384                 | 45.4                |
| â.         | Λ                           | .582                                  | .336         | <b>.</b> 49 <b>3</b> | <b>51</b> .1        |
| 7.         | , A<br>C                    | •545                                  | 18           | .373                 | 39.5                |
| 3.4        | В                           | .79 <b>1</b>                          | 54           | .342                 | 25.7                |
| 9.         | 5                           | = 3                                   | . 34         | .066                 | 5.7                 |
| Ŏ.         | <u> </u>                    | .5 <sup>-3</sup>                      | . 18         | . 565                | 59.                 |
| •          | 1                           | • • • • • • • • • • • • • • • • • • • |              |                      |                     |
| l <b>.</b> | <u>.</u>                    | 3                                     | <b>.</b> 426 | .329                 | <b>26.</b> 5        |
| 2. /       | D<br>A                      | : 3 5                                 | . 924        | •5-0                 | 63.2                |
| 3. /       | D                           | . 91                                  | . 956        | .576                 | 69.7                |
| 4.         | D 34.44.                    | <u> </u>                              | 750          | .304                 | 41.7                |
| 5          |                             | • ±45                                 | .≘73         | .311                 | 36.                 |
|            |                             |                                       | • • • •      |                      |                     |
| 6.         |                             | <b>.</b> 473                          | . 369        | · <del>- 7</del> .   | 55.                 |
| 7.         | _                           | .600                                  | -27          | . :63                | 39.                 |
| 8.         | E                           | •682                                  | .E34         | .556                 | 5,7.                |
| 9.         |                             |                                       |              |                      |                     |
| <b>0.</b>  |                             |                                       |              | *                    |                     |
|            |                             |                                       |              |                      |                     |
|            |                             |                                       |              |                      | •                   |

AREA: ACTICULTURAL PRODUCTION

Unit: Drying Farm Crops

Student Performance Objectives

The street should be able to:


- 1. Wher given a specific farm crop, determine the moisture content of the crop within † 2 through visual examination of the crop or by using devices designed to measure moisture content of the specific farm crops.
- 2. When given a specific farm crop to be dried and a list of available drying equipment and facilities, select the facilities and equipment will provide optimum drying conditions for the crop.
  - When giver specific crying facilities and equipment for a specific type of farm crop, operate and maintain the system according to manufacturer's recommendations.

Unit: by to Farm Crops (Grain) (1-15)

- The moisture content in manual corn is normally:
  - · 24  **26%**
  - 30 32%
  - .. 38 **-** 40%.
  - 44 46%
- The maturity line or the matur
  - A. moves upward toward the top of the kernels as the corn ripens
  - B. gets darker as the cort ripens
  - C. moves downward toward the tip of the kernels as the coun riners
  - D. both & and B are correct
- Electric consture daters are more accurate:
  - A. The moisture of that in the grain is low (under 15%)

  - B. when smaller sates are used
    C. when moisture count in the grain is high
  - D. when larger same as me user

DATO NEXT FAGE



- 4. The arrow in the above diagram is scinting to a characteristic of corn kernels used to helt determine stage of many to a called:
  - A. a germ
  - B. the maturity \_\_\_\_\_
  - C. the dent line
  - D. the moisture
- 5. When crying ear con with a heart-air drying are an in warm weather, the dryer should be remate:
  - A. in the daytime ca.
  - B. day =nd night
  - C. at night only
  - D. with only the far running
- 6. When drying ear in a cri. a farmer determine that the exhaust air is warmen that the surple air was indicate that the corn.
  - A. is drying and total
  - 'B. is not drying and the heat running should be reased
  - C. is heating
    - D. is drying and the heat supple should be re-


30 TO NETT PAGE

- Of the following systems, which can be used for drying shelled corn?
  - A. in-storage layer drying

  - B. batch drying C. continuous-flow drying
  - D. all of the above
- Cooling grain after drying is completed will help prevent:
  - A. moisture migration
  - B. insect damage

  - C. top sweating
    D. both A and C are correct
- A column batch drying system for drying shelled corn is usually not economical unless the annual corn crop is at least:
  - A. 6,000 bu.
  - B. 8,000 bu
  - C. 10,000 bu.
  - D. 12,000 bu.
- A continuous-flow dryer will handle shelled corn with a moisture content 10.
  - A. 18 30 percent
  - B. 12 18 percent C. 30 40 percent

  - D. both A and B are correct
- The least expensive type of blower for a grain drying system is the: 11.
  - A. forward curved centrifugal type
  - B. straight blade centrifugal type
  - C. propeller type
  - D. vane axial type



- The arrow in the above diagram is pointing to a:
  - A. vertical auger
    B. sweep auger
    C. unloader auger

  - D. portable auger
- On which of the following outlets (circuits) pictured below would most power suppliers permit the use of a 1/2 horsepower motor:








D.



- Which of the motors listed below is not designed for easy starting
  - A. split phase
  - B. permanent split, capacitor induction
  - C. shaded-pole induction.
  - D. capacitor-start induction run
- The formula for determing moisture content of a grain crop on the wet basis is:
  - A. percent moisture = weight of moisture x 100 weight of the sample x 100

- B. percent moisture = weight of moisture x 100 weight of dry matter
- C. percent moisture = weight of moisture x weight of dry matter
- D. percent moisture = weight of moisture
- Of the following, the most reliable visual indicators of judging corn maturity and moisture content are:
  - A. dented grains and tightness of kernels on the cob
  - B. concave germs on corn kernels and tightness of kernels on the cob
  - C. drying of leaves and yellowing of shucks
  - D. both A and B'are correct
- The greatest advantage of using electric moisture meters is: 17.
  - A. their greater accuracy than ovens or oil testers
  - B. the short period of time required to test a sample
  - C. lower cost of the equipment
  - D. both B and C are correct

- A. only use a meter he has used before
- B. always read the directions concerning use of the specific being used
- periodica check the meter being used to assure ats accuracy
- D. both E and I are correct



- 19. The arraw is the above diagram is pointing to the:
  - A. saturated cone
  - B. drying zone
  - C. infiltation zone
  - D. aerating cone
- 20. The usual mend of determining the levels of dry grain and wet grain in a bin is my:
  - A. taking samples and testing the moisture at different levels of
  - B. feeling the temperature changes on the outside of the bin
  - C. measuring the temperature of different levels in the bin
  - D. either A or B is correct

## AIR DELIVERY AND HP REQUIREMENTS OF 3 FANS AGAINST VARIOUS STATIC PRESSURES


| Fan<br>Number | Dia.<br>(Inches) | HP    | Ai     | r Volume | (CFM) at I | ndicated SP | *     |
|---------------|------------------|-------|--------|----------|------------|-------------|-------|
| •             |                  |       | 1      | 2        | 3          | 4           | 5     |
| 1             | 24               | 5     | 11,050 | 9,600    | 7,500      | 5,200       | 1     |
| 2             | 24               | 7 1/2 | 13,200 | 11,650   | 9,800      | 7,200       |       |
| 3             | 28               | 10    | 19,400 | 17,300   | 15, 100    | 12,800      | 9,500 |

## \*Static Pressure in inches of water

- 21. A farmer wants to dry 1500 bushels of ear corn using 10 CFM of air per bushel. Assuming the corn has a static pressure of 2 inches, which fan in the above table should the farmer select?
  - A. number 1
  - B. number 2/
  - C. number 3
  - D. there is not enough information given to select the proper fan
- 22. "Capacitor start" refers to:
  - A. speed ranges
  - B. motor type
  - C. horsepower needed for starting
  - D. voltage needed for starting
- 23. A simple test for locating the drying front in a partially filled bin of shelled corn is to:
  - A. feel for differences in temperature on the side of the bin
  - B. push a stick or rod into the corn and note the depth at which the rod penetrates more easily
  - C. use a probe to obtain samples of corn at different levels and perform a moisture test
  - D. there is no simple test for locating the drying front

- Drying temperatures for batch drying should be regulated at:
  - A. 90° 100° F B. 110° 130° F C. 140° 160° F D. 160° 180° F
- ۰25**.** From the listed temperatures, the maximum allowable temperature when drying grain to be used for milling purposes is:
  - A. 90° 100° F
  - B. 110° F
  - C. 140° F
  - D. 180°- 200° F
- From the listed temperatures, the maximum allowable temperature for 26. drying grain to be used for feed purposes is:
  - A.  $90^{\circ} 100^{\circ}$  F
  - B. 110° F
  - C. 140° F
  - D.  $180^{\circ} 200^{\circ}$  F
- From the listed temperatures, the maximum allowable temperature for drying seed is:
  - A. 90° 100° F
  - B. 110° F

  - C. 140° F D. 180° 200° F



- The Component of a drying system diagrammed above is called a: 28.

  - Alimel cage fan flow fan flin cleaner centifugal grain circulator


29. Using the chart below, what diameter equipment pulley should be used for a speed of 1400 rpm with a 4" motor pulley?

| Diag.  |   | •  | DIAMETER (  | F PULLE  | Y ON EQUIP  | MENT (IN  | CHES)  | manage gar yer on salmon  |  |   |
|--|---|--|---|--|---|---|--|---|--|---|
| Fulley   |   |  | Ec  | UIPMENT  | SPEED (RE   |   |  |   |  |   |
| (inches)   | 1-1/4   | 1-1/2  | 1-3/4   | 2.   | 2-1/4   | 2-4/2   | . 3 '  | <u>,                                    </u>  | 5  | 6-1/2   |
| 1-1/4<br>1-1/2<br>1-3/4<br>2-1/4<br>2-1/2<br>3<br>5-1/2<br>3 | 1725.<br>2075<br>2400<br>2775<br>3100<br>3450<br>4140<br>5500<br>6850<br>8950 | 1435;<br>1725<br>2000,<br>2290<br>2580<br>2870<br>3450<br>4575<br>5750<br>7475<br>9200 | 1230, 1475<br>1725 1970<br>2200<br>2460<br>2950<br>3950<br>4920<br>6400<br>7870<br>9850 | 1075<br>1290<br>1500<br>1725<br>1930<br>2150<br>2580<br>3450<br>4300<br>5600<br>6900<br>3620 | 950 ° 1140 1340 1530 1725 1900 2290 3060 3825 4975 6125 7670 9200 | 850<br>1030<br>1200<br>1375<br>1550<br>1725<br>2070<br>2775<br>3450<br>4430<br>5520<br>6900<br>8230 | 715<br>850<br>1000<br>1145<br>1290<br>1435<br>1725<br>2295<br>2865<br>3730<br>4600<br>5750<br>6900 | 540<br>645<br>750<br>850<br>965<br>1075<br>1290<br>1725<br>2150<br>2790<br>3450<br>4300<br>5160 | 430<br>515<br>600<br>685<br>775<br>850<br>1070<br>1375<br>1725<br>2240<br>2750<br>3450<br>4130 | 330<br>395<br>460<br>530<br>595<br>660<br>800<br>1060<br>1325<br>1725<br>2120<br>2650<br>3180 |
| 15<br>13   |   |  |   |  | <del></del>   |   | 8635   | 6470<br>7750  | 5170<br>6200   | 3970<br>4770  |

- A. 3 inches
- B. 4 inches
- C. 5 inches
- D. 2-1/2 inches
- 30. The factor which is of greatest concern when deciding the type of conting and overload protection needed for a motor is:
  - A. duty rating
  - B. voltage limit
  - C. motor size
  - D. RPM

- 31. The moisture content level that is usually required to prevent grain quality loss due to molds, insects, etc. is:
  - A. 20 22%
  - B. 18 20%
  - C. 14 1/6%
  - D. 12 14%
- 32. Use of ovens or oil testers for determining the moisture content of grain crops are:
  - A. indirect methods of moisture testing
  - B: the most accurate testing methods
  - C. the fastest testing methods
  - D. the most frequently used testing methods
- 33. The maximum length of time that should be allowed between sampling and testing corn if an electric moisture meter is being used is:
  - A. 2 4 hours
  - B. 6 8 hours
  - C. 10 12 hours
  - D. 16 18 hours
- 34. Grain drying systems in which no heat is added to the air to aid the drying process are called:
  - A. forced-air drying systems
  - B. supplemental heat drying systems
  - C. high pressure drying systems
  - D. slow drying systems
- 35. Of the following, the advantage of unheated-air drying is
  - A. can dry wetter grain
  - B. high drying capacity per fan
  - C. very low fire hazard
  - D. short drying time

- 36. An unheated forced air drying system for shelled corn in which the instorage layering process is used:
  - A. is a relatively fast drying method
  - B. will handle shelled corn with 28-32% moisture
  - C. is not economical for handling over 4,000 bushels of corn annually
  - D. both B and C are correct
- 37. A motor overload protection device should be selected so it will provide for temporary overload of 15 percent but not more than:
  - A. 18 percent
  - B. 35 percent
  - C. 20 percent
  - D. -25 percent
- 38. The use of vertical augers or screws to aid in grain ting:
  - A. is most advantageous in bin-batch systems
  - B. is relatively inexpensive
  - C often is plagued with equipment failure.
  - D. both A and C are correct
- 39. Electric motors with sealed bearings should:
  - A. be lubricated twice a year
  - B. be lubricated once every two years
  - C. never be lubricated
  - D. none of the above
- 40. In a batch-in-bin drying system:
  - A. several days of com hanvest are dried together
  - B. each day's harvest is dried and moved to a storage area
  - C. approximately 48 hours is required to dry each day's harvest
  - D. a layer of grain 8 12 feet deep is dried each day



The type of drying system pictured above is an example of a:

- A. batch-in-bin dr B. column batch dr C. forced-air dryer D. continuous flow dry

Motors that are operated in the presence of explosive gases require an

A. drip proof

B. splash p  $\infty f$ 

C. totally-enclosed

D. A and B are buth correct

## Direct fired hea units:

A. are usually less efficient than indirect fired units

B. are usually used with heavier fuels which produce large amounts

C. pass fumes and smoke through the grain being dried

D. both A and C are correct

A V-Belt that is best for use with pulleys that are 2-1/2 inches and 44. less in diameter is a:

A. a

В. с

C. fhp

D. d

Common controls found on drying systems include:


A. thermostats

B. hygrometers '


C. humidistats

D. 'both A and C are correct

46. Which of the diamams below shows the proper location for determining the size of a V-Belt.



В.



- If the collowing is  $\underline{\mathrm{not}}$  a factor to consider when selecting dmotom?

  - A. duty rating B. motor speed
  - C. motor type
  - D. none of the above ,

END OF TEST

AREA: Agricultural Production
TEST NO.: 1-15
KUDER-RICHARDSON 20: .673
KUDER-RICHARDSON 21: .626

N(tests) = 72

| Item                            | Correct<br>Option     | Relative<br>Diffi-<br>culty          | Phi<br>Coeff-<br>icient              | Point<br>Biseria<br>Coeffic           | Discrim-<br>ination<br>Index         |
|---------------------------------|-----------------------|--------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|
| 1.<br>2.<br>3.<br>4.<br>5.      | B<br>C<br>A<br>B<br>B | .694<br>.514<br>.764<br>.500<br>.764 | .426<br>.047<br>.249<br>.905<br>.339 | .152<br>.023<br>.155,<br>.399<br>.161 | 24.6<br>3.2<br>14.3<br>60.3<br>19.8  |
| 6.<br>7.<br>8.<br>9.<br>10.     | C<br>D<br>D<br>C<br>D | .681<br>.222<br>.3<br>.565<br>.639   | .661<br>.911<br>.780<br>.696<br>.411 | .26<br>.59<br>.368<br>.307<br>.212    | 29.4<br>57.1<br>45.2<br>36.5<br>26.2 |
| 11.<br>12.<br>13.<br>14.<br>15. | C<br>B<br>A<br>D<br>A | .556<br>.319<br>.333<br>.708<br>.597 | .047<br>.827<br>.426<br>.264<br>.637 | .083<br>.407<br>.266<br>.187<br>.314  | 3.2<br>46.8<br>28.6<br>13.5<br>31.7  |
| 16.<br>17.<br>18.<br>19.<br>20. | D<br>B<br>D<br>B<br>C | .486<br>.764<br>.458<br>.500         | .696<br>016<br>.861<br>.930<br>.156  | .307<br>129<br>.495<br>.476           | 37.3<br>-0.8<br>54.8<br>65.1<br>8.7  |
| 21.<br>22.<br>23.<br>24.<br>25. | C<br>B<br>B<br>C      | .694<br>.736<br>.806<br>.667         | .078<br>.411<br>.780<br>.750         | .012<br>.233<br>.295<br>.275<br>.297  | 4.8<br>25.4<br>33.3<br>42.1<br>35.7  |
| 26.<br>27.<br>28.<br>29.<br>30. | D<br>B<br>C<br>C      | .875<br>.736<br>.236<br>.556<br>.792 | .047<br>.411<br>.413<br>.800<br>.156 | .085<br>.279<br>.323<br>.389<br>.117  | 1.6<br>25.4<br>27.0<br>48.4<br>7.9   |

TABLE: 1-15 A

AREA: Agricultural Production

TEST NO.: 1-15

| 'Item                                    | Correct<br>Option | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>·Index |
|--|-------------------|-----------------------------|-------------------------|----------------------------------|-------------------------------|
|  |                   |                             |                         | •                                |                               |
| •  | D                 | .681                        | 094                     | • 034                            | 5.6                           |
| •  | В                 | .639                        | .172                    | .115                             | 9.5                           |
| •  | C                 | .833                        | 249 . لر                | 151                              | -12.7                         |
| •  | A                 | .514                        | .844                    | • 434                            | 53.2                          |
| •  |                   | .292                        | .861                    | .475                             | 51.6                          |
| •  | $\mathbf{c}$      | .694                        | •411                    | .179                             | 27.0                          |
| •  | D                 | .764                        | .078                    | •071                             | 27.0                          |
|  | Ď                 | 708                         | .790                    | .340                             | 4.0<br>20.7                   |
| No.                                      | Ċ                 | .431                        | .730                    | 1093                             | 39.7<br>13.5                  |
|  | В                 | .625                        | .411                    | .221                             | 27.0                          |
|  | •                 | 700                         |                         |                                  |                               |
| en e | D                 | .736                        | • 965                   | .524                             | 66.7                          |
|  | C                 | .389                        | •818                    | . 434                            | 50.0                          |
|  |                   | .708                        | • 339                   | .193                             | 20.6                          |
|  |                   | • 597                       | •696                    | . 298                            | 37.3                          |
|  | ע                 | . 444                       | • 84,4                  | •445                             | 53.2                          |
|  | В                 | .750                        | • 249                   | .201                             | 15.1                          |
|  | D :               | .361                        | • 397                   | .211                             | 25.4                          |

AREA: AGRICULTURAL PRODUCTION

Unit: Planning and Establishing Farm Reservoirs

Student Performance Objectives

The student should be able to:

- When provided with information regarding several possible locations for establishment of the reservoir, select the site most convenient and accessible at the least cost and where the physical properties of the soil are suitable for retaining water in accordance with specifications of soil conservation service technicians.
- 2. When provided with information in regard to a possible site for establishment of a farm reservoir, determine the maximum water capacity of the reservoir. Calculations are to be made in accordance with recommendations of soil conservation service engineers.
- When provided with information regarding the site for the establishment of a farm reservoir, determine all of the dimensions required for the dam. Calculations are to be made in accordance with recommendations of soil conservation service engineers.
- 4: When provided with information regarding a newly established reservoir, determine the number and species of fish to supply, complying with recommendations of wildlife service.
- 5. When provided with information regarding a newly established pond and the area surrounding the pond, select the equipment needed for providing water to livestock and the farm home according to recommendations of soil conservation service technicains.
- 6. When provided with information regarding the land surrounding the water area of the reservoir, select the number and species of plants to use according to recommendations of soil conservation and wildlife services.

Unit: Planning and Establishing Farm Reservoirs

The dam for a pond should be located so the water will be at least 8 to 10 feet deep over:

- A. 5-10% of the water area
- B. 15-25% of the water area
- C. 30-40% of the water area
- D. 60-65% of the water area

Minimum storage requirements of a pond should be computed by estimating the total annual needs and allowing a percentage for seepage, evaporation, and other nonusable requirements. The percentage to allow is approximately:

- A. 5-15%
- B. 20-30%
- C. 30-40%
- D. 40-60%

For a dam less than 10 feet high the minimum top width is:

- A. 16 feet
- B. 12 feet
- C. 8 feet
- D. 4 feet

A pond's capacity can be estimated by multiplying 0.4 times the:


- A. maximum water depth at the dam
- B. surface area and length
- C. maximum water depth, length and width
- D. surface area and maximum water depth at the dam

- 5. A core wall in a dam is:
  - A. constructed by Egging a trench 6 feet deep and backfilling with impervious soil material
  - B. constructed to trevent seepage water from flowing under the base of the dam
  - C. constructed to revent rodent damage to the dam
  - D. both A and B are correct
  - E. all of the above are correct.
- 6. In most instances, the most desirable ratio of watershed area to size of pond is:
  - A. 40 : 1
  - B. 30 : 1
  - C. 20 : 1
  - D. 10:1
- 7. A pond containing one surface acre of water is to be stocked with largemouth bass and bluegills. The number of fingerlings to stock is approximately:
  - A. 200 large mouth bass and 1,000 bluegill
  - B. 500 large mouth bass and 500 bluegill
  - C. 100 large mouth bass and 1,500 bluegill
  - D. 100 large mouth bass and 300 bluegill
- 8. The most important consideration when selecting the site for a pond is:
  - A. the amount of flood reduction downstream
  - B. adequate storage capacity with the least amount of earth movement
  - C. size of the contributing watershed
  - D. location of water use
- 9. The most economical flood spillway is:
  - A. a concrete spillway
  - B. galvanized steel pipe
  - C. a grassed waterway around the end of a dam
  - D. either A or C is correct

- O. A dam with average soil is designed to be 40 feet high. The side slopes should not be steeper than:
  - A. A 3:1 (horizontal to vertical) on the upstream face and 2:1 on the downstream side
  - B. 4:1 on the upstream face and 3:1 on the downstream side
  - C. 2:1 on the upstream face and 3:1 on the downstream side
  - D. 3:1 on the upstream face and 5:1 on the downstream side

Of the following material, the most desirable for a trickle spillway includes:

- A. asbestos cement
- B. concrete
- C. steel pipe
- D. both B and C are correct.
- E. all of the above are correct



The type of spillway indicated in the above diagram is a(n):

- A. drop inlet spillway
- B. hood inlet spillway
- C. open drop spillway
- D. fluted spillway


- As soon as possible after the pond fill is finished, the pond area should be seeded to:
  - A. legumes
  - B. plants with long tap roots
  - . C. a sod grass or standard pasture mixture
    - D. any of the above
- 14. Fish species such as Crappies and Bullheads:
  - A. should only be stocked in ponds in combination with a predator fish species
    B. should not be stocked in ponds

  - C. should be stocked in ponds alone but not in combination with each other
  - D. should be stocked only if light fishing pressure is expected
- Channel Catfish:
  - A. may be stocked alone or with bass and bluegills
  - B. spawn in ponds prolifically
  - C. are not recommended for stocking in ponds
  - D. both B and C are correct
- The major problems with having too large a watershed for the size of 16. a pond include: '
  - A. rapid sedimentation
  - B. excessive seepage in the pond
  - C. erosion of the flood spilway at the dam
  - D. both A and C are correct
- 17. The most common species of fish stocked in a warm water pond are:
  - A. channel catfish and crapples
  - B. large mouth bass and bluegills
  - C. large mouth bass and bluegills or redear sunfish
  - D. small mouth bass and redear sunfish

- Land in the watershed of a water impoundment should be:
  - A. restricted from grazing
  - B. seeded to grasses and legumes
  - C. cropped only if appropriate soil conservation practices are used
  - D. planted in conifers
- 19. Freeboard on a dam:
  - A. is usually 6 feet
  - B. refers to the distance between the bottom of the flood spillway and the top of the dam
  - C. refers to the distance between the top of the trickle spillway and the bottom of the flood spillway
  - D. is provided so the flood spillway does not have to handle water from small storms
- 20. The trickle spillway is designed to:
  - A. handle flood flows ....
  - B. keep the soil moisture in the flood spillway at a level good for plant
  - C. maintain the normal water level in the pond
  - D. both B and C are correct
- Fishing for bass and bluegill in a stocked pond should begin:
  - A. within 2 months after stocking
  - B. after both species have spawned
  - C. after the bass have reached 12" in length
  - D. three years after stocking
- A pond is 350 feet long and 150 feet wide. It has an 11 foot depth and 1.5 acres of surface area. The capacity of the pond is:
  - A. 2.2 acre feet
  - B. 4.4 acre feet
  - C. 6.6 acre feet
  - D: 8.8 acre feet

The dam of a newly constructed pond will settle - for this reason, the dam is constructed approximately:

A. 20 percent higher than the dam B. 10 percent higher than the dam C. 5 percent higher than the design D. I percent higher than the design



24. antiseep collar

\_ 25. plant trees here if desired

\_\_ 26., pipe spillway

\_\_\_\_ 27. stock-water trough

\_\_\_.28: flood spillway

29. normally limited to a 3:1 slope

\_\_\_\_30. pipe-spillway inlet

\_\_\_\_31. shut-off valve

\_\_\_\_ 32. plant shrubs here if desired

33. normally a 2:1 slope

\_\_ 34. water-pipe inlet

END OF TEST

TABLE: 1-18 AREA: 1-18 TEST NO.: KUDER-RICHARDSON 20: KUDER-RICHARDSON 21:

| Item                            | Correct<br>Option                          | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|---------------------------------|--|-----------------------------|-------------------------|----------------------------------|------------------------------|
| 1<br>2. 3. 4. 5.                | B<br>D<br>C<br>D<br>B                      |                             |                         |                                  |                              |
| 6.<br>7.<br>8.<br>9.<br>10.     | D<br>A<br>B<br>C<br>A                      |                             |                         |                                  |                              |
| 11.<br>12.<br>13.<br>14.<br>15. | E<br>B<br>C<br>B<br>A                      |                             |                         |                                  |                              |
| 16.<br>17.<br>18.<br>19.<br>20. | D<br>C<br>C<br>B<br>D                      |                             |                         |                                  |                              |
| 21.<br>22.<br>23.<br>24.<br>25. | B<br>C<br>C<br>A - 13<br>A - 10            |                             |                         |                                  |                              |
| 26.<br>27.<br>28.<br>29.<br>30. | A - 4<br>A - 5<br>A - 1<br>A - 11<br>A - 3 |                             |                         |                                  |                              |

1-18 AREA: Relative Diffi-culty Phi Coeff-icient Correct Option Discrim Biserial Coefficient ination Index Item A - 12 16. 17. 18. 19. 10. 11. 12. 3.

AREA: 'AGRICULTURAL PRODUCTION

Unit: Keeping Farm Accounts

Student Performance Objectives

The student should be able to:

- 1. When given a list of receipts from a farm business, correctly enter the receipts in the appropriate section of a farm account book.
- When given a list of expenditures, correctly enter expenditures in the appropriate section of a farm account book.
- 3. When given various production records for a farm business, correctly enter the records in the proper section of a farm account book.



### AREA: AGRICULTURAL PRODUCTION

Unit: Keeping Farm Accounts
(1-19)

For questions 1 through 12 refer to the record keeping pages at the end of this test.

A 425 lb. sow was sold to Producers! Livestock Association March 3rd for \$68.00. The \$68.00 would be recorded in column 1 and column:

- A. 16 of cash expenses
- B. 16 of cash receipts
- C. 20 of cash receipts
- D. 25 of cash expenses

License plates for the truck were paid March 15th for \$38.00 to the License Bureau. This item should be recorded in column of current cash expenses.

- A. 9
- B. 17
- C. 20
- D. 26

\$175.00 was paid March 5th on the principal of a farm loan for a storage building. The \$175.00 should be recorded in column of current cash expenses.

- **A.** 7
- B. 22
- C. 24
- D. 26

The type of record keeping pages shown on pages 6 and 7 are an example of:

- A. single entry
- B. double entry
- C. modified single entry
- D. cash flow budget



A payment on a life insurance policy for oneself would be recorded in column:

- A. 23 of cash farm receipts
- B. 20 of current cash expenses
- C. 22 of current cash expenses
- D. 27 of current cash expenses

The accuracy of the expenses in this record keeping can be checked by:

- A. comparing the total of column 1 with the total of all the other numbered columns summed together
- B. comparing the total of the check number column with the total expenditure column (1)
- C. comparing cash expenses in columns 1 through 23 with the totals of columns 24 through 27
- D. comparing total cash receipts with total cash expenses

Expenses for driving the automobile for buying groceries would be listed in column:

- A. 1 of current cash expenses
- B. 18 of current cash expenses
- C. 27 of current cash expenses
- D. 1 and 18 of current cash expenses
- E: 1 and 27 of current cash expenses

Money received for combining the neighbors soybeans would be entered in column:

- A. 9 of current cash expenses
- B. 6 of cash farm receiptsC. 7 of cash farm receipts
- D. 22 of cash farm receipts

Long distance telephone calls used to get market information on cattle sales would be recorded in column:

- A. 16 of farm receipts
- B. 16 of current cash expenses
- C. 17 of current cash expenses
- .D. 27 of current cash expenses

- 10. April 7th a Production Credit Association loan of \$4,200 was received for purchasing a piece of equipment which will be used for custom work. The loan of \$4,200 should be entered in:
  - A. column 6 of cash farm receipts
  - B. column 22 of cash farm receipts
  - C. column 23 of cash farm receipts
  - D. column 9 of current cash expenses
- 1. A combine is leased from a machinery dealer for \$260.00. This item should be recorded:
  - A. in column 22 of cash farm receipts
  - B. in column 9 of cash farm expenses
  - C. in column 26 of cash farm expenses
  - D. only in machinery inventory and depreciation schedules
- 12. January 30th, a payment of \$352.00 was made to the U.S. government for payment of income tax. This item should be recorded in:
  - A. column 5 of cash farm receipts
  - B. column 8 of cash farm receipts
  - C. column 20 of current cash expenses
  - D. column 27 of current cash expenses
- 13. The reason for keeping the farm expenses separate from family living expenses is:
  - A. they are considered differently for federal income tax purposes\_
  - B. federal law requires they be kept separate
  - C. to make it easier to budget for family expenses
  - D. because all farm expenses need to be put on a depreciation shedule; personal expenses do not
- 14. A method of farm accounting which requires an inventory of crops and livestock because income is based on change of inventory value as well as the cash receipts and expenses is the:
  - A. cash method
  - B. accrual method
  - C. net worth statement
  - D. enterprise record

- What effect on per-acre yield estimates happens if a farmer figures his per-acre yield on 120 acres of crop land when it actually is only 118 because of a road?
  - A. makes the per-acre yield higher than actual
  - B. has no effect
  - C. makes the per-acre yield lower than actual
- All the items which a person owns which is useful and has a value is called:
  - A. an asset
  - B. net worth
  - C. a liability
  - D, a capital gain
- A debt against the farm operator or his business, an amount which is owed is referred to as:
- A. a credit
  B. depreciation
- C. a liability
- D. capital loss
- A listing of all the things owned by the farmer placed in one column and a listing of all the things owed by the farmer in another column, showing the difference between the two is:
- A. a net worth statement
- B. cash flow sheet
- C. a tax estimate worksheet.
- D. cash accounting

A type of record which makes it possible to analyze the expenses and returns of individual crops and types of livestock is known as:

- A. net worth statement
- B. enterprise record
- C. inventory records
- D. accrual records

- 20. Expenses such as interest, taxes, insurance and depreciation are known as:
  - A. variable expenses
  - B. overhead expenses
  - C. personal expenses
  - D. capital expenses
- 21. A farm and family financial budget which shows operating sales, capital sales, operating expenses, capital expenditures, family living expenditures, money borrowed, and repayment of borrowed money for each month of a year is referred to as:
  - A. net worth statement
  - B. enterprise records
  - C. cash accounting
  - D. cash flow sheet
- 22. Calculating the amount and value of farm crops in storage would be:
  - A. a crop inventory
  - B. a depreciation schedule
  - C. fixed assets
  - D. crop enterprise records

| '  | AG | Ė,               |                    |       | نسر. | قر      | CAS  | H F             | ARM | R        | ECEIF | PT;    | <b>S</b> • . | •        | •                    |                 |             |          |                              | •      |  | ٠.;           |     | : -       |    |
|----|----|------------------|--------------------|-------|------|---------|------|-----------------|-----|----------|-------|--------|--------------|----------|----------------------|-----------------|-------------|----------|------------------------------|--------|--|---------------|-----|-----------|----|
| •  |    | A<br>D<br>A<br>T | MONTH TO WHOM SOLD | C TEM | NO.  | AEICHI, | AMOU | NT <sub>D</sub> | CRO | *3       | CRO   | 23     | CROF         | <b>*</b> | GOVEI<br>MEN<br>PAYM | RM-<br>T<br>ENT | CUST<br>WOR | DN       | OPĒRAT<br>LABO<br>DFI<br>FAR | DR.    | TAX<br>REFUR<br>PATRO<br>AGE<br>DIVI<br>DENI | ND,<br>DM     | М   | g)<br>SC. |    |
| ī  | T  | 7                | 197 1 1 1          |       | 7.7  |         | Ī    |                 |     |          | •     |        |              |          |                      | _               |             | Г        |                              | П      |  | П             |     | T         | Ti |
| 7  | T  | 1                | 4                  |       |      |         |      |                 |     |          |       |        |              |          |                      |                 |             | 1        | 1. 1                         |        |  | $\Box$        |     | 1         | 17 |
| 1  | Т  | 7                | a.                 | Ų.    | •    |         |      |                 |     | 1        | 111   |        |              | ٠.       | T-                   | Г               |             | _        | ,                            |        |  |               |     | 1         | 13 |
| 7  | Т  | ╗                | 110° V • 114       | - T   |      |         |      |                 | 100 | Г        |       |        |              |          |                      | 1               |             |          |                              |        | 7  | П             |     |           | Tī |
| 3  | T  | ╗                |                    | *     |      |         |      |                 |     |          |       | П      | ***          |          |                      |                 | 1 1         |          |                              | П      |  |               |     | 1         | 13 |
| 6  | Т  | 7                | 4                  |       |      |         | •    | -               |     |          |       | $\Box$ |              |          |                      |                 |             |          |                              |        |  | $\overline{}$ |     | T         | 15 |
| 7  | Т  | ٦                |                    |       |      | •       |      |                 |     | $\sqcap$ |       | 7      | 7            | 1        | 10.7                 | П               |             |          |                              |        |  | ,             | 1.7 |           | 7  |
| 1  | T  | ┪                |                    | 79    |      |         |      |                 | , , |          |       |        |              |          |                      |                 |             | $\vdash$ | 0 ,                          | $\Box$ |  |               |     | 1         | Ti |
| ,  | 1  | ╗                |                    |       |      |         |      | П               |     |          |       |        |              |          |                      |                 |             |          |                              | П      |  | П             |     | 1         | 1, |
| 10 |    | ┪                |                    |       |      |         |      |                 |     |          |       |        | 100          |          |                      | 4               |             |          |                              |        | ٠ ۲  |               |     | $\pm$     | 10 |
| ī  | T  |                  | TOTALS .           |       |      |         |      |                 |     |          |       |        |              |          |                      |                 |             |          |                              |        |  |               |     |           | î  |

| •   | AGE | ١,                    |                    |           | -   | C            | URREN                        | T    | CASH                                     | EXP     | EN | SES                   |            | •   | :                |                          | .1       |      |  |                    | . #          | ````                | <br> | d     |        |     |
|-----|-----|-----------------------|--------------------|-----------|-----|--------------|------------------------------|------|--|---------|----|-----------------------|------------|---|------------------|--------------------------|----------|------|--|--------------------|--------------|---------------------|------|-------|--------|-----|
| ,   |     | A<br>D<br>A<br>T<br>E | FROM WHOM PURCHASI | MONTH:    | ITO | CHECK<br>NO. | I<br>TOTAL<br>EXPEND<br>TURE | •    | HIRED<br>LABGR<br>ISEE PAGE<br>63-COL AT |         | 0  | FERTI<br>IZER<br>LIMI | Ł          | HER<br>PES<br>CIDI<br>OTH<br>CRI<br>SUPPI | ES.<br>IER<br>OP | FÚE<br>OII<br>AN<br>GREA | D        | , At | ing<br>祖<br>AGE                              | MACI<br>ER<br>REPI | γ,           | MACH<br>HIR<br>TRUC | RE - | 10    |        | ٠   |
| 1   | T   | ╗                     |                    | 4         |     |              |                              |      |  |         |    |                       |            | 0   |                  | 4                        |          |      | T .  | 2                  |              |                     |      | • 7   | $\Box$ | . 1 |
| 7   | Г   |                       |                    |           | 49  |              |                              | 1.   |  |         | ١, |                       |            |   |                  | Δ.                       |          |      |  |                    |              |                     |      |       |        | 7   |
| 1   | T   | コ                     |                    | 14 ( 144) |     |              |                              |      |  | ٠.<br>ا |    |                       |            |   |                  |                          |          | ? _  |  |                    |              |                     |      | St 12 |        | 3   |
| 1   | Γ   |                       | 1.0                |           |     |              |                              |      |  |         |    |                       |            |   |                  |                          | <i>.</i> |      | <u>.                                    </u> |                    |              |                     |      | 1.2   | j      | 4   |
| 13  | T   | $\neg$                | ***                | 1. 1. 1.  |     | $\Gamma^{-}$ | 1.5                          |      |  |         | Ε. |                       |            |   | K.               |                          |          |      | Ĺ  |                    | Ĭ.           |                     |      |       | Ç. 1   | 5   |
| 16. | 1   |                       | ΰ,                 |           |     | 1.0          | •                            | ٠,   | Ki a                                     |         | F  |                       |            |   |                  |                          |          |      |  |                    |              | -6                  | П    |       | ( )    | 5   |
| 7   | Γ   |                       |                    |           |     |              |                              | "    |  |         |    |                       | ٠.         |   |                  | 100                      |          |      | 1  |                    | 13           |                     | 30.  |       | 1      |     |
| 1   | T   |                       |                    |           | · · |              | .,                           | Ş.,  |  | ,       |    | 3                     | ٠.         |   | 0                |                          | . 7      |      |  |                    |              |                     |      | 7     |        | 3   |
| 1.9 | T   |                       |                    |           |     | - '          |                              | 1    | 1  |         |    |                       |            | ç   |                  | ٠                        |          |      | 4.   |                    | <del>-</del> | ·                   | 1    |       |        | 14  |
| 10  | Τ   |                       |                    |           |     | 1            | 1                            | 3.5. |  |         |    |                       | _          |   |                  | 6                        |          |      |  |                    | -            |                     |      |       | 30.7   | .:  |
| T.  | T   |                       |                    | toral's   |     |              |                              | ĺ    |  |         | ,  | ŀ                     | . <b>.</b> |   | ."               |                          | 1        |      |  | 14.1.              |              |                     |      |       |        | 7   |



| Γ        |   | <u> </u> |     | <u> </u> | <u> </u>                                     |     |   |                      | _   | - + -  |     |                 | _      |      |          |          | _   |       |                  |          | <del></del>      | -,          | <del></del> |                     | •    |      | <del>.</del> . |                                       |   |                 | PAGE  |                |
|----------|---|----------|-----|----------|--|-----|---|----------------------|-----|--|-----|-----------------|--------|------|----------|----------|---|-------|------------------|----------|------------------|-------------|-------------|---------------------|------|------|----------------|---------------------------------------|---|-----------------|-------|----------------|
| 1        |   | ·        | . • |          | ٠,٠  | . • |   |                      |     |  | •   |                 |        |      | AS       | H F/     | IRM   | A) RI | ECE              | IPIS     | •                | *           |             | •.                  | . :  | *    |                | •                                     | .*                                      |                 |       |                |
| Г        | 1 | ٠.       | 13  | ,        |  | H   | 1 | 12                   |     | 13   |     | 13              | ٠.     | , la |          | 16       | -   | ٠ .   | 17               | ı        | 1                | 1           | ,           | . X                 | 1    | 21   |                | 2                                     | ₹.                                      | 2               |       | 7.             |
|          | 1 |          |     | 1        |  | ٠.  | 4 | AUL I<br>AND<br>CREA | 2   | POUL   | TRY | BOOL            | R      |      |          | MARKET   | LIVE  | STOCK | SALE             | s        |                  | E           |             | ECEIPTS<br>LE FOR C |      |      |                |                                       | , _                                     | PLCE<br>NO      | RM    |                |
| Ì        |   |          |     |          | ĺ  | . : | ١ | ISEE PA              | AGE | 't cc  | :5  | LIVEST<br>PRODU |        | нос  | 5        | CATI     |   | LW    | MBS              | I        |                  | COW<br>BUL  | 1 2         | SOUS                |      | .:   |                | MACH!!                                | 11 11 1                                 | INDRM<br>A E AM | INT D |                |
| <u>.</u> | 4 |          | _   |          | <u>.                                    </u> | •   | 4 |                      |     |  |     |                 |        | DOLL | ARS      | DOLL     | ARS   | DOLL  | ANS.             | DULL     | ARS              | COLL        | ARS         | - DOLL)             | , es | DOLL | ins '          | 1311                                  | 35                                      | Off f           | ARM - |                |
| 1        | 1 |          |     |          | L.,  | ┸   | 4 |                      | ٠   |  | Ц   |                 | $\Box$ |      | L.       |          | L   |       |                  | <u> </u> |                  | <b>_</b>    | \           | L                   | Ш    |      |                | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |   |                 |       |                |
| 1        | 1 |          |     |          | <u> </u>                                     | ┸   | 4 |                      |     |  | L   |                 | L      |      | ┸        | <u> </u> | L   |       | Ŀ                |          |                  |             |             |                     |      |      |                |                                       |   |                 |       | 7              |
| L        | 4 |          | _   |          |  | 1   | 4 |                      | Ш   |  |     |                 | Ŀ      |      | ļ.       |          | <u>i                                     </u> |       |                  |          | L                |             | Ľ           | ,                   | Ц    |      | _              |                                       |   | <u> </u>        |       | 1              |
| Ľ        | 4 |          | _   |          | Ŀ  | 1   | 1 |                      |     |  | Ц   |                 | Ц      |      | Ļ        |          |   |       | <u> </u>         |          | 1.               |             | 1           |                     |      |      | Ŀ              |                                       | لــــــــــــــــــــــــــــــــــــــ |                 |       | 4              |
| L        | 1 |          |     |          | · ·  | ┸   | ┙ |                      |     | <u>.                                    </u> | Ш   |                 | Ш      |      | L        |          | _   |       |                  |          | ./               |             | Ι           |                     |      |      |                |                                       |   |                 |       | 3              |
| L        | Ц | <u>·</u> |     |          |  | نا  | 1 |                      | Ш   |  |     |                 |        |      | _        |          | ٠.  |       | ىل               | 3        | $\mathbf{I}_{-}$ | , · · · · · |             |                     |      |      |                |                                       |   |                 |       | 6              |
| Ľ        | 니 | _        | _   | , ]      |  | ┸   | 1 |                      |     |  | Ш   |                 |        |      | <u> </u> |          |   | 4     |                  |          | 5                | 1.2         |             | , ,                 |      | -    |                |                                       |   | - ·             | T     | $\overline{7}$ |
| Ŀ        | 1 |          | I   |          | ·  | L   | _ |                      |     |  |     |                 |        |      | L        | Ŀ        |   |       | , , <sub>B</sub> |          | 1                |             |             |                     |      |      |                | 1.7                                   |   |                 |       | T              |
| 1        | 1 |          | : ] |          |  |     | Ι |                      |     | Ŀ  |     |                 |        |      |          |          |   |       |                  |          | T                | , ,         | Г           | -                   |      |      |                | ٠,                                    |   |                 |       | 7              |
| Ŀ        | ٥ |          |     |          | ٠.   |     | I |                      |     |  |     |                 |        |      | <u> </u> |          | 1   |       |                  |          | T                |             |             | ·                   |      |      | <u> </u>       |                                       | $\Box$                                  |                 |       | 10             |
| ŀ        |   |          |     | •        | :  | ŀ   | 1 |                      |     |  |     |                 |        | ,    |          | 3.0      |   |       | 1.               |          |                  |             | Γ           |                     |      |      |                |                                       |   |                 | Τ     | 7              |



| _  |          | <u> </u>    | <del>-</del> |            | ٠.,                                   |        |            |           |             | <del>-</del> | ·-       | - 0          |          | _           |           |        |             | _        |            |              |     | <u> </u>     |        | <u> </u>   |          | <u> </u> | 1        | _            |                |               |                |                |  | —                           |     |
|----|----------|-------------|--------------|------------|---------------------------------------|--------|------------|-----------|-------------|--------------|----------|--------------|----------|-------------|-----------|--------|-------------|----------|------------|--------------|-----|--------------|--------|--|----------|----------|----------|--------------|----------------|---------------|----------------|----------------|--|-----------------------------|-----|
|    |          |             |              |            |                                       |        |            |           |             |              |          |              | C        | UR          | RE        | NT.    | CA:         | ŚH       | ΕX         | PEI          | NSE | S            |        |  |          |          |          |              | •              |               |                | •              |  | PAGE                        |     |
|    |          | []<br>[] P] | JRCHA        | 17<br>ŚE 0 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |        | VET        | (RI       | BRD.<br>HEG | rees<br>rees |          | CER<br>(     | UTI      | 11          | Au<br>ExP | m      | REPA<br>BLD |          | ŢA:<br>INS | ES           | •   | 1            | 18 F F | ARV  |          | 3<br>5C. |          | . IPH        | ATING<br>OT MC | A MM          | EXP            | N.<br>URES     | 1 Civ  | ANT A                       |     |
| Ŀ  | L        |             |              |            |                                       | i II S | 911<br>111 | HC : "    | 11 4        | H<br>LING    | Di.      | R            | ंच्डी    | 13          | 1 AP      | . (43) | FLN         |          | 'Α         | nD<br>hT     |     |              | TON    |  |          |          | PEB1     | 45 M T       |                | NVI           | TAL<br>TMCH    | 1216           | HON  | SÓNAL<br>B<br>FARU<br>ENSES |     |
| 1  | 11       | 14          | L            | Ì٠         |                                       |        |            | $[\cdot]$ |             |              | L        | Ī            |          |             |           |        |             |          |            | Ţ.           | Ī., |              |        | Γ.   |          | Γ.       |          | Ι.           |                | Т             |                | Τ              | Ī  | $\mathbf{T}$                | r   |
| 1  | <u> </u> | <u> </u>    |              |            |                                       | L.     | ٤          |           |             |              |          |              | ٠.       |             |           |        |             |          |            | i            |     |              |        |  |          | 1        |          |              | 1              |               |                | $\vdash$       |  |                             | 7   |
| j_ | I        | $\Gamma$    | [            |            |                                       |        | *          |           |             |              |          | . 7          |          | 1           |           |        |             |          |            |              |     |              | 1      |  | 1        |          |          |              | 1              | 1             | 1              |                | <del>                                     </del> | 1                           | 1   |
| 1  | -        | !-          |              | /          |                                       |        |            | 1         |             | [            |          |              | -        |             |           |        |             |          |            | 1            |     | He :         | -      |  |          | 1        | I —      |              |                |               | 1              | 1              | _  | 1                           | 171 |
| Ţ  |          |             |              | -7         |                                       |        |            |           |             |              |          |              |          |             | -         |        |             |          |            | ;            |     | <del></del>  | 1      | 1  |          | 1        |          |              |                | 1             | 1              | 1              | 1  |                             | 151 |
| 4  |          | 1           | 1.           | 7.         |                                       | !-     |            |           |             | 13           |          |              |          |             |           |        |             |          |            | 1            |     | <del> </del> |        | <del>                                     </del> | 1        | 1        |          | !            | <u> </u>       | †             | 1-             | ١.,            |  | -                           | 1.1 |
| -  | _        | 1           |              | -          |                                       |        |            |           |             | !            |          |              |          | 1           |           |        |             | ا '<br>ا |            |              |     | <del> </del> |        |  |          | 1        | _        | 4<br>1       |                | †             | <del> </del>   |                |  | 1                           | 1-1 |
| ٧. | <b> </b> | Ţ           | 7            |            |                                       | -      |            | !         | ,           |              |          | ,            |          | <del></del> |           |        |             |          |            | -            |     | +-           |        | <del>+-1</del>                                   | -        | 1        | -4-      | <del> </del> |                | 1-            | 1              | <del> </del>   | <del> </del>                                     | +                           |     |
| 1  | 1        | T           | 1            | •          | -                                     |        | •          |           | l           |              |          | 1            | -        | 1 .         |           |        | <del></del> |          |            | <del> </del> |     | :            |        | ٠  | <b>†</b> | 1        | -        |              |                | +-            | <del></del>    | <del>  -</del> | }  | 1-                          |     |
|    |          | 1           | t            | ī          |                                       | 1-1    |            |           |             |              |          | <del> </del> |          | <b>.</b>    |           | •      | واسبق       |          |            | •            |     | j            |        | 5-   |          | <b>~</b> |          |              |                | <del> </del>  | <del> </del> - | +              |  | <del>-</del>                | ╁┷┨ |
| _  | 1        | 18          | t            | +-         | _                                     | 1      | <u> </u>   | _         | \           | •            | <b> </b> | •            | <u> </u> |             | -         | i      |             |          |            |              |     | -            | ļ.—    | _  | <u> </u> |          | <b>!</b> |              | }              | <del></del> - | <del> </del>   |                | <del> </del>                                     | 1-                          | ┝╌╢ |
| -1 |          |             |              | _          |                                       |        |            |           |             | <u></u>      | L        |              |          |             |           |        |             | ••       |            |              | , . | 1 -          |        |  | . ;      |          |          |              |                | i             |                |                |  |                             | 1   |

END OF TEST

TABLE: 1-19 A

AREA: Agricultural Production
TEST NO.: 1-19
KUDER-RICHARDSON 20: 619
KUDER-RICHARDSON 21: 535

N(tests) = 30

| Item                            | Correct<br>Option     | Relative<br>Diffi-<br>culty               | Phi<br>Coeff-<br>icient                | Point<br>Biserial<br>Coefficient     | Discrim-<br>ination<br>Index          |
|---------------------------------|-----------------------|---|--|--------------------------------------|---------------------------------------|
| 1.<br>2.<br>3.<br>4.            | C<br>C<br>C<br>C      | .300<br>.467<br>.800<br>.867              | .770<br>.440<br>426<br>°.729<br>.770   | .309<br>.300<br>186<br>.199<br>.311  | 42.9<br>28.6<br>-14.3<br>28.6<br>42.9 |
| 6.<br>7.<br>8.<br>9.            | A'<br>E<br>B<br>C     | .700<br>:700<br>:367<br>:433<br>:633      | .000'<br>.264:<br>.625<br>.960<br>.999 | .764<br>.085<br>.213<br>.554<br>.599 | 100.0<br>14.3<br>28.6<br>71.4<br>85.7 |
| 11.<br>12.<br>13.<br>14.<br>15. | B* D A B C            | .367<br>.933'<br>.567<br>.767             | .770<br>426<br>.999<br>.729<br>.000    | .296<br>247<br>.660<br>.309          | 42.9<br>-14.3<br>85.7<br>28.6<br>00.0 |
| 16.<br>17.<br>18.<br>19.        | A<br>C<br>A<br>B<br>B | . 267<br>. 233<br>. 400<br>. 700<br>. 700 | .976<br>.836<br>.918<br>.770<br>.625   | .556<br>.402<br>.467<br>.348<br>.173 | 71.4<br>42.9<br>57.1<br>42.9<br>28.6  |
| 21.<br>22.<br>23.<br>24.<br>25. | D<br>A                | .767<br>.600                              | .770<br>.884                           | . 285<br>. 475                       | 42.9<br>57.1                          |
| 26.<br>27.<br>28.<br>29.<br>30. |                       |   |  |                                      |                                       |



Unit: Operation and Care of Small Gasoline Engines

# Student Performance Objectives

The student should be able to:

- 1. Identify the two basic types of small gasoline engines and explain their principles of operation with accuracy needed to differentiate between them.
- 2. Use the proper procedures for preparing to start and starting a small gasoline engine including refueling to prevent starting troubles and accidents.
- 3. Operate, adjust engine speed and load, and stop small gasoline engines using procedures which promote optimum engine efficiency and operator safety.
- 4. Properly clean a small gasoline engine to prevent overheating and excessive wear due to dirt entering the engine.
- 5. Prepare a small gasoline engine properly for storage of three or more months duration to prevent corrosion and damage.


### AGRICULTURAL PRODUCTION

Unit: Operation and Care of Small Gasoline Engines

- The proper sequence of strokes in a 2-stroke-cycle engine are: 1.
  - A. (1) power (2) compression (3) intake (4) exhaust
  - B. (1) intake (2) compression (3) power (4) exhaust
  - C. (1) wer-exhaust-intake (2) compression D. (1) intake (2) exhaust
- The number of power strokes per crankshaft revolution on a 2-stroke-cycle engine is:
- The muffler on a 2-stroke-cycle engine is found:
  - A. at the cylinder-head end of the cylinder
  - B. at the bottom of the cylinder
  - C. midway between the cylinder head and the crankcase
  - D. either B or C is correct depending upon the engine model
- It is usually more important to regularly clean the exhaust system of a
  - A. 4-stroke-cycle engine,
  - B. 2-stroke-cycle engine
- Unless otherwise specified, the proper fuel for a 2-stroke-cycle small gasoline engine is:
  - A: high test gasoline and SAE 10 detergent oil
  - B. high test gasoline and SAE 30, non-detergent oil
  - C. regular-grade gasoline and SAE 30, non-detergent oil
  - D. regular-grade gasoline and SAE 30; detergent oil

When preparing to start and operate a small gasoline engine, the most important procedure is to:

- A. be sure the fuel tank is full
- B. remove all loose-fitting clothing
- C. read the operator's manual
- D. see that the engine is level
- 7. Which of the following rules should be observed when starting a small gas engine with a rope-rewind starter?
  - A. hold the engine with one hand while pulling the rope with the other
  - B. pull the rope briskly all the way to the end
  - C. release the rope handle when the rope is pulled completely out
  - D. both A and B are correct
- 8. A new or rebuilt 2-stroke cycle engine will receive better lubrication during the first few hours of operation if:
  - A. the carburetor is adjusted for a fairly rich mixture
  - B. the engine is run at half throttle
  - C. the carburetor is adjusted for a lean mixture
  - D. both A and B are correct
- 9. When preparing a small gasoline engine for storage, rust preventative may be added to the engine by:
  - A. squirting the rust preventative into the carburetor intake while the engine is running
  - B. pouring the rust preventative into the cylinder through the spark plug hole and turning the engine by hand
  - C. adding the rust preventative to the fuel in the fuel tank
  - D. adding the rust preventative to the crankcase oil
  - E. both A and B are correct
- 10. A chain saw engine is an example of a small gasoline engine with a:
  - A. vertical crankshaft
  - B. horizontal crankshaft.
  - C. multi-position crankshaft
  - D. variable crankshaft



- 11. The engine in the above diagram is:
  - A. a 4-stroke-cycle engine
  - B. an external combustion engine
  - C. a 2-stroke-cycle engine
  - D. on the compression stroke
- The fuel-air mixture enters a 2-stroke-cycle engine cylinder through a(an):
  - A. reed valve.
  - B. intake valve C. venturi

  - D. port
- 13. If when cranking a small gas engine there is resistance caused by compression felt only on every other revolution, it is a:
  - A. 2-stroke-cycle engine
    - B. 4-stroke-cycle engine
    - C. there is not enough information to determine
    - D. both A and C are correct

- 14. To cleam the cooling system of an air-cooled small gasoline engine, the following parts should be cleaned:
  - A. flywheel shroud and carburetor air cleaner
  - B. dylinder baffles, cooling fins, and the reed valves
  - C. flywheel blower, shroud, and the crankcase breather
  - D. flywheel shroud and blower, cylinder baffle, and cooling fins
- 15. Recommended materials to use for cleaning an engine include:
  - A. commercial "degreasers"
  - B. gasoline
  - C., petroleum solvents
  - D. both A and C are correct
  - E. all of the above
- 16. The proper fuel mixture (oil to gasoline) for a 2-stroke-cycle engine:
  - A. varies between designs and sizes of engines
  - B. always is 1/2 pint of oil to one gallon
  - C. should be looked up in the operator's manual
  - D. both A and C are correct
- 17. When preparing to start a small gasoline engine that has been in storage for several months:
  - ... A. the engine should be cranked with the spark plug out several times
    - B. high test gasoline should be used for the first hour of operation
    - C. always readjust the carburetor
    - D. both B and C are correct
- 18. After the small gas engine has started, the operator should:
  - A. immediately open the throttle completely
  - B. immediately begin applying load
  - C. set the engine at fast idle for at least one minute
  - D. set the engine at a slow idle for at least five minutes

- Small gasoline engines with float-type or suction carburetors will not operate satisfactorily on slopes of more than:

  - B. 15°
  - C. 25<sup>O</sup>
  - D. 35°
- 20. To protect the cylinder of a 4-stroke cycle engine during storage, the engine Should be set at:.
  - A. the bottom of the intake stroke
  - B. the top of the compression stroke
  - C. the middle of the exhaust stroke
  - D. the bottom of the power stroke
- 21. If you put a mixture of oil and gasoline in the crankcase of a 4-stroke cycle engine, the engine will: .
  - A. backfire
  - B. overheat
  - C. operate at higher r.p.m.
  - D. run normally but at lower r.p.m.
- 22. Overheating of a small gasoline engine may be caused by:
  - A. a clogged muffler
    B. a lean fuel mixture

  - C. dirt and grime on the cooling fins
  - D. all of the above
- 23. Ruptured oil seals and gaskets and oil leaks are usually caused by:
  - A. clogged crankcase bréather
  - B. clogged muffler
  - C. overfilling the oil sump
    - D. too high octane fuel

- To prevent engine "knock", the octane rating of fuel should be:
  - A. higher for higher engine compression ratios
  - B. lower for higher engine compression ratios
  - C. maintained at 90-92 for all small gasoline engines
  - D. none of the above '
- To preyent static electricity when refueling an engine:
  - A. pour the fuel into the tank slowly
  - B. keep the fuel nozzle in contact with the metal fuel tank
  - C. use a funnel 🕐
  - D. both A and B are correct
- When starting a cold engine with a hand operated choke:

  - A. the choke should be 3/4 closed with the throttle lever entirely open
  - C. the choke should be closed with the throtyle lever 1/4 to 1/2 open
  - D. the choke should be open
- The major abuse to small gasoline engines is due to:
  - "A. dirty working conditions
  - B. improper carburetor adjustments
  - C. improper storage
  - D. overspeeding and overloading
- 28. To stop a small gasoline engine under heavy load properly, the operator:
  - A. may shut the engine off immediately and cause no damage to engine parts
  - B. should allow the engine to idle for one-two minutes with no load
  - C. should allow the engine/to run at full throttle with no load for one-two minutes '
  - D. should pull off the spark plug wire

END OF TEST

TEST NO.: 1-20

KUDER-RICHARDSON 20: 516

KUDER-RICHARDSON 21: .455

N(tests) = 134

|               | Correct        | Relative<br>Diffi- | Phi<br>Coeff-      | Point<br>Biserial | Discrim-<br>ination |
|---------------|----------------|--------------------|--------------------|-------------------|---------------------|
|               | Option '       | culty.             | icient             |                   | Index               |
|               | Operen         |                    | TCTERT .           | Weilicient \      | TIMEX               |
|               | ۵              |                    |                    |                   | •                   |
| 1.            | C              | .731               | 707                | .339              | 35 <b>∘.</b> 7      |
| 2.            | C <sub>4</sub> | 604                | . 383              | • 248             | 24.4 -              |
| 3 <b>.</b>    | C<br>B         | 724                | 233                | .132              | .13.9               |
| <b>i.</b>     | В              | .343 • 📤           | 696                | .290              | 37.1                |
| 5 <b>.</b> °  | C              | 433                | <b>.</b> 809       | √368 • •          | 49.0                |
|               |                |                    |                    |                   |                     |
| 3.            | C              | 381                | .309               | 166               | 20.0                |
| 7 <b>.</b> ·  | A              | .761               | .187               | .076              | 10.9                |
| 3.            | Α              | .799               | 740                | . 378             | 38.1                |
| 3.            | Ε              | .716               | .094               | . 067             | 5.6                 |
| ) <b>.</b>    | С              | 724                | . 844              | · fr+1 3 "        | 48.7                |
|               |                |                    |                    |                   | 3                   |
| 1.            | Α              | •791               | .339               | .185              | 17.5                |
| 2.            | D .            | .813               | .780               | 372               | 35.9                |
| 3.            | В ,            | .597               | .673               | 320               | 35.6                |
| 4.            | D              | .425               | .661               | . 276             | 35.4                |
| 5.            | D              | .687 ·             | .673               | 315               | 33.9                |
|               |                |                    |                    | .010 %            | 33.3                |
| <b>3.</b>     | D              | .515               | 016                | .041              | <b>-</b> 0.6        |
| 7.            | Ā              | .552               | 383                | 216               | 24.9                |
| 3.            | C              | • 560              | .218               | .154              | 13.2                |
| i.            | B              | .664               | .637               | .280              | 30.4                |
| <b>0.</b> * * | B              | .493               | .85 <sub>3</sub> 3 | .¥51              | 53.8                |
|               |                |                    | .090               | •,701             | 33.0                |
| 1.            | В              | .448               | .729               | .328              | 40.8                |
| 2.            | D              | .194               | 233                | .136              | 12.0                |
| 3.            | Ā              | .590               | 637                | . 242             | 31.5                |
| 4.            | A              | 672                | .637               | 302               | *                   |
| 5.            | В              | 761                | 891                | .373              | 31.00               |
|               |                | 1                  | • 001              |                   | 54.1                |
| <b>6.</b>     | c              | .694               | .696               | . 333             | 36.3                |
| 7.            | Ď              | .433               | .397               | .256              | 25.9                |
| <b>8.</b>     | В              | 396                | 827                | • 389             | 50.1                |
| 9.            | ~              | - 200              | • 047              | • 305             | . 20.•I             |

AREA: AGRICULTURAL PRODUCTION

Unit: Oxy-Acetylene Welding and Catting

Student Performance Objectives

The student should be able to:

- 1. Provided the appropriate oxy-acetylene welding equipment and pieces of steel or cast iron of various thicknesses, cut steel well enough that the piece fits its intended purpose.
- 2. Provided the appropriate oxy-acetylene welding equipment, properly connect and inspect the oxy-acetylene welding equipment, light, adjust and turn off the flame, observing safe procedures and cape of the equipment, to the satisfaction of the teacher.
- 3. Provided the appropriate oxy-acetylene welding equipment and pieces of steel or cast iron of varying thicknesses, braze (bronze weld). the metals using the appropriate rod required for the job.
- 4. Provided the appropriate oxy-acetylene welding equipment and various pieces of steel or cast iron, fusion weld the metals by either using a filler rod or not using a filler rod to achieve sufficient strength for the use of the fused materials.
- 5. Provided the appropriate oxy-acetylene welding equipment and pieces of steel, heat and bend the metal to fit a specific struction.

## AREA: AGRICULTURAL PRODUCTION

Unit: Oxy-Acetylene Welding and Cutting

- The temperature of the hottest part of a neutral oxy-acetylene flame is approximately:
  - A. 1300° F
  - B. 1600°,F
  - C. 2300° F
  - D. 6000°.F
- Which metal listed below becomes brittle and fractures easily if over-heated??
  - A. aluminum
  - B. high carbon steel
  - .C. mild steel
  - D. brass
- When the bronze rod is applied in bronze-welding gray cast iron, the cast iron should be heated to:
  - A. a light blue color
  - B. 200 degrees cooler than the molten bronze
  - C. the same temperature as the molten bronze
  - D. a bright yellow color


- 4. An oxy-acetylene torch would be prefereed to an arc welder when:
  - A. all work is done in the shop
  - B. cutting cast iron ·
  - C. welding mild steel plow leveling lever
  - D. cutting steel
- 5. The regulator hose which attaches to the oxygen tank has:
  - A. left-handed threads
  - B. right-handed threads
- 6. Both oxygen and acetylene are:
  - A. colorless
  - B. odorless
  - C. tasteless
  - D. A and C are both correct
  - E. all of the above are correct
- 7. If the oxygen cylinder valve is opened while the regulator valve is partly open, the force of the oxygen rushing from the cylinder may:
  - A. cause an explosion
  - B: rupture the diaphragm
  - C. cause the regulator gauge to burst
  - D. none of the above
- 8. In order to close the oxygen or acetylene regulator valves:
  - A. the regulator hand wheel should be turned to the left
  - B. the regulator hand wheel should be turned to the right
  - C. the blowpipe valves should be turned to the right
  - D. the regulator hand wheel should be turned so it feels tight in the threads
- 9. Oxy-acetylene equipment should:
  - A. be lubricated after 50 hours of use with a very light oil
  - B. never be lubricated
  - C. be lubricated after each use
  - D. be lubricated with SAE 20 oil after every 35 hours of use

- 10. If while using an oxy-acetylene torch, you hear a squeaky or hissing noise from inside the blowpipe, this may indicate a:
  - A. backfire
  - B. flash back
  - C. incorrect pressure
  - D. B and C are both correct

Use the chart below to answer questions 12 thru 15.

|                  |                | •              |            |              | · ·      |
|------------------|----------------|----------------|------------|--------------|----------|
|                  | . Cutting (    | utting         | Fuel Gas - | Lbs./Sq. In. |          |
| Tip Metal        | , Speed        | 0xyge <b>n</b> |            | LPG or       | Kerf     |
| Size, Thickness, | IPM.           | psi            | Acetylene  | Natural Gas  | Inches   |
| 68 1/8"-1/4"     | 21-28          | 25-50          | . 2-3      | 2-4          | 3/64     |
| 62 3/8"-1/2"     | 1 <b>7-</b> 22 | 35-55          | 2-4        | 2-5          | .5/64    |
| 56 3/4"-1"       | 14-20          | 50-75          | 3-5        | 3-6          | 3/32 14. |
|                  | 10-15          | 50-60          | 4-6•       | 3-7          | 1/8      |
| 51. 3"           | 9-12           | 60-65          | 5-7        | *4-8         | .9/64    |
| 46 4"            | 8-11           | 50-55          | 6-8        | 5-9          | 5/32     |
|                  | • 0            | ~              | 7          | •            |          |

- 11. If you have a 15/16" piece of metal to cut what size tip should you use?
  - A: 68
  - B. 62
    - C. 56
  - D. not enough information given
- 12. For a 3/8" piece of steel at what pressure should the acetylene regulator be set?
  - Α. :
  - B: 5
  - ~C.
  - D. A and C are both correct



- A. 35 psi
- . B. 45 psi
- C∕. 55 psi
- D. 65 psi


14. If the cutting torch has a size 62 tip, the metal to be cut should be:

- A. 3/4 inches wide
- B. 3/8" wide
- C. 3/4" thick
- D. 3/8" thick

d5. When shutting off a lighted oxy-acetylene torch after use:

- A. the blowpipe oxygen value should be shut off first
- B. close both cylinder valves first
- C. the oxygen regulator valve should be closed first
- D. the acetylene regulator valve should be closed first

Use the drawing below to answer questions 16 thru 20.





16. Drawing 1 on the preceding page illustrates a flame known as:

- A. neutral
- B. carburizing
- C. oxidizing
- D. none of the above

17. The flame on the preceding page which is usually used for welding is:

- Α.
- B. 2
- C. 3


18. The flame in the same illustration which is used for brazing operations is:

- A. 1
- B. 2
- C. 3
- D. none of the above

19. The darker area in drawing number 1 on the preceding page is caused by:

- A. excessive acetylene
- B. inadequate oxygen
- C. excessive oxygen
- D. inadequate acetylene

Use the drawing below to answer questions 21 thru 23.



The preheat-oxygen valve in the drawing on the preceding page is indicated by the letter:

- B. 2
- D: 4

When lighting the cutting torch which of the following valves should be opened first:


- Ć. 5
- D. none of the above

Part number 4 in the drawing on the preceding page is called the:


- A. blowpipe oxygen valve lever B. pre-heat oxygen lever
- C. blowpipe acetylene valve lever
- D. cutting oxygen valve lever

The weld shown below is called:


- A. butt
- B. fillet
- C, lap
- D. horizontal




Which of the following spot weld procedures will give the least distortion when welding steel?










The weld joint shown is:


- A. a vertical butt
  B. a flat butt
- C. a flat fillet
- D. none of the above .



The area used for arc welding should be:

- A. well-ventilated ·
- B. in a separate room of the shop
- C. line with asbestos
- D. B and C above

Use the drawing below to answer questions 28 and 29.



- 27. Which of the beads illustrated above shows that the flame was moved too slowly:
  - Α.
  - B. 2
  - C. 3
- 28. Which of the beads in the picture would indicate improper penetration?
  - A. ]
  - B. 2
  - .C. 3
  - D. none of the above
- When pieces of metal thicker than 1/4 inch are to be joined by bronze welding:
  - A. the edges should be beveled
  - B. more flux should be placed on the rod.
  - C. the flame should be a carburizing one
  - D. the rod should be smaller in diameter
- 30. An oxy-acetylene table should have a top made out of:
  - A. steel
  - B. bricks
  - C. clay
  - D. B or C are both correct

- 31. When oxy-acetylene welding, the top of the blowpipe should be:
  - A. held at a 45° angle to the surface to be welded
  - B. 1/4" above the surface of the metal
  - C. held at a 75 angle to the surface to be welded
  - D. A and B are both correct
- 32. Which of the following would be the thickest piece of metal:
  - A 32 gauge •
  - B. 26 gauge
    - C: 16 gauge
    - D. 42 gauge
- 33. When extinguishing the flame of a cutting blowpipe which of the following operations should be done first?
  - A. close the blowpipe pre-heat oxygen valve
  - B. open blowpipe valves to drain acetylene out of hose
  - C. close the blowpipe acetylene valve
  - D. close the oxygen regulator valve
- 34. When molten metal from a welding rod is added to a puddle as it progresses across a piece of metal, it is called:
  - A. bronze welding
  - B. making a bead
  - C. padding
  - D. brazing
- 35. When bronze welding, the base metal should be heated to a:
  - A. light yellow color
  - B. light blue color
  - C. bright red color
  - D. none of these

END OF TEST

 $280^{\circ}$ 

AREA: Agric
TEST NO.: 1-21
KUDER-RICHARDSON 20: .604
KUDER-RICHARDSON 21: .548

N(tests) = 52 %

| Item                       | Correct<br>Option     | Relative<br>Diffi-<br>culty           | Phi<br>Coeff-<br>icient               | Point Biserial Coefficient                | Discrim-<br>ination<br>, Index        |
|----------------------------|-----------------------|---------------------------------------|---------------------------------------|---|---------------------------------------|
| 1.<br>2.<br>3.<br>4.       | D<br>B<br>C<br>D<br>B | .596<br>.615<br>.731<br>.423          | .905<br>.063<br>.661<br>.836<br>.413  | . 381<br>. 015<br>. 398<br>. 382<br>. 286 | 59.5<br>4.3<br>32.4<br>51.9<br>31.0   |
| 6.<br>7.<br>8.<br>9.       | D<br>B<br>A<br>B<br>D | 635<br>635<br>635<br>.308<br>-712     | .625<br>.411<br>.368<br>.905<br>.078  | .316<br>.287<br>.251<br>.513              | 31.4<br>25.2<br>24.3<br>57.6<br>4.8   |
| 1.<br>2.<br>3.<br>4.<br>5. | Q<br>D<br>C<br>D<br>A | .423<br>.346<br>.192<br>.346          | .836<br>.264<br>.673<br>.770<br>.440  | .391<br>.050<br>.318<br>.368<br>.167      | 51.4<br>16.2<br>29.0<br>44.3<br>25.7  |
| 6. %<br>7.<br>8.<br>9.     | B<br>B<br>C<br>A<br>B | .442<br>.462<br>.673<br>.577<br>.538  | \$.696<br>.891<br>047<br>.368<br>.770 | .277<br>.468<br>.040<br>.203<br>.353      | 37.6<br>58.1<br>-2.9<br>23.8<br>45.2  |
| 1.<br>2.<br>3.<br>4.<br>5. | B<br>D<br>B<br>C<br>D | .538<br>.404<br>.808<br>.173<br>.654  | .156<br>.264<br>.233<br>.729<br>.309. | 031<br>.144<br>.235<br>.302<br>.249       | -10.5<br>12.4<br>12.4<br>28.6<br>18.6 |
| 6.<br>7.<br>8.<br>9.       | A<br>B<br>C<br>A<br>D | .538.<br>.442<br>.596<br>.635<br>.500 | .047<br>.891<br>.770<br>.729<br>.625  | .005<br>.483<br>.318<br>.643<br>.333      | 3.3                                   |
|                            |                       |                                       | 281                                   |   |                                       |

TABLE: 1-21 A

AREA: Agricultural Product
TEST No.: 1-21

| Item   | Correct<br>Option  | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point,<br>Biserial<br>Coefficient | Discrim—<br>ination<br>Index |
|--------|--|-----------------------------|-------------------------|-----------------------------------|------------------------------|
|        |  | 500                         | ***                     |                                   |                              |
|        | D<br>C   | . 538                       | .770                    | 308<br>442                        | * 45.2<br>44.3               |
|        | <u>c</u>   | •404                        | • 905                   | •442                              |                              |
| ya.    | E C  | .000<br>.615                | • 000                   | •000                              | 00.0                         |
| 1      | A Company of the Comp | •013                        | <b>1</b> 294            | .051                              | 18.1                         |
|        | The state of the s | 1                           |                         |                                   |                              |
|        |  |                             |                         |                                   |                              |
|        |  |                             | 41                      |                                   |                              |
|        | , 'S   |                             |                         |                                   |                              |
|        |  |                             | ů,                      |                                   | <b>-84</b>                   |
|        |  |                             |                         |                                   |                              |
|        |  | . /                         |                         | All many                          |                              |
|        |  |                             |                         |                                   |                              |
| •      | مظره ا   |                             | and a star of           | 5.                                | *                            |
|        | •  | <b>a</b> /                  |                         |                                   |                              |
| ,      |  |                             |                         |                                   |                              |
|        |  |                             | 9                       |                                   |                              |
|        |  |                             | <b>i</b>                |                                   |                              |
|        |  | · ·                         |                         |                                   |                              |
|        |  |                             |                         |                                   |                              |
|        |  |                             |                         | <b>d</b>                          | -   - /                      |
|        |  |                             | 0 8 1                   |                                   | V.                           |
| •      |  |                             |                         |                                   |                              |
|        | 71   |                             | 4                       |                                   |                              |
|        |  |                             |                         |                                   |                              |
| m . 19 |  |                             |                         |                                   | <b>(</b>                     |
|        |  |                             |                         |                                   |                              |
|        | 1  |                             |                         |                                   |                              |
|        |  |                             | 968                     |                                   |                              |
|        |  |                             | 282                     |                                   |                              |
|        |  |                             |                         |                                   |                              |
|        | a a tarang a sa a  | T 173                       | **                      |                                   |                              |

AREA: AGRICULTURAL PRODUCTION

Unit: Selection of Common Hand and Power Tools

Student Performance Objectives

The student should be able to:

- 1. When provided with the construction and maintenance jobs of the farm which are planned to be done by the student, determine the number, kind and size of hand and power tools needed, according to recommendations of farm construction, equipment service personnel, and agricultural engineering specialists.
- 2. When presented with a list of hand and power tools needed for the construction and maintenance jobs of a farm, determine where the tools will be obtained based on cost, quality, availability and safety features.

# AREA: AGRICULTURAL PRODUCTION


Unit: Selection of Common Hard and Power Tools (1-22)

For questions number 1 thru 43, select the answer on the left which best describes the item pictured on the right. 1. A. carpenter's square
B. try square

- - C. combination square
  - D. angle square





- A. micrometer
  B. outside caliper
  - C. inside calipers
  - D. circle gauge



- A. mitre box saw B. angle saw


  - C. frame, cutter
  - D. table saw . . .






- A. phillips screwdriver
  B. narrow-head chisel

  - C. standard screwdriver
  - D. none of these
- A. power bit
  B. masonry bit
  - C. expansion bit D. auger bit
- A. block plane
  B. back plane
  C. jointer plane
  D. hench plane




- A. center punch
  - B. prick punch C. scratch awl

    - D. nail set



- A. hack saw


  - B. back saw C. compass saw
  - D. coping saw




- A. angle clamp
  B. combination clamp
  C. mitre gauge
  D. corner clamp




- A. compass saw
  B. crosscut saw
  C. coping saw
  D. back saw
- A. pin punch
  B. nail set
  C. prick punch
  D. center punch
- A. bit brace
  B. drill rack
  C. ratchet drill
  D. hand drill
- A. sliding square
  B. try square
  C. carpenter's square
  D. combination square






















- A. wood mallet
  B. flat pein hammer
  C. plastic mallet
  D. tinner's hammer
- A. saw set

  B. hole punch
  C. caulking gun
  - D. spoke shave





- A. nail hammer B. ripping hammer C. engineers' hammer D. claw,hammer
- A. compass
  B. inside calipers
  C. outside calipers
  D. hole gauge



- A. metal scraper
  B. cold chisel
  C. wood chisel
  D. A and B are both correct

  A. countersink
  B. augar bit
  C. flare bit
  D. expansion bit






- A. sliding level 5. B. Wood rule .C. sliding square .D. marking gauge



- /. coping saw
  B. dovetail saw
- C. hack saw
- D. back saw
- A. auger bit

  - B. masonry bit C. expansion bit
  - D. power bit
- 27. 'A. bench plane
  B. block plane
  C. jointer plane
  D. jack plane
- A. auger bit
  B. expansion bit
  C. starret bit
  D. brace bit
- 29. A. brick hammer
  B. engineers hammer
  C. ball pein hammer
  D. ripping hammer
- A. rafter square B. t-square

  - C. try square
    D. combination square





- B. flat.square Cg.plumb bobb
- L.D. none of these


# A. metal crimper B. steel shears C. tin snips D. wire pliers

- A. coping saw
  B. crosscut saw
  C. circum saw

  - D. compass ,
- A. 10 lb. hammer

  - B. sledge hammer
    C. ball pein hammer
    D. rubber mallet
- A. crowbar
  - B. wrecking bar

  - C. ripping bar
    D. all of the above are correct
- 36. A. carpenter's hammer
  - B. sledge hammer
  - C. ball pein hammer
    D. ripping hammer




- 37. A. sliding rule
  - B, folding rule
  - C. carpenter's rule
  - . D. B and C are both correct
- 38. A. pipe wrench
  B. adjustable wrench
  C. end wrench


  - D. monkey wrench
- À. wood scraper
  - B. wood chisel
  - C. cold chisel
  - D. flat awl
- 40. A. standard screwdriver
  - B. diamond head screwdriver
  - . C. phillips screwdriver
    - D. pin punch
- A. bit and brace B. chuck drill

  - C. yankee drill
  - D. hand drill





If you wanted to cut a board across the grain, which of the saws pictured below would you use?



- 43. If you wanted to cut out a curved design in a piece of wood using a power tool which of the following would you use?
  - A. mitre sáw
  - B. radial arm saw C. table saw

  - D. band saw

- 144. If you were cutting a piece of cold rolled steel which of the following is the recommended tool?
  - A. hack saw
  - B. metal saw
  - C. coping saw
  - D. steel saw
- 45. If a hole is to be drilled with an auger bit you should place the bit in a:
  - A. hand drill
  - B. bit brace
  - C. breast drill
  - D. 1/4" electric drill
- 46. An expansion bit allows you to make a:
  - A. deeper hole
  - B. longer hole
  - C. wider hole
- 47. The tool recommended for making a long line or mark on a piece of metal is a(an):
  - A. nail set-
  - B. screwdriver
  - -C. awl
  - D. prick punch
- 48. The saw which is used in a mitre box is a(an):
  - A. hack saw
  - B. compass saw
  - C. coping saw
  - D. back saw

END OF TEST

TEST NO.: 1-22

KUDER-RICHARDSON 20: .869

KUDER-RICHARDSON 21: .829

N(tests) = 74

| Item                            | Correct<br>Option     | Relative<br>Diffi-<br>culty          | Phi<br>Coeff-<br>icient              | Point<br>Biserial<br>Coefficient     | Discrim-<br>ination<br>Index          |
|---------------------------------|-----------------------|--------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|
| 1.<br>2.<br>3.<br>4             | A<br>B<br>A<br>D<br>C | .257<br>.500<br>.392<br>.703         | .780<br>.951<br>.918<br>.718         | .418<br>.556<br>.568<br>.396         | 42.9<br>66.7<br>61.9<br>38.1<br>00.0  |
| 6.<br>7.<br>8.<br>9.<br>10.     | B<br>D<br>C<br>A<br>D | .500<br>.635<br>.473<br>.000         | .844<br>.156<br>.911<br>.000         | .446<br>.063<br>.541<br>.000<br>.184 | 52.4<br>≯ 9.5<br>61.9<br>00.0<br>23.8 |
| 11.<br>12.<br>13.<br>14.        | C<br>B<br>A<br>D      | .230<br>.622<br>.581<br>.473         | .918<br>.770<br>.844<br>.000         | .542<br>.356<br>.745<br>.424<br>021  | 57.1<br>42.9<br>90.5<br>52.4<br>00.0  |
| 16.<br>17.<br>18:<br>19.<br>20. | C<br>B<br>C<br>A<br>D | .838<br>.581<br>.770<br>.770         | .339<br>.884<br>.187<br>.930<br>.898 | .104<br>.493<br>.081<br>.576<br>.453 | 14.3<br>57.1<br>9.5<br>61.9<br>52.4   |
| 21.<br>22.<br>23.<br>24.<br>25. | B<br>B<br>A<br>D      | .541<br>.446<br>.432<br>.541<br>.351 | .994<br>.942<br>.965<br>.884<br>.876 | .644<br>.517<br>.525<br>413<br>.498  | 81.0<br>66.7<br>71.4<br>57.1          |
| 26.<br>27.<br>28.<br>29.        | C<br>B<br>A<br>D<br>C | .297<br>.635<br>.568<br>.351<br>.622 | .976<br>.740<br>.965<br>.918<br>.836 | .625<br>.367<br>.560<br>.444<br>.363 | 71.4<br>38.1<br>71.4<br>57.1<br>52.4  |

TABLE: 1-22 A

AREA: Agricultural Production

TEST NO: 1-22

| 25)     | <u> </u>          |                    |               | <u>*</u>          |                     |
|---------|-------------------|--------------------|---------------|-------------------|---------------------|
|         | Correct           | Relative<br>Diffi- | Phi<br>Coeff- | Point<br>Biserial | Discrim-<br>ination |
| Item    | <pre>Option</pre> | culty              | icient        | Coefficient       | Index               |
|         |                   |                    |               |                   |                     |
| 1.      | A / A             | .068               | • 000         | •018              | 00.0-               |
| 2.      | () C              | .122               | .729          | 378               | 28.6                |
| 3.      | ) D               | .851               | 649           | .347              | 28.6                |
| 4)      | <b>B</b>          | . 054              | 249           | • <b>1</b> 92     | 9.5                 |
| 5.      | D                 | . 554              | <b></b> 078   | 001               | -4.8                |
|         |                   | f                  | •             |                   |                     |
| 6.      | \ C ·             | .095               | •339          | •242              | 14.3                |
| 7.      | . 'y D            | .527               | • 294         | .156              | 19.0                |
| 8.      | B *               | .095               | •411          | •260              | 19.0                |
| 9.      | <b>B</b> , ∌      | .108               | <b>.7</b> 29  | .374              | 28.6                |
| 0.      | \% C              | .041               | , 339         | .209              | 9.5                 |
| · . · . |                   |                    |               |                   |                     |
| 1.      | <b>D</b>          | .257               | . 869         | .370              | 47.6                |
| 2.      | A ,               | , <sup>44</sup> 6  | •696 →        | .261              | 38.1                |
| 3.      | D 49              | .459               | . 836         | .413 ,            | °′52.4              |
| 4.      | A., '             | .419               | • 440         | • 240             | 28.6                |
| 5.      | B.33              | .622               | • 844         | .449              | 52.4                |
| - ****  |                   | 200                | 07.5          | -/                | <b>.</b>            |
| 6.      |                   | 203                | .918          | .543              | 57.1                |
| 7.      |                   | .270 6             | <b>.827</b> ♦ | 1439              | 47.6                |
| 8.      | . D               | .365               | . 951         | . 570             | .66.7               |
| 9.      |                   |                    |               | f e               |                     |

#### FREA: AGRICULTURAL SUPPLIES AND SERVICES

Unit: Agricultural Supplies and Services Salesmanship and Selling

Student Performance Objectives

The student should be able to:

- 1. While working in the agricultural supply and service sales department, handle the objections and complaints of a customer to the satisfaction of the teacher, employer and customer.
- 2. While working in the sales department of an agricultural supply and service firm, advertise and display items for sale in a manner acceptable to the teacher and/or employer.
- 3. While working in the sales department of an agricultural supply and service firm, meet prospective/customers and conduct a sales presentation to the satisfaction of the teacher and/or employer.

### AREA: AGRICULTURAL SUPPLIES AND SERVICES

Unit: Agricultural Supplies and Services Salesmanship and Selling (2-2)

- 1. A good rule for a salesperson in an agricultural business firm to follow is "All shoplifters look alike":
  - A. true
  - B. false
- 2: . What is mean't by overselling?
  - A. give the customer'a little more of the product than he paid for
  - B. continue to talk about product after the custom r has decided to buy .
  - C. selling the customer two items when he wants only one
  - D. charging more than the original price of the product
- 3. Display advertising is a form of advertising which primarily makes use of a persons sense of:
  - A / hearing \*
  - B. smell
  - C. touch
  - D. sight

The costs for advertising on the local TV station are as follows:

|            | 60 seconds    | 30 seconds | 20 sec | onds ,  | 10 seconds      |
|------------|---------------|------------|--------|---------|-----------------|
| Spot buys: | 4:00 p.m to   | 8:00:p.m   |        | Let a . |                 |
| Class A    | \$15.00       | \$12.00    | \$9.00 |         | \$6.00          |
|            | 8:00 p.m. to  | o sign-off |        |         |                 |
| Cláss B    | \$12.00       | \$ 9.00    | \$6.00 | -       | \$3 <b>.</b> 00 |
|            | Signon to     | +:CO p:m.  |        |         |                 |
|            | \$10.00       | \$ 8.00    | \$4.00 |         | \$2:00          |
| Minimum    | order: 10 spo | ts 🖏 .     |        | · /     |                 |

Using this information, a 10-second spot at 7:00 p.m. and 10:00 p.m. for 7 days would cost:

- A. \$84.00
- E. \$72.00
- c. \$63.00
- D 4/12 00

- When working in a farm supply store a farmer asks you what varieties of wheat are recommended for the area. How would you answer the questions?
  - A. ask him what variety he grew last year and recommend that he use it again this year
  - · E. check a reference book at the store (such as the agronomy Guide and show him what varieties are recommended for the area
  - C. tell him that you are sorry but that you do not law
  - b. tell him that he will have to check with the agriculture teacher or county agent to get that kind or information
- 6. If a customer says "This is not what I had in mind", a salesperson should:
  - A. emphasize service
  - b. Show similar items of different price ranges
  - C. agmit to the objection but show other incomes
  - D. show more goods'
- 7. A salesperson who wants to improve in salesmanship ability should:
  - A. ask a friend to offer advice
  - B. try to analyze your selling and what needs improvements
  - C.\get more experience in selling
  - ). Esh the employer for suggestions for becoming a batter salesperson
- where is more likely to happen when a customer is night pressured?
  - A. the customer thinks something is wrong and become contious
  - 1. the customer will buy more quickly
  - J. who customer shows more interest in the product
  - D. the customer likes high pressure solling
- which of the following products would an Agriculture Supply Store advertise during the month of August?
  - A. seed oats
  - B. seed wheat
  - C. early order fertilizer
  - D. atrazine

- 10. If the customer says "The price on this lawn mower is too high", a selesperson should:
  - A. tell the customer to go to another store
  - E, show similar items of different price ranges
  - C. admit to the objection but emphasize service
  - D. non of the above
- 11. That is point of purchase advertising?
  - A. ads in and around the place of business
  - B. telling a customer about another product
  - C. advertising only products farmers are interested in
  - D. advertising products, in the classified ad section of newspapers
- 12. The first thing a salesperson has to sell is:
  - A. his/her school
  - E. himself/herself
  - .C. his/her experience
  - D: products
- 13. Which of the following should <u>not</u> be used by a good salesperson when handling customers' sales objections?
  - A. give a long and informative reply
  - B. know when to stop talking
  - C. get at the real problem
  - D. none of these
- 14. Which of the following is the most important concern in window displays?
  - A. to bring customers into the business
  - B. to show customers how to use products
  - C. to be more attractive than next door businesses
  - D. to make it easy for customers to determine prices without having to ask

- 15. What is out-of-store advertising?
  - A. arranging som products in front of the store in the summer.
  - B. advertising through newspapers, TV, direct mail and roadsigns
  - C. using large posters and attractive signs at key spots around the merchandise in the store
  - D. advertising that prices are reduced because merchandise is being discontinued or store is going out of business
- 16. How much would a 1-minute announcement three times a day for a week cost if the cost of advertising at the local radio station are as:

|      |         |    | 4 |       | ·.  |
|------|---------|----|---|-------|-----|
|      | cond s  |    |   | ,     | 75  |
| 1 mi | nute sp | ot |   |       | 50  |
| 1/2  | hour sp | ot |   | \$30. | ,50 |
| Y    | dt j    | •  | , |       |     |
| 6    |         |    |   |       |     |

- A. \$89.50
- B. \$100.50
- c. \$92.50
- D. \$94.50
- 17. A classified ad which is one column wide and 3 inches long costs \$6.60. The advertisement rate for this is:
  - A. \$2.20 per column
  - B. \$3.30 per column
  - C. \$2.20 per column inch
  - D. \$3.30 per column inch

end of Test

|               |                | TABLE: 2-2 S           |                 |   |               |
|---------------|----------------|------------------------|-----------------|---|---------------|
|               |                |                        |                 | <br>i <u>es and Serv<b>ic</b>es</u> ,   |               |
| ,/.           | 7              | EST NO. × 2-2          | remar subbil    | res_and.setvices '                      |               |
|               | KUDER-RICHAR   | DSON 20: 547           | ٠               |   |               |
|               | ✓ KUDER-RICHÄF |                        |                 |   |               |
|               |                | N(test                 | <b>s</b> ) = 32 |   |               |
|               |                |                        |                 |   | g., 5         |
|               |                | Relative               | Phi             | Point                                   | Discrim-      |
| <u> </u>      | Correct        | Diffi                  | Coeff-          | 'Biserial                               | ination       |
| . Item        | , Option       | culty                  | icient          | Coefficient                             | Index         |
|               |                |                        | /               |   |               |
| 1.            | . B            | .188                   | -125            | .076                                    | 5.6           |
| 2             | В              | 375                    | .884            | .403                                    | 55.6          |
| <b>3</b> .    | . D .          | 031                    | .000            | 114                                     | 00.0          |
| 4. 5          | C B            | .188                   | .905            | . 389                                   | 50.0          |
| <b>J.</b> ,   | В              | .094                   | 637             | .260                                    | 16.7          |
| 6.            | D .            | .625                   | .809            | .326                                    | цц <b>.ц</b>  |
| <b>7.</b>     | D .            | .43,8                  | •440            | .203                                    | 27.8          |
| 8.            | Α              | .156 .~ ,              | .800.           | .286                                    | .33.3         |
| 9.            | В              | .781                   | .625            | . 206                                   | 22.2          |
| 10.           | B              | .09#                   | .800            | 493                                     | 33.3          |
| n. /          | Δ              | 344                    | . 999           | .738                                    | 83.3          |
| <u>i</u> 2. / | В              | .219                   | .905            | 450                                     | 50.0          |
| L3.           | À              | .406                   | • 999           | .550                                    | 83.3          |
| 14.           | A              | .313                   | 965             | / .623                                  | 72.2          |
| L5.           | В              | . 063                  | .637            | .228                                    | 16.7          |
| 16.           | D              | ues                    | 000             | nén/                                    | 00.0          |
| 17.           | C.             | .063<br>.094           | .000<br>.637    | / .060<br>.400                          | 00.0<br>16.7  |
| 18.           |                | 1034                   |                 | 00                                      | 10.7          |
| 19.           | 1              |                        |                 |   |               |
| 20.           | ,              |                        |                 |   |               |
| 27            |                |                        |                 |   | $\frac{1}{2}$ |
| 21.           | • •            | •                      | 4               | <b>X</b> .                              |               |
| 23.           |                |                        | gar.            | <b>5</b>                                |               |
| 24.           |                | San Karaja San San San |                 |   |               |
| 25.           |                |                        |                 | the first of the second                 | <b>(</b> *    |
|               |                | ;                      |                 |   |               |
| 26.<br>27.    |                |                        | g was a self-   |   |               |
| 28.           | • • 1          |                        |                 |   |               |
| 29.           | ₩.             |                        |                 |   |               |
| 30.           | · ·            |                        |                 | ه د د د د د د د د د د د د د د د د د د د |               |
| ů,            |                | •                      |                 |   |               |

|                                 |                              | TABLE: 2-2 A                         |                                      |                                  |   |
|---------------------------------|------------------------------|--------------------------------------|--------------------------------------|----------------------------------|---|
| 1                               | ŋ                            |                                      | ltural <b>S</b> uppli                | es and Services                  |   |
|                                 | KUDER-RICHAF<br>KUDER-RICHAF | RDSON 20: .277                       |                                      |                                  |   |
|                                 |                              | N(tests                              | ) = 62                               |                                  |   |
| Item                            | Correct<br>Option            | Relative  <br>Diffi-<br>'culty       | Phi<br>Coeff-<br>icient              | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index                |
|                                 | operation.                   | quity                                | CIGIC                                | COETTICIENT                      | TIMEX                                       |
| 1.<br>2.<br>3.                  | . B<br>. B<br>. D            | .468<br>.194<br>.081                 | .740<br>.844<br>.383                 | .044<br>.566<br>.242             | 35.7<br>50.0<br>14.3                        |
| 5.                              | C<br>B                       | .306<br>.048                         | .729<br>.383                         | .393<br>.176                     | 42.1<br>14.3                                |
| 6.<br>7.<br>8.<br>9.            | D<br>D<br>A<br>B             | .726<br>.629<br>.032<br>.210         | .353<br>.249<br>.383<br>.924         | .024<br>.073<br>.314<br>.595     | 23.8<br>16.7<br>14.3<br>64.3                |
| 11.<br>12.<br>13.<br>14.        | B<br>A<br>B<br>A<br>A<br>B   | .129<br>.210<br>.194<br>.419<br>.081 | .800<br>.844<br>.649<br>.965<br>.203 | .418 .439 .290 .576 .209 .108    | 42.9<br>50.0<br>31.7<br>70.6<br>10.3<br>7.1 |
| 16.<br>17.<br>18.<br>19.<br>20. | D.<br>C                      | .081                                 | .413<br>.078                         | .175<br>.182                     | 21.4  |
| 21.<br>22.<br>23.<br>24.<br>25. |                              |                                      |                                      |                                  |   |
| 26.<br>27.<br>28.<br>29.<br>30. | 1.                           |                                      | •                                    |                                  |   |

#### AREA: AGRICULTURAL SUPPLIES AND SERVICES

. Unit: Agricultural Supply and Service Pusiness Procedures and Records

Student Performance Objectives

The student should be able to:

- 1. Upon making a sale, correctly write up a sales ticket and calculate the total amount of the sale after considering and calculating discounts, service charges, and sales tax where applicable.
- 2. When presented a completed sales ticket and payment in either the form of currency or check, correctly operate the cash register and make change for the customer.
- 3. Using the appropriate inventory forms used by the agricultural supply and service firm, correctly maintain a perpetual inventory and take a physical inventory at the end of the year.
- 4. Using the appropriate purchase order forms and receiving records used by the firm, correctly write up the purchase order for inventory items and complete the receiving records.
- 5. Using the agricultural supply and service firm's designated schedule for product percentage mark-up on cost and furnished with a given cost, correctly establish the selling price for the product or products.

AREA: AGRICULTURAL SUPPLIES AND SERVICES

Unit: Business Procedures and Records

- A restrictive endorsement on a check:
  - A. limits further spending of the check
  - B'. limits the amount of the characteristics indicates payment
  - L none of the above
- An item which costs the dealer \$1.50 and is sold for \$2.00 has a mark-up on the dealer's cost of:
  - A. 25%
  - B. 30%
  - c. 33-1/37
  - D. 50%
- The axiom, "You can't do business from an empty wagon", stress importance of inventory control. The main reason for inventor |control is:

  - A. to always keep the amentory down

    B. to have oversupply the allows for special discounts and so has
  - plance of inventory C. to maintain a prope
  - D. all of the above
  - An item which originally sold for \$32.00 was offered for a 20% discount. If a 4% sales tax is applied, what is the amount of tax which should be charged on the sale of the item?
  - A. \$6.40
  - B. \$1.28
  - C. \$4.00
  - D \$1 02

- When handed a \$20.00 bill in payment for a \$4.60 purchase, the procedure for the cashier to use is:
  - A. to leave the \$20.00 bill separate and in full view until the customer has received his change and is satisfied that the transaction was correct
  - B. to immediately place the \$20.00 with the other \$20.00 bills in the register so it does not get lost, and then give the customer the
  - C. write the customer a receipt for the \$20.00 bill and then return the change
  - D. enter the transaction in the accounts receivable record and return the customers change.
- If an average of 25 twelve-ounce claw hammers were carried in stock and 100 were sold during the year, the rate of turnover would be:

  - B. four times
  - C. three times
  - D. none are correct
- Agricultural business meetimes allow discounts on:
  - A. early orders
  - B. pre-inventory order.
  - C. quantity orders
  - D. all of the above
- On tem which would ormally tot be included on a purchase order is:


  - A. quantity of merche se cassed B. selling price of an inevolutioning
  - C. the date the order is alipped
  - D. terms of the sale
- 1 merchandise on hand at An actual physical co given time is
  - A. physical inventory
  - B. perpetual inventory
  - C. depreciation schedule
  - D. sum-of-the-years-dig ts

ID NEXT PAGE

- 10. A customer's sales transaction was \$11.35 and he presented a \$20.00 will in payment. Using the least number of articles of money, the change returned by the salesperson would be:

  - A. 4 pennies, 1 dime, 1-50¢ piece, 4 \$1 and 1 \$5 E. 4 pennies, 2 dimes, 1-50¢ piece, 3.\$1 and 1 \$5
  - C. 4 pennies, 1 dime, 1-50¢ piece, 3-\$1 and 1-\$5
  - D. none of the above
- A record which is kept and adjusted daily from the sales slips and from invoices of any merchandise received is an example of a:
  - A. physical inventory
  - .E. depreciation schedule
  - C. perpetual inventory
  - D. sum of the years digits
- Selling price usually compensates for:
  - A. profit
  - E. overhead costs
  - C. wholesale cost
  - D. all of the above
- 13. An agricultural supply ousiness offers a \$3,00 per ton discount on fertilizer orders of 10 tons or more. The business also offers a 2% discount for cash. What is the cost to a farmer who orders 10 tens; of fertilizer @ \$72.00 per ton for which he will pay cash?
  - A. \$702.60
  - B. \$676.20
  - c. \$675.60
  - D. depends on the analysis ordered
- 14 Magnetic symbol numbers on customer's checks are used to indicate
  - A. the date the check is written
  - B. the customer's checking account number
  - C. the amount of the check
  - D. the person to whom the check is written

check which is endorsed on the back in the little ing manner:



is called a:

- A. special endorsement
- E. qualified endorsement "
- C. restrictive endorsement
- ). blank endorsement

when verifying the accuracy of a monthly bank balance, the depositor

- A beginning bank balance
- B service charges
- C outstanding checks
- D all of the above
- 17. The Agricultural Supply Store marks up items, 50% on cost The cost to the store for one dozen hammers is \$24.00. What must be the price of each hammer to get the desired mark-up?
  - A. \$1.50
  - в. \$2.40
  - c. \$2.50
  - D. \$3.00
- 18. Which of the following is not a function of the sales ticket:
  - A. to provide a permanent record of the transaction
    - B. it is a part of the accounting and bookkeeping system
    - C. it provides a record of the customers expenses
    - D. it indicates depreciation of large items for income tax purposes
- 19. The record sent by the shipper to the receiver of the goods to serve as a record that the order was received and or the materials that were shipped is comed et/an;
  - A. receiving mort
  - B. invoice
  - C. bill of ing
  - D. purchase der



Sometimes mark-up is figured on the selling price instead of the cost. A harmor that sells for \$2.00 has a 25% mark-up on the selling price. What is its costs? 20.

A. \$1.50

B. \$2.00 C. \$1.75

D. \$2.25

- The business form which is specifically meent to be used for checking and recording the amount and condition of a shipment that has arrived is: 21.
  - A. purchase order
  - B. invoice
  - C. bill of lading
  - D. receiving report

DOF TEST

Supplies and Services

TABLE:

AREA: Agricutural Si

TEST NO: .2-3

KUDER-RICHARDSON 20: .635

KUDER-RICHARDSON 21: .598

N(tests) = 34

|                                 | orrect<br>ction  | Relative<br>Diffi-<br>culty          | Phi<br>Coeff-<br>icient                     | oint<br>Biserial<br>Coefficient      | Discrim-<br>ination,<br>Index        |
|---------------------------------|------------------|--------------------------------------|---|--------------------------------------|--------------------------------------|
| 1.<br>2.<br>3.<br>4.            |                  | .412<br>.735<br>.294<br>.676         | .918<br>.368<br>.141<br>.649                | .446<br>.242<br>.175<br>.367         | 60.9<br>21.8<br>7.3<br>31.8          |
| 6.<br>7.<br>8.<br>9.            |                  | .500<br>.206<br>.588<br>.412         | 047<br>.844<br>.790<br>.078<br>.861<br>.649 | .430<br>.417<br>.033<br>.498<br>.396 | 52.7<br>44.5<br>4.5<br>53.6<br>33.6  |
| 11.<br>12.<br>13.<br>14.<br>15. | C<br>D<br>B<br>B | .588<br>.382<br>.647<br>.353<br>.559 | .649<br>.918<br>.750<br>.094                | 393<br>.432<br>.410<br>.01<br>.42    | 31.8<br>62.7<br>41.8<br>5.5<br>51.8  |
| 16.<br>17.<br>18.<br>19.<br>20. | D<br>D<br>D<br>B | .529<br>.529<br>.500<br>.559         | .760<br>.918<br>.649<br>.911<br>.203        | .399<br>.534<br>.329<br>.472<br>.324 | 43.6<br>62.7<br>33.6<br>61.8<br>12.7 |
| 21.<br>22.<br>23.<br>24.<br>25. | D                | .76 <b>5</b>                         | .853  | .473                                 | 50.9                                 |
| 26.<br>27.<br>28.<br>29.        |                  |                                      |   | dw.                                  | y                                    |

|                            | KUDER-RICHAI<br>KUDER-RICHAI |                             | ) = 46                   |                                  |  |
|----------------------------|------------------------------|-----------------------------|--------------------------|----------------------------------|--|
| Item                       | Correct<br>Option            | Relativê<br>Diffi-<br>culty | Phi<br>Coeff-<br>Sicient | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index   |
|                            |                              |                             | 7                        |                                  |  |
| 1.,                        | Α                            | .391                        | .324                     | .186                             | 20.5   |
| 2.                         | C                            | .717                        | <b>.71</b> 8             | .307                             | 34.0 🐙   |
| 3∙                         | <u>.C</u>                    | <b>.</b> 152                | .898                     | . 533                            | 53.8   |
| <b>4.</b>                  | D                            | •348                        | 844                      | ., .491                          | 52.6   |
| 5.                         | <b>A</b>                     | 130                         | .740                     | .380                             | 30.8   |
| 6.                         | В'                           | •283                        | .861                     | .475                             | 53.2   |
| 7.                         | D ,                          | <b>.</b> 478                | .440                     | .302                             | ~28.8  |
| 8.                         | c *                          | 696                         | 249                      | .009                             | -14.1  |
| 9.                         | A                            | •1.09                       | .740 /                   | . 434                            | 30.8   |
| 0.                         | C                            | .152                        | .740 /-                  | .370                             | 30.8   |
| 1.                         | C                            | . 283                       | .935                     | .514                             | 61.5   |
| 2.                         | . C<br>D                     | .239                        | .898                     | .589                             | 53.8   |
| 3.                         | В.                           | .457                        | . 911                    | . 435                            | 60.9   |
| 4.                         | В                            | .109                        | .661                     | .246                             |  |
| 5.                         | D                            | 565                         | .985                     | .650                             | 75. 0  |
| 6                          | D                            | .196                        | .740                     | .551                             | 37.8   |
| 7.                         | D                            | .391                        | .985                     | .619                             | 76.9   |
| 8.                         | • D                          | .304                        | .935                     | .462                             | 61.5   |
| 9;                         | В                            | 391                         | .740                     | .150                             | 37.8   |
| Ŏ.                         | Ä'                           | .304                        | . 809                    | .424                             | 45.5   |
| 21.                        | ħ                            | .500                        | .844                     | 70                               | 50 G   |
| 2                          | D.                           | • 300                       | .074                     | , 6                              | 52.6   |
| 2.<br>3.                   | C. W. Fin                    |                             | •                        |                                  |  |
| . <b>3.</b><br>? <b>4.</b> |                              |                             |                          |                                  |  |
| 5.                         |                              |                             |                          | $I_{-\infty}$                    |  |
| <b>9.</b>                  |                              |                             |                          |                                  | en de la companya de<br>La companya de la co |
| 26.                        |                              | • 1                         | 1                        |                                  |  |
| 27.                        |                              |                             |                          |                                  |  |
| 8.                         |                              | and the second second       |                          | •                                | :  |

AREA! AGRICULTURAL SUPPLIES AND SERVICES

Unit Determining Fertilizer and Lime Needs

Student Performance Objectives

The student should be able to:

- 1. When given a specific area to be sampled for Ph and soil fertility levels, correctly take cores of soil to be used in forming a representative sample, prepare the sample for processing, and complete the forms needed by the soil testing laboratory to complete the analysis of the soil.
- When presented with fertilizer tags or fertilizer bags, correctly interpret the information on the fertilizer tag or bag.
- 3. Using completed and processed soil testing laboratory report forms, calculate the correct amounts of given lime and fertilizer materials needed for a given area.

AREA: AGRICULTURAL SUPPLIES AND SERVICES

Unit: Determining Fertilizer and Lime Needs (2-4)

- which of the following plant nutrient or nutrients can be "built up" in the soil from one year to the next by heavy application?
  - A. nitrogen and phosphorus
  - B. nitrogen and potassium
  - C. phosphorus and potassium
  - D. only nitrogen
- 2. A fertilizer material with the analysis of 4-16-8 has:
  - A. 16 pounds of introgen in each bag
  - . B. 16% of the fertilizer material is available phosphate
    - C. 16% potassium in each 100 pound bag
    - D. 4 times as much potassium as it does mitrogen
  - 3. In order to get a representative soil sample, soil from any unusual areas of the field (such as dead furrows, old manure and lime piles) should:
    - A. be included in the sample in as nearly the same proportion as these unusual areas are represented in the total field
    - B. not be included in the sample at all.
    - C. be sampled more heavily than usual areas because they need special attention
    - D. be mixed with soil from other areas after both have been aired dry
  - Materials such as ground limestone etc. provides calcium to plants as well as:
    - A. increase narmful concentrations of aluminum manganese and iron
    - B. lower the pH level of alkaline (sweet) soils
    - C. increase the pH level of acid soils
    - D. result the poorer soil structure and tilth

- 5. A fertilizer with the analysis of 4-16-3 has a major nutrient ratio of:
  - A. 1:2:1
  - B. 0:4:2
  - c. 2:8:4
  - D. 1:4:2
- 6. When planning the sampling procedure for a field, recommended guidelines would suggest:
  - A. taking 15 or more samples from each major area which differs in crop growth, soil color or past management
  - B. take one sample from each major area (as defined in "a") and mix together for one over all sample
  - C. where row crops are planted, take the samples in the crop row from about 15% of the rows
  - D. take 15 or more samples at the 2" level in the rows of row crops at the plow depth level from other crops
  - A soil test recommendation states the following additions of fertilizer be applied per acre for maintenance fertility: 85 pounds of nitrogen, 40 pounds of phosphorus, and 40 pounds of potassium. A 10-10-10 grade fertilizer is used to apply the total phosphorus and potassium. How much urea (45-0-0) would have to be added yet to bring the nitrogen application up to recommendation?
  - A. 40 pounds
  - B. 45. pounds
  - C. 90 pounds
  - D. 100 pounds
- 8. If a soil test indicates a need for 32 pounds of phosphate, this could be supplied by applying:
  - A. 200 pounds of 8-8-16
  - B. 200 pounds of 4-16-8
  - C. 400 pounds of 8-16-16
  - D. 100 pounds of 0-16-16

- 9. When preparing soil samples for processing by laboratory, 15 soil cores taken from one major area should:
  - A. be packaged into 15 separate mailers
  - B. mixed with distilled water and mailed in plastic mailers
  - C. be air dried and mixed together into a composite before being placed in a mailer
  - D. be dried in hot oven to make sure all disease organisms are kidded before processing
- 10. The chemical symbol P205 refers to the more common names of:
  - A. phosphate
  - B. potash
  - C. potassium
  - .D: none of the above
- 11. The approximate amount of soil which is usually adequate for a laboratory analysis of nutrient levels of one major soil area is:
  - A. 1/2-1 pint
  - B. 1 quart
  - C. 1 quart to 1 gallon
  - D. 1 cubic foot
- 12. The soil fertility level that is most likely to show the greatest crop increases by adding fertilizer is one which has:
  - A. a high fertility level
  - B. a high pH
  - C. a low fertility level
  - D. very low levels of calcium

END OF TEST

Agricultural Supplies and Services

TEST NO.: 2-4 KUDER-RICHARDSON 20: -.249 KUDER-RICHARDSON 21: -.344

N(tests) = 20

|            |   | rrect Dif | fi- a  | oeff- Bi | int<br>serial<br>efficient   | Discrim-<br>ination<br>Index |
|------------|---|-----------|--|----------|--|------------------------------|
| 1          |   | •         |  | •        | The factor of the second of th |                              |
| 2.         |   | C, 65     |  | .818     | .368   | 50.0                         |
| 3.         |   | B 60      | 0,   | . 249    | .042   | 16.7                         |
| 4.         |   | B .50     | 0 .  | . 249    | .034   | 16.7                         |
| 5.         |   | ° 1 70    | 0  | .696     | .127   | 33.3                         |
| ٠.         |   | D .45     | 0 *  | .988     | .545   | 83.3                         |
| آءَ 6      |   | Λ         |  | 1070     | 000  |                              |
| <b>7</b> : |   | A         |  | .918     | .368   | 66.7                         |
| 8.         |   | D 90      |  | 818      | , <b></b> 239  | -33.3                        |
| 9          | 4 | B .65     |  | 625      | 061  | -33.3                        |
| 0.         |   | .C .45    |  | .918     | .408   | 66.7                         |
|            | ď | A ,70     | D (  | .918     | .573 , "   | 66.7                         |
| 1.         |   | A         | ń  | .988     | .648   | 02.2                         |
| 2.         |   | C .70     | A Property of the Control of the Con |          |  | 83.3                         |
| 3.         |   | •/0       | ,  | .249     | .127   | 16.7                         |

16. 17. 18. 19. 20.

21... 22... 23... 24... 25.

26. 27. 28. 29. 30.

AREA: 2-4 A
AREA: Agricu
TEST NO.: 2-4
KUDER-RICHARDSON 20: .690
KUDER-RICHARDSON 21: .654

N(tests) = .60

| Item        | Correct<br>Option | Relative Diffi- culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient      | Discrim-<br>ination<br>Index |
|-------------|-------------------|-----------------------|-------------------------|---------------------------------------|------------------------------|
|             |                   |                       |                         |                                       |                              |
| 1.          | Z <sub>C</sub>    | •533                  | 760                     | 200                                   | 44.3                         |
| 2.          | В                 | •583                  | 760<br>.905             | •398<br>•534                          | 61.3                         |
| 3.          | В *               | .433                  | .903<br>°941            | .535                                  | 67.2                         |
| 4.          | č                 | .383                  | .876                    | •388                                  | 56.7                         |
| 5.          | D.                | .467                  | .861`                   | .422                                  | 55.4                         |
| 6.•         |                   |                       |                         |                                       | 05.0                         |
| <b>7.</b>   | A                 | •650                  | .411                    | •322                                  | 27.2                         |
| 8.          | D<br>B            | .833<br>.517          | •696                    | .391                                  | 30.0<br>45.5                 |
| 9.          | Č                 | .300                  | `.780<br>.976           | •403<br>•577                          | 73.7                         |
| .0.         | Ä                 | .617                  | .861                    | •542,                                 | 54.8                         |
|             |                   |                       |                         |                                       |                              |
| 1.          | A                 | •450                  | .965                    | 589                                   | 72.4                         |
| .2.<br>3.   | C                 | .717                  | • 956                   | •626                                  | 64.7                         |
| <b>4.</b>   | <b>~</b>          |                       | •                       |                                       |                              |
| 5.          |                   |                       |                         |                                       |                              |
|             |                   |                       |                         |                                       |                              |
| 6.          | •                 |                       | +                       |                                       |                              |
| 7.          |                   |                       |                         |                                       |                              |
| <b>8.</b> ' |                   |                       |                         |                                       |                              |
| 9.          | •                 |                       |                         |                                       |                              |
| 0.          |                   |                       |                         |                                       |                              |
|             | ere.<br>Geografia |                       |                         |                                       |                              |
| 1.<br>2.    |                   |                       |                         | · · · · · · · · · · · · · · · · · · · |                              |
| 3.          | •                 |                       | *                       |                                       |                              |
| 4.          |                   |                       |                         |                                       |                              |
| 5.          |                   |                       |                         |                                       |                              |
|             |                   |                       | *                       | <b>a</b>                              | , , ,                        |
| 6.          | 1                 |                       | 0.0                     | · II                                  |                              |
| 7.          |                   |                       | -                       |                                       |                              |
| 8.          |                   |                       |                         |                                       |                              |
| 9.          |                   |                       |                         |                                       |                              |
| 0: •        |                   |                       |                         |                                       |                              |

AREA: AGRICULTURAL SUPPLIES AND SERVICES

Unit: Utilizing Chemicals for Agricultural Problems

Student Performance Objectives

The student should be able to:

- 1. Provided examples of damage and/or the insect or pest causing the damage, assist in identifying the insect or pest at a level of performance acceptable to the local instructor.
- 2. Provided examples of common local weeds, assist in identifying the weed at a level of performance acceptable to the local teacher.
- Provided appropriate information regarding the problem to be controlled by the use of chemicals, use the firms technical publications to locate the appropriate chemical(s) to be used for a specific situation as recommended by the chemical company or other sources such as the county agent and calculate the correct amount of chemical the customer needs to purchase for a specific situation.

AREA: AGELIUUTURAL SUPPLIES AND GELFTCES

Unit: Utilizin Characals for Agricu Problems (2-5)

A characteristic of the plants in the legume family is that:

- A. they all reproduce olens
- B. they all have a trible te leaf pattern
- C. they have fixed atmost eric nitrogen with root nodules,
- D. have no stem nodes
- 2. Volatility of chemical herbicide refers to:
  - A. its ability to stay suspended in liquid
  - B. how quickly vapors are released and spread
  - C. ability to reduce surface tension of water
  - D. its movement within the plant from one part to another
- 3. Insects are distinguished from the other four-classes of arthropoda by having:
  - A. four pair of legs, antenna, and head and thorax combined into one part
  - B.-five or more pair of legs, head and thorax combined into one part
  - C. always have "sucking mouth parts and three body parts"
  - D. three body parts and three pair of legs
- 4. The part of a plant that is an underground horizontal stem which produces a new plant is a:
  - A. rhizome
  - B. node
  - C. petiole
  - D. stolon
- 5. The adult insect of the cattle grub on both beef and dairy cattle is the:
  - A. heel fly
  - B. face fly
  - -C. horse fly
    - D. stable fly

- 6. A plant part whic were ty hair is said to be,
  - A. inflorescence
  - B. pubescent
  - C. serrate
  - D. glaucous
- 7. The insect pest which come form by feeding on the roots in the farvae stage and also contains pollination by feeding on the silks during the adult stage of the silks
  - A. corn earworm
  - B. european corn borc
  - C. seed corn maggot
  - D. corn rootworm
- 8. The portion of a chem al \_\_\_ has an active affect on a plant is referred to as:
  - A. the carrier
  - B. emulsifier
  - C. active ingredient
  - D. solvent
- 9. A herbicide which kills \_\_\_\_\_\_ certain plants at the rate recommended is known as:
  - A. contact herbicide
  - B. systemic herbicide
  - ... C. post-emergent herbici-
    - D. selective herbicide
- An alfalfa field which shows considerable leaf area chewed and eaten away would likely be infested by the:
  - A. cutworms
  - B. meadow spittlebug
  - C. potato leaf hopper
  - D. alfalfa weev 1

TO NEXT PAGE

313

- 11. Application of a herbicide to only the areas over the rows of a cultivated crop is referred to as:
  - A. band treatment
  - B. post emergent
  - C. basal spray
  - D. pre-planting treatent
- 12. Stored grain which may be covered by silken threads or having many kernels webbed together with silken-threads indicates infestation of:
  - A. red flower beetles
  - B. indian meal moth
  - C. granary weevil
  - D. angoumois grain moth

END OF TEST

ARTS: Agr. cultural Supplies and Services

KUDER-RICHARDSON : 55

KUDER-RICHARDSON : 55

N tests) = 34

| Item                            | Correct<br>Option  | Relative<br>Diffi-<br>culty          | Phi<br>Çoeff-<br>icient              | Point<br>Biser==1<br>Coeffi=ient     | Discrim-<br>ination<br>Index         |
|---------------------------------|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 1.<br>2.<br>3.<br>4.<br>5.      | C<br>B<br>D<br>A   | .412<br>.324<br>.382<br>.294         | .998<br>.965<br>.891<br>.965         | .680<br>.554<br>.444<br>.477<br>.388 | 83.3<br>66.7<br>50.0<br>66.7<br>69.0 |
| 6.<br>7.<br>6                   | B<br>D<br>C<br>D   | .302<br>.4-2<br>.2.3<br>.999<br>.294 | .965<br>.110<br>.998<br>.000<br>.998 | .4-<br>.133<br>.604<br>.000<br>.505  | 66.7<br>7.1<br>83.3<br>00.0<br>83.3  |
| 12.<br>13<br>14.<br>15.         | D<br>A<br>B  | .205<br>.294<br>.853                 | .047<br>.853<br>.707                 | .129<br>.448<br>.200                 | 2,4<br>52.4<br>28.6                  |
| 16.<br>17.<br>18.<br>19.<br>20. |  |                                      |                                      |                                      |                                      |
| 21.<br>22.<br>23.<br>24.<br>25. | and the same of th |                                      |                                      |                                      |                                      |
| 26.<br>27.<br>28.<br>29.<br>30. |  |                                      |                                      |                                      |                                      |

## AREA AGE TILIURAL SUPPLIES ENC SERVICES

Unit: Forman Relations in the Coultural Supplier and Services Business

Student Ferformance Objectives

The student should be able to:

- 1. Identify some of the major causes of failure on the job and identify some of the criteria employers use in advancing or promoting persons such as dependability, punctuality production, initiative, cooperation, appearance and competence.
- 2. In preparing for an occupation in agricultural supplies and services, complete a self-evaluation of his physical appearance, speech and conversation and his personality as it pertains to relations with other persons to the satisfaction of the teacher.
- 3. In preparation to enter in an occupation in agricultural supplies a services, mentify the employee's role, the employer a role, the surervisor mole and the customer role in the business to the saturaction of the teacher.
- when wor the with employers, for amployees, supervisors of interesting the these people to the satisfaction of the tabore and or employer.
- bus was the smooth and service dust business transactions to satisfaction of the techer and the colorer.

Unit: Human Relations in the Agricultural Steples Services Eusiness

- 1. In business, human relations means:
  - A. relationships between the employer and employers
  - B. relationships bet een employees
  - C. relationships between customers and salespersons
  - D. all f these
- 2. Personality is measured (good bad) by
  - A. your appearance
  - B. how your habits and skills interest and serve others
  - C. the initiative you show
  - D. your production as an employee
- 3. An employee must be able to the instruction because:
  - A. it will make him more capable of gi instructions
  - B. time and money will be saved
  - C. /it will show the employer that he is sendable
  - D/both B and C are correct
- 4. The surpose(s) of human relations is but less is (are):
  - A. gaining the cooperation of pe
    - B. etting them to produce more
    - C. nelping people get satisfaction from their work
    - D. all of the above

- 5. The most important traits called for in good customer relations are:
  - A. self-discipline and psychology
  - B. human behavior and getting along wit- others
  - C. unstructured human relations and good manners
  - D. tact, courtesy and respect,
- business firm. In order to learn more while on the job. Don arrives at work early, does not take breaks and as a short lunch. One day an older employer tells Don that he will have get far in the business and that he would get along better with the other employees if he would quit being so ambitious. Of the following attendatives for I to follow.
  - A. tell the employer and have him have the problem
  - B. continue exactly as he had in the past, ignoring the suggestions of the older employee
  - C. take the advice of the older employee and take in easy
  - D. take his breaks and full lunch, but continue to learn by taking materials home with him to study
- 7: When a call comes in for a person who is not present at the moment polyshould:
  - A. yell for the person to come to the pro-
  - B. tell the caller to wait a minute while on fine the terson
  - C: tell the caller to call back later
  - D. ask the caller if he would rather wait call back later
- 8. Misinformation is often passed from one employee to another in the form of:
  - A. good intentions
  - B. semantics
  - C. rumors
  - D. oral communications

- The manager of an agriculture supply store observes a salesperson make a mistake when dealing with a customer. After the customer leaves the store, the manager should:
  - A. fire the salesperson on the spot
  - B. not say anything to the salesperson because pointing out mistakes is discouraging
  - C. point out the mistake to the salesperson and tell the salesperson how to avoid future mistakes
  - D. require the salesperson to write a letter of apology to the customer

| See | APPLICATION FOR A SOCIAL SECURITY NUMBER  (Or Respondent of Lost Card)  Information Furnished On This Form Is CONFIDENTIAL  Print FILL L NAME  (From Fill L NAME)  (Form Fill L NAME)  |
|-----|--|
|     | Print FULL NAME YOU WILL USE IN WORK OR BUSINESS  Print FULL  (Middle Name or Initial - if none, draw line)  Print FULL  Print FULL  Apple  (Middle Name or Initial - if none, draw line)  Print FULL  Print |
| U   | NAME GIVEN YOU AT BIRTH  LARR D. DALE  ONTE OF BIRTH 10 26 75  |
|     | OF (County If known) (Store)  BIRTH. COLUME LLS FRANKLIN OHTO  To (Age of last birthday).  MOTHER'S FULL NAME AT HER BIRTH (1-or molden nome)  |
|     | FATHER'S FULL NAME (Regardless of whether living or dead)  8 YOUR SEX MALE FEMALE  |
| 10  | HAVE YOU EVER BEFORE APPLIED DON'T UI "YES" Prim STATE in which the string of DATE   |
| 4   | YOUR (Number and Street, Apr. No., P.O. Bax, or Rural Route)   |
| Щ   | ADDRESS 21 FYFFE ROAD COLUMBUS OHTO 43210 \$   |
| FOR | SULTY DEPARTMENT, Internal Revenue Service  Return completed application for necess's SOCIAL SECURITY ADMINISTRATION DEFICE  HAVE YOU COMPLETED ALL 14 IN FORCE  |

- 10. The completed application for a social security number shown above:
  - A. has been completed in the correct manner
  - B. contains 3 errors
  - C. contains 4 errors
  - D. contains 5 errors

- 11. In order to make the best impression possible at a job interview, the applicant shoulds
  - A. arrive within ten minutes after the scheduled time
  - B. wear very comfortable sports clothes so that he will not be as nervous
  - C. smoke very little or not at all
  - D. wear very fashionable, bright clothes so that he will be remembered
- 12. The reactions of the people in a company or business toward each other may be interwoven into what is called:
  - A. company morale
  - B. success
  - C. failure
  - D. advancement or promotion
- 13. A salesperson who wants to improve in salesmanship ability should
  - A. ask a friend to come by and offer advice
  - B. not let the employer know that he wants help in becoming a better salesperson
  - C. not tell anyone, but get more experience in selling
  - D. ask the employer for suggestions for becoming a better salesperson
- 14. Good human relations traits are:
  - A. based on technical knowledge and skill
  - B. developed unconsciously
  - C. inherited
  - D. developed through practice
- 15. When differences of opinion arise, the person with a desirable personality will:
  - A. argue his point emphatically
  - B. discuss rather than argue
  - C. agree with the other person's point of view
  - D. 'stop voicing his opinion

- 16. Most employers look for leadership potential in new employees because they like to promote people from within the organization rather than fill top jobs with people from outside the company.
  - A.\_true
  - B. false
- 17. Talking very slow on the telephone usually results in:
  - A. more need for repeating
  - B. losing the interest of the listener
  - C. a lack of distinctness in your voice
  - D. both A and C are correct
- 18. First impressions are almost always based on the salesperson's:
  - À. manners
  - B. appearance
  - C. shoeshine
  - D. hair style
- 19. When answering the telephone:
  - A. do not answer it too promptly as the caller will assume you have nothing to do
  - B. greet the caller with a cheerful "hello"
  - C. do not be too enthusiastic as the caller will feel he is being pressured
  - D. identify the firm you are working for and your name
- 20. Employers evaluate the personal qualities of potential employees by
  - A. reviewing the application form
  - B. interviewing the person applying for a job
  - C. checking references provided by a job applicant
  - D. all of the above

- 21. Of the following items, the one which normally would not be included in your resume' or ersonal data sheet is:
  - A. references
  - B. marital status
  - C. parent's name
  - D. employment experience .
- 22. The most common reason for people being fired from their jobs is:
  - A. talking too much with custon
  - B. inability to get along with \_ r fellow workers'
  - C. not talking enough with custors
  - D. high pressure selling
- 23. When filling out an application for exployment, you should:
  - A. only include information which make you look desirable to the employer
  - B. not give information concerning your physical status
  - C. print as neatly as possible
  - D. both B and C are correct
- 24. After unleading bulk feed, the river for the Agriculture Supply Store accidentally backed into the famous feed spout and broke it. Which of the following should the delivery person do?
  - A. go back and try to fix the feet spout
  - B. report the damage to the manager and let him handle it
  - C: forget about it and hope the farmer will think someone else did it
  - D. hire a repair man to fix it and pay for the repair
- 25. Of the following qualities, = most important for an effective voice are:
  - A. distinctness
  - B. emphasis on key words and phrases
  - C. softness
  - D. both A and B are corrects
  - E. all of the arrive are correct

GO NEXT PAGE

- 26. In many businesses the management evaluates the human relations of the business by:
  - A. self-satisfaction of employe
  - B. morale or attitude surveys
  - C. criticisms and suggestions of customers
  - D. number of employees who have been dismissed
- 27. While developing your philosophy of life, you should consider:
  - . A. your code of personal ethics and morality .
    - B. your ability to accept change
    - C. knowing what you stand for
    - D. both A and C are correct
    - E. all of the above are correct
- 28. The supervisors in an agricultural business will usually be the owner of the business, the manager, or a foreman. These persons hold supervisory positions because:
  - A. of their ability to give orders to employees:
  - B. they do more work than other workers
  - C. of their past experience or success
  - D. none of the above

TABLE: 2-6 A
AREA: Agricultural Supplies and Services
TEST NO.: 2-6
KUDER-RICHARDSON 20: .539
KUDER-RICHARDSON 21: .539

N(tests) = 122,

| Item_                           | · Correct<br>· Option | Relative<br>Diffi-<br>culty            | Phi<br>Coeff-<br>icient               | Point<br>Biserial<br>Coefficient     | Discrim-<br>ination<br>Index          |
|---------------------------------|-----------------------|--|---------------------------------------|--------------------------------------|---------------------------------------|
| 1.<br>2.<br>3.<br>4.<br>5.      | D<br>B<br>E<br>D<br>D | .066<br>.402<br>.999<br>.213           | .637°<br>.383<br>.000<br>.440<br>.876 | .305<br>.215<br>.000<br>.165<br>.426 | 17.6<br>24.4<br>00.0<br>22.3<br>55.7  |
| 6.<br>7<br>8.<br>¥9.<br>10.     | D<br>D<br>C<br>C      | .270<br>.115<br>.426<br>.016<br>.590   | .673<br>.637<br>.637<br>.203          | .279<br>.276<br>.310<br>.140         | 32.2<br>21.1<br>32.6<br>2.9<br>57.3   |
| 11.<br>12.<br>13.<br>14.        | C<br>A<br>D<br>D<br>B | .721<br>.230 •<br>.074<br>.270<br>.189 | .368<br>.770<br>.729<br>.818<br>.760  | .181<br>.440<br>.431<br>.417<br>.432 | 21.0<br>40.5<br>26.5<br>46.9<br>36.4  |
| 16.<br>17.<br>18.<br>19.<br>20. | A<br>B<br>B<br>D<br>D | .098<br>.393<br>.221<br>.164<br>.238   | .249<br>.426<br>.233<br>.760          | .167<br>.181<br>.138<br>.461<br>.447 | 10.5<br>27.3<br>12.2<br>36.4<br>39.9  |
| 21.<br>22.<br>23.<br>24.<br>25. | C<br>B<br>C<br>B<br>D | .557<br>.123<br>.533<br>.361<br>.459   | .696<br>.750<br>.718<br>.809          | .330<br>.360<br>.314<br>.431<br>.433 | 37.8·<br>29.4<br>40.2<br>48.0<br>52.1 |
| 26.<br>27.<br>28.<br>29.        | B<br>E<br>C           | .705<br>.434<br>.328                   | .141<br>.413<br>.780                  | .089<br>.316<br>.418                 | 8.7<br>31.4<br>45.1                   |

#### AREA: AGRICULTURAL SUPPLIES AND SERVICES

Unit: Formulating Feed Mixtures

### Student Performance Objectives

The student should be able to:


- 1. When presented with appropriate technical information and information regarding the livestock or poultry to be fed, assist in correctly balancing rations for animals according to standards set forth in technical feeding publications.
- 2. When balancing rations for a customer, formulate the most economical balanced ration by using grain and supplement substitutes available to the customer.
- 3. When balancing rations for a customer, add feed additives and medications to a ration for specific animals in compliance with a veterinarian's request and in accordance with Federal Drug Administration (FDA) and state regulations.

### AREA: AGRICULTURAL SUPPLIES AND SERVICES

# Unit: Formulating Feed Mixtures (2-7)

1. Below is shown a correctly prepared "square method" or (the Pearson Square Method) to find the parts of soybean meal and corn to achieve a ration having 13% crude protein. Which item indicates the correct mixture from the square method?

soybean meal 45.8% crude protein




parts of soybean meal

corn 9.3% crude protein

parts of corn

- A. 3.7 parts of soybean meal and 32.8 parts of corn
- B. 9.3 parts of soybean meal and 45.8 parts of corn
- C. 22.3 parts of soybean meal and 58.8 parts of corn
- "D.' 32.8 parts of soybean meal and 3.7 parts of corn
- 2. Some antibiotic .pre\_mixes have been used for disease prevention and control as well as to promote growth. Which of the following shows the relative amounts of an antibiotic used for each of the three purposes.
  - 'A. 50 grams for growth promotion, 100 grams for disease prevention and 200 grams for disease treatment
  - B. 200 grams for growth, 100 grams for disease prevention and 50 grams for disease treatment
  - C. 100 grams for growth, 200 grams for disease prevention and 50 grams for disease treatment



- 3. Which of the following is not a source of phosphorus for livestock rations:
  - A. ground limestone
  - B. steamed bode meal
  - C. di-calcium phosphate
  - D. iodized salt
- A variety of grain grown in one state may not have the same chemical composition as the same variety of grain grown in another state.
  - A. true
  - B. false
- 5. Mill pre-mixes should be added to the blender:
  - A. before any of the batch has entered the blender
  - B. once 20% or 25% of the batch has entered the blender
  - C. after all the batch has entered the blender
- 6. Young growing livestock have a need for a ration with a higher percent protein than do mature animals.
  - A. true
  - B. false
- 7. Urea must be mixed uniformly and thoroughly in the ration, otherwise one animal may get enough to be poisoned.
  - A. true
  - B. false
- 8. The agency which is responsible for setting standards so that no harmful drugs are fed to livestock that would carry through the animals body and be found in the food products of milk, meat, and eggs is the:
  - A. National Research Council (N.R.C.)
  - B. U.S. Department of Agriculture
  - C. Federal Food and Drug Administration (F.D.A.)
  - D. American Medical Association (A.M.A.)

- 9. While the soils across the U.S. differ in mineral content, grains and forages from plants which grow in various soil types will all have essentially the same levels of nutrients.
  - A. true
  - B. false
- 10. Necessary mineral needs should be taken care of by mixing them in the ration since it is a myth or "old wives tale" that animals will balance out their mineral needs when these are offered separately and free choice (like a salt block, or bone meal in a box).
  - A. true
  - B. false
- 11. "Units of vitamins", "grams of milligrams per pound" and "percentage of active drug" are all:
  - A. potency levels of ingredients
  - B. mixing or feeding direct ons
  - C. cautious in the use of the product
  - D. weight of ingredient:
- 12. An excess of an essentia mineral element in a ration will not have any hazardous effects on the animals but is wasteful and unnecessarily costly.
  - A. true
  - B. false
- 13. The mineral that needs to be supplied in the largest amounts to livestock rations is:
  - A., calcium
  - B. copper.
  - C. iodine.
  - D. cobalt

- when the Pearson Square method indicates that eight parts of corn and three parts of soybean meal are needed to balance a ration, the percent of each can be determined by:
  - A. dividing 3 by 8
  - B. divide both the 3 and the 8 by their sum (11) and multiply each by
  - C. divide the 3 and the 8 by 100
  - D. divide the 3 and the 8 by their sum (12) and multiply by 100
- 15. Grains such as shelled corn, wheat or barley have a higher proportion of total digestible nutrier's than do roughages such as alfalfa hay or corn ensilage.
  - A. true
  - B. false
- 16. When ures sused as a source or protein there is no reason to limit the amount of urea other than cost factors.
  - A. true
  - B. false
- 17. Which of the following would not be listed as a pre-mix feed additive
  - A. protein supplement
  - B. vitamin mixture
  - C. medication
  - D. growth stimulator
- 18. Urea has little or no value as a protein substitute for swine poultry, although it is not point nous to them when fed in amounts normally recommended for cattle.
  - A. true
  - B. false
- 19. In order to obtain value from urea, it must be fed with some easily fermentable carbohydrates, such as the starches of grains or the sugar of molasses.
  - A. true
  - B. false

20. Some of the nutrients or food elements have a relationship to one another so that the normal effects of one may be harmed by either an excess or lack of another one.

A. true B. false

END OF TEST

pplies and Services

TABLE: 2-7 A

AREA: Agricultural

TEST NO.: 2-7

KUDER-RICHARDSON 20: .027

KUDER-RICHARDSON 21: -277

 $\overline{N(\text{tests})} = 32$ 

|            |  |  | <del></del>        |               |                |
|------------|--|--|--------------------|---------------|----------------|
|            |  | Relative   | Phi                | Point         | Discrim-       |
|            | Correct  | Diffi-   | Coeff-             | Biserial      | ination        |
| Item       | Option (   | culty  | icient             | Coefficient   | Index          |
|            |  |  |                    |               |                |
|            | - No. 10 - N |  |                    |               |                |
| 1.         | $\mathbf{A}$   | <b>.7</b> 50   | .18 <b>7</b>       | .128          | 10.0           |
| 2.         | A  | • 563  | ., .413            | •299          | 30.0           |
| 3.         | <u>D</u> //  | .875   | •383               | • 203         | 20.0           |
| 4.         | A  | ·\\ •094   | •000               | .085          | 00.0           |
| 5.         | В  | .625   | .156               | .090          | 10.0           |
|            |  |  |                    |               | 10.0           |
| 6.         | Α  | .219   | .000               | .088          | 00.0           |
| 7.         | Α  | 250  | 836                | .274          | 50.0           |
| 8.         | С  | •469   | •309               | 248           | 20.0           |
| 9.         | В  | .375   | 156 . <sup>¬</sup> | .106          | * -10.0        |
| 10.        | В  | .313   | • <b>9</b> 69      | .610          | 70.0           |
|            | JAM.   |  |                    | •010          | 70.0           |
| 11.        | Α  | • 500  |                    | 633           | 90.0           |
| 12.        | В  | .500   | 454                | 30<br>30      | 30.0           |
| 13.        | Α  | . 3 <b>7</b> 5   |                    | . 2 <b>37</b> | 20.0           |
| <b>յ</b> ս | В  | . 594  | 905                | • 340         | 60.0           |
| 1.3.       | B<br>A   | -188   | 187                | .046          | -10.0          |
|            | • •  |  |                    |               | -10.0          |
| 16.        | В  | .031   | • 353              | .472          | 10.0           |
| 17.        | . A  | .906   | 218                | .024          | -10.0          |
| 18.        | Α  | .625   | 413                | 221           |                |
| 19.        | Α  | .281   | .818               | .235          | 30.0           |
| 20.        | A  | .281   | 187                | 081           | 40.0           |
|            | ·  |  | · ±07              | 00T /         | \ -10.0        |
| 21.        |  |  |                    | \             | <u>.</u> , .   |
| 22.        |  |  | •                  |               |                |
| 23.        |  |  |                    |               |                |
| 24.        |  |  |                    | · ca          |                |
| 25.        |  |  |                    |               |                |
|            |  |  |                    | •             | \ **           |
| 26.        |  |  |                    |               | \doldon,       |
| 27.        |  |  |                    |               | •              |
| 28.        | · •  |  |                    |               | And the second |
| 29.        |  |  |                    |               | • • • • • •    |
| 30.        |  |  |                    |               | ·              |
|            | •  | na di Santa di Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabup |                    |               |                |

AREA: AGRICULTURAL SUPPLIES AND SERVICES

Unit: Making Seed Recommendations

Student Performance Objectives

The student should be able to:

- 1. When asked specific questions about certain varieties of seeds, locate sources of such information and present such information to the customer in a manner acceptable to the local employer.
- 2. When asked to provide mixtures for specific purpled locate and use technical references which contain specific information for mixtures used locally and present such information to the customer in a manner acceptable to the local employer.
- 3. When asked to provide a quantity of seed for a customer, accurately determine the amount of seed needed by the farmer to seed a given acreage.

AREA: AGRICULTURAL SUPPLIES AND SERVICES

Unit: Making Seed Recommendations (2-8)

- 1. The amount of seed which will germinate of the desired crop present in any lot of seed material is listed on the seed tag as:
  - A. pure live seed
  - B. inert matter
  - C. hard seeds
  - D. noxious varieties
- 2. A crop producer wishes seed 20 acres with a mixture of 10 pounds of Alfalfa and 6 pounds. Smooth Bromegrass per acre. He has another 10 acres where he plans to use a mixture of 7 pounds of Alfalfa, 3 pounds of Red Clover and 6 pounds of Smooth Bromegrass per acre.

The total seed needed to plant this producer's forage crop is:

- A. 17 pounds of Alfalfa, 12 pounds of Smooth Bromegrass, and 3 pounds of Red Clover
- B. 200 pounds of Alfalfa; 120 pounds of Smooth Bromegrass and 30 pounds of Red Clover
- C. 300 pounds of Alfalfa, 90 pounds of Red Clover, and 80 pounds of Smooth Bromegrass.
  - D. 270 pounds of Alfalfa, 180 of Smooth Bromegrass, and 30 pounds of Red Clover
- The weight of Timothy seed per bushel compared to the weight of Alfalfa seed is:
  - A. the same since the weight per bushel of all forage seeds is the same
  - B. lighter than Alfalfa
  - C. is dependent upon the variety of each
  - D. heavier than Alfalfa

- 4. If a seed tag reads "95.5% pure seed" and "92% germination", the percentage of seed that can be expected to produce normal plants under favorable conditions in the field is:

  A. 95.5%
  B. 92%
  C. 87,86%
  D. 3.5%
- 5. To obtain the recommended harvest stand of corn, it is suggested that the planter be set to drop 20% more seed than the desired stand for plant populations below 20,000 plants per acre. If the grower wishes 18,000 plants per acre he needs to set his planter to drop \_\_\_\_\_ seeds per acre.
  - A. 14,400 B. 18,000 C. 21,600 D. 40,000
- 6. Both ear corn and shelled corn are figured at the same weight per bushel.
  - A. true
    B. false
- 7. Seeds that will germinate, but take longer than the prescribed time during testing are referred to as:
  - A. retarded seed
  - B. restricted noxious
  - C, slow seeds
  - D. hard seeds
- 8. If wheat which has matured in the field is rained on several times before it has been harvested, the test weight:
  - A. will tend to be higher than wheat that was not rained on
  - B. will definitely be higher if moisture level in grain is higher
  - C. will tend to be lower than wheat that was not rained on
  - D. will not be changed because test weight is determined strictly by the type of grain and variety

- Alfalfa seed weighs 60 pounds per bushel. A farmer wishes to got enough of the seed to seed 40 acres at the rate of 12 pounds per acre. You should see that he receives:
  - A. 4 bushels
  - B. 6 bushels
  - C. 8 bushels
  - D. none of the above are correct
- O. A seed tag which states a particular lot of seed has .01% weed seed; means there is:
  - A. 1 lb. of weed seed in a hundred pounds of seed
  - B. 1/10 of a 1b. of weed seed in 100 lb. of seed
  - C. 1/100 of a lb. of weed seed in 100 lb of seed
  - D. 1/100 of a 1b. of weed seed in 1 lb. of seed

Legumes and Grasses-Seeding lb/A

Notes

## Mixture for Hay, Silage, or Rotational Grazed Pasture

A Alfalfa 12

Alfalfa seeded aline may be more weedy, less winter hardy and may lodge more tran alfalfa-grass mixtures.

B Alfalfa 10
with
Timothy 1-2 (Fall)4 (Spring)
or
Smooth Bromegrass 6
or
Orchardgrass 4

Most forage seedings in Ohio are a grass-legume mixture. Seeding some fields to alfalfa-orchardgrass, others to alfalfa-bromegrass, and others to alfalfa-timothy will permit spreading the first harvest, each year, over a period of two weeks without serious loss of quality.

Orchardgrass seeding rate may be reduced to 2 pounds per acre where an alfalfa dominant mixture is desired.

Alfalfa 7 and Red
Clover 3
with
Timothy 1-2 (Fall)4 (Spring)
or
Smooth Bromegrass 6
or
Orchardgrass 4

Red clover is more tolerant than alfalfa to heavy shading by companion grain crops. These mixtures are recommended for seedings in wheat and other winter grains, and for use on fields where restricted soil drainage or low pH may reduce stands and growth of alfalfa. Red clover is not well adapted to summer seeding.

Red Clover 8
with
Timothy 1-2 (Fall)4 (Spring)
or

or

Timothy 4

B

These mixtures should be used on fields which will not produce satisfactory stands and yields of alfalfa. After the first harvest year, there will be little or no clover in the stand and the seeding should be treated as a pure stand of grass.

Orchardgrass 4

Birdsfoot Trefoil 6

with

Smooth Bromegrass 6

On some poorly drained soils of northeastern Ohio, birdsfoot trefoil produces higher yields than alfalfa. Where
alfalfa does well, it yields 20 to 40 per cen more than
birdsfoot trefoil. Uprightgrowing strains of birdsfoot
trefoil, such as Viking, should be used for hay. In
southern Ohio, birdsfoot trefoil stands are generally
short-lived except where natural reseeding occurs.

Legumes and Grasseseeding lb/A<sup>1</sup>

Notes

### Mixtures for Long-lay Pastures

F Orchardgrass 6

Add ladino white clover-1/2 to 1 lb/A-where a ladino-grass pasture is desired. There is some danger of bloat when cattle are grazing ladino white clover-grass pastures. Ladino white clover in this mixture increases livestock acceptability of tall fescue.

or Tall Fescue 10-15 10 lb. of tall fescue is sufficient for pasture establishment in most situations. 15 lb. may be advisable in potential areas of severe soil erosion.

Birdsfoot Trefoil 6 with Timothy 4 Kentucky bluegrass-1 to 2 lb/A- should be substituted for timothy where a birdsfoot trefoil-bluegrass sod is desired in the shortest possible time.

On fields which had good bluegrass sod prior to the start of the seedbed preparation, it is not necessary to sow a grass with birdsfoot trefoil. Bluegrass from the old sod will quickly re-establish to form a birdsfoot trefoil-bluegrass sod. Low-growing strains of birdsfoot trefoil, such as Empire -should be used for pasture.

H Reed Caparygrass

Reed canarygrass is recommended for use in areas too wet to support other forage grasses. Reed canarygrass will also produce high yields on well-drained sites, but it is less palatable than other species which can be grown.

Korean Lespedeza

Korean lespedeza broadcast over pastures in southern Ohio in which there is considerable bare ground will increase summer and fall production of such pastures.

Crbwnvetch 5-10

May require 1-4 years to obtain a productive stand. Timothy or bluegrass may be added to the seeding.

Using the Seeding Mixtures Table on the preceding two pages answer the following questions.

- 11. Alfalfa seeded alone may have more winter kill but tend to stand upright better than a mixture of Alfalfa and grass.
  - A. true
  - B. false
- 12. If drainage is poor or the soil pH is low, Red Clover is suggested to be put in a mixture with Alfalfa.
  - A. true
  - B. false
- 13. When long lasting stands (2 or more years) of forage are needed, Red Clover is a good choice.
  - A. true
  - B. false
- 14. The number "10" following the name "Reed Canary Grass" in item H stands for the variety of Reed Canary Grass.
  - A. true
  - B. false
- 15. Birds Foot Treefoil would be a very good choice of seed for the area of Southern Ohio if a long lasting forage was needed.
  - A. true
  - B. false
- 16. Seven pounds of Alfalfa, 3 pounds Red Clover and 1-2 pounds of Timothy is a recommended mixture for hay, silages or rotational grazed pastures.
  - A. true
  - B. false

Reed Canary Grass is not recommended for wet areas.

A. true
B. false

AREA: 2-8
TEST NO.:
KUDER-RICHARDSON 20:
KUDER-RICHARDSON 21:

| Item      | Correct<br>Option | Relative<br>Diffi-<br>culty | Phi<br>Coeff-<br>icient | Point<br>Biserial<br>Coefficient | Discrim-<br>ination<br>Index |
|-----------|-------------------|-----------------------------|-------------------------|----------------------------------|------------------------------|
| 1.        | A                 |                             |                         |                                  |                              |
| 2.<br>3.  | D<br>B            | Amore green                 |                         |                                  | 9                            |
| 4.<br>5.  | C<br>C            |                             |                         |                                  |                              |
| 6.<br>7.  | B<br>D            |                             |                         |                                  |                              |
| 8.<br>9.  | )                 |                             |                         |                                  |                              |
| 0.        | č                 | TO A PARTICIPATE OF SOLIT   |                         |                                  |                              |
| 1.<br>2   | B<br>A            |                             |                         |                                  |                              |
| 3.<br>+.  | B<br>B<br>B       |                             |                         |                                  |                              |
| <b>5.</b> |                   |                             |                         | 4                                |                              |
| 5         | A .<br>B          |                             |                         |                                  |                              |
| 3.<br>0.  |                   |                             |                         |                                  |                              |
|           |                   |                             |                         |                                  |                              |
|           |                   |                             |                         |                                  |                              |
|           |                   |                             |                         |                                  |                              |
|           |                   |                             |                         |                                  |                              |
|           |                   |                             |                         |                                  |                              |
| 2         |                   |                             |                         |                                  |                              |
|           |                   | <b>*3</b> 2                 | 6                       |                                  |                              |